

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	R36	ROUND TOP	39.6	18	1.74	0,05
5	1,2	R36	ROUND TOP	39.6	18	1.74	0,05
5	N,S	R42	ROUND TOP	53.95	24,52	2.32	0,07
5	1,2	R42	ROUND TOP	70.38	31,99	2.32	0,07
5	N,S	R48	ROUND TOP	70.38	31,99	2.99	0,08
5	1,2	R48	ROUND TOP	89.05	40,48	2.99	0,08
5	N,S	R54	ROUND TOP	89.05	40,48	3.74	0,11
5	1,2	R54	ROUND TOP	109.98	49,99	3.74	0,11
5	N,S	R60	ROUND TOP	109.98	49,99	4.58	0,13
5	1,2	R60	ROUND TOP	0	0	4.58	0,13
5	N,S	SQ36	SQUARE TOP	50.38	22,9	1.74	0,05
5	N,S	SQ36	SQUARE TOP	50.38	22,9	1.74	0,05
5	1,2	SQ36	SQUARE TOP	50.38	22,9	1.74	0,05
5	K	SQ36	SQUARE TOP	50.38	22,9	1.74	0,05
5	N,S	SQ42	SQUARE TOP	68.64	31,2	2.32	0,07
5	1,2	SQ42	SQUARE TOP	68.64	31,2	2.32	0,07
5	K	SQ42	SQUARE TOP	68.64	31,2	2.32	0,07
5	N,S	SQ48	SQUARE TOP	89.54	40,7	2.99	0,08
5	1,2	SQ48	SQUARE TOP	89.54	40,7	2.99	0,08
5	K	SQ48	SQUARE TOP	89.54	40,7	2.99	0,08
5	N,S	SQ54	SQUARE TOP	113.3	51,5	3.74	0,11
5	1,2	SQ54	SQUARE TOP	113.3	51,5	3.74	0,11
5	K	SQ54	SQUARE TOP	113.3	51,5	3.74	0,11
5	N,S	SQ60	SQUARE TOP	139.92	63,6	4.58	0,13
5	1,2	SQ60	SQUARE TOP	139.92	63,6	4.58	0,13
5	K	SQ60	SQUARE TOP	139.92	63,6	4.58	0,13
5	N,S	B36	BOATSHAPE TOP	45.1	20,5	1.74	0,05
5	1,2	B36	BOATSHAPE TOP	45.1	20,5	1.74	0,05
5	N,S	B42	BOATSHAPE TOP	62.26	28,3	2.32	0,07
5	1,2	B42	BOATSHAPE TOP	62.26	28,3	2.32	0,07
5	N,S	B48	BOATSHAPE TOP	82.28	37,4	2.99	0,08
5	1,2	B48	BOATSHAPE TOP	82.28	37,4	2.99	0,08
5	N,S	B54	BOATSHAPE TOP	105.16	47,8	3.74	0,11
5	1,2	B54	BOATSHAPE TOP	105.16	47,8	3.74	0,11
5	N,S	B60	BOATSHAPE TOP	130.9	59,5	4.58	0,13
5	1,2	B60	BOATSHAPE TOP	130.9	59,5	4.58	0,13
5	N,S	A36	A-SHAPE TOP	42.02	19,1	1.74	0,05
5	1,2	A36	A-SHAPE TOP	42.02	19,1	1.74	0,05
5	K	A36	A-SHAPE TOP	42.02	19,1	1.74	0,05
5	N,S	A42	A-SHAPE TOP	57.25	26,02	2.32	0,07
5	1,2	A42	A-SHAPE TOP	57.25	26,02	2.32	0,07
5	K	A42	A-SHAPE TOP	57.25	26,02	2.32	0,07
5	N,S	A48	A-SHAPE TOP	74.68	33,94	2.99	0,08
5	1,2	A48	A-SHAPE TOP	74.68	33,94	2.99	0,08
5	K	A48	A-SHAPE TOP	74.68	33,94	2.99	0,08
5	N,S	A54	A-SHAPE TOP	94.49	42,95	3.74	0,11
5	1,2	A54	A-SHAPE TOP	94.49	42,95	3.74	0,11
5	K	A54	A-SHAPE TOP	94.49	42,95	3.74	0,11
5	N,S	A60	A-SHAPE TOP	116.69	53,04	4.58	0,13
5	1,2	A60	A-SHAPE TOP	116.69	53,04	4.58	0,13
5	K	A60	A-SHAPE TOP	116.69	53,04	4.58	0,13
5	N,S	W36	WAVE TOP	47.74	21,7	1.74	0,05
5	1,2	W36	WAVE TOP	47.74	21,7	1.74	0,05
5	N,S	W42	WAVE TOP	65.9	29,96	2.32	0,07
5	1,2	W42	WAVE TOP	65.9	29,96	2.32	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	W48	WAVE TOP	87.09	39,59	2.99	0,08
5	1,2	W48	WAVE TOP	87.09	39,59	2.99	0,08
5	N,S	W54	WAVE TOP	111.31	50,6	3.74	0,11
5	1,2	W54	WAVE TOP	111.31	50,6	3.74	0,11
5	N,S	W60	WAVE TOP	138.56	62,98	4.58	0,13
5	1,2	W60	WAVE TOP	138.56	62,98	4.58	0,13
5	N,S	RT3648	RACETRACK TOP	56.32	25,6	2.28	0,06
5	1,2	RT3648	RACETRACK TOP	56.32	25,6	2.28	0,06
5	N,S	RT3660	RACETRACK TOP	73.26	33,3	2.82	0,08
5	1,2	RT3660	RACETRACK TOP	73.26	33,3	2.82	0,08
5	N,S	RT3672	RACETRACK TOP	89.98	40,9	3.36	0,1
5	1,2	RT3672	RACETRACK TOP	89.98	40,9	3.36	0,1
5	N,S	RT3684	RACETRACK TOP	106.7	48,5	3.91	0,11
5	1,2	RT3684	RACETRACK TOP	123.42	56,1	3.91	0,11
5	N,S	RT3696	RACETRACK TOP	123.64	56,2	4.45	0,13
5	1,2	RT3696	RACETRACK TOP	123.64	56,2	4.45	0,13
5	N,S	RT4248	RACETRACK TOP	63.58	28,9	2.64	0,07
5	1,2	RT4248	RACETRACK TOP	63.58	28,9	2.64	0,07
5	N,S	RT4260	RACETRACK TOP	83.38	37,9	3.26	0,09
5	1,2	RT4260	RACETRACK TOP	83.38	37,9	3.26	0,09
5	N,S	RT4272	RACETRACK TOP	103.18	46,9	3.89	0,11
5	1,2	RT4272	RACETRACK TOP	103.18	46,9	3.89	0,11
5	N,S	RT4284	RACETRACK TOP	122.98	55,9	4.51	0,13
5	1,2	RT4284	RACETRACK TOP	122.98	55,9	4.51	0,13
5	N,S	RT4296	RACETRACK TOP	142.78	64,9	5.14	0,15
5	1,2	RT4296	RACETRACK TOP	142.78	64,9	5.14	0,15
5	N,S	RT4860	RACETRACK TOP	92.84	42,2	3.7	0,1
5	1,2	RT4860	RACETRACK TOP	92.84	42,2	3.7	0,1
5	N,S	RT4872	RACETRACK TOP	115.28	52,4	4.41	0,12
5	1,2	RT4872	RACETRACK TOP	115.28	52,4	4.41	0,12
5	N,S	RT4884	RACETRACK TOP	137.72	62,6	5.12	0,14
5	1,2	RT4884	RACETRACK TOP	137.72	62,6	5.12	0,14
5	N,S	RT4896	RACETRACK TOP	160.16	72,8	5.83	0,17
5	1,2	RT4896	RACETRACK TOP	160.16	72,8	5.83	0,17
5	N,S	RT5460	RACETRACK TOP	101.64	46,2	4.14	0,12
5	1,2	RT5460	RACETRACK TOP	101.64	46,2	4.14	0,12
5	N,S	RT5472	RACETRACK TOP	126.72	57,6	4.93	0,14
5	1,2	RT5472	RACETRACK TOP	126.72	57,6	4.93	0,14
5	N,S	RT5484	RACETRACK TOP	151.8	69	5.73	0,16
5	1,2	RT5484	RACETRACK TOP	151.8	69	5.73	0,16
5	N,S	RT5496	RACETRACK TOP	176.88	80,4	6.52	0,18
5	1,2	RT5496	RACETRACK TOP	176.88	80,4	6.52	0,18
5	N,S	RT48108	RACETRACK TOP	182.38	82,9	6.67	0,19
5	1,2	RT48108	RACETRACK TOP	182.38	82,9	6.67	0,19
5	N,S	RT48120	RACETRACK TOP	204.82	93,1	7.38	0,21
5	1,2	RT48120	RACETRACK TOP	204.82	93,1	7.38	0,21
5	N,S	RT48132	RACETRACK TOP	227.26	103,3	8.09	0,23
5	1,2	RT48132	RACETRACK TOP	227.26	103,3	8.09	0,23
5	N,S	RT48144	RACETRACK TOP	249.48	113,4	8.8	0,25
5	1,2	RT48144	RACETRACK TOP	249.48	113,4	8.8	0,25
5	N,S	RT48156	RACETRACK TOP	271.92	123,6	9.51	0,27
5	1,2	RT48156	RACETRACK TOP	271.92	123,6	9.51	0,27
5	N,S	RT48168	RACETRACK TOP	294.36	133,8	10.22	0,29
5	1,2	RT48168	RACETRACK TOP	294.36	133,8	10.22	0,29
5	N,S	RT48180	RACETRACK TOP	316.8	144	10.93	0,31

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	RT48180	RACETRACK TOP	316.8	144	10.93	0,31
5	N,S	RT48192	RACETRACK TOP	339.24	154,2	11.64	0,33
5	1,2	RT48192	RACETRACK TOP	339.24	154,2	11.64	0,33
5	N,S	RT54108	RACETRACK TOP	202.4	92	7.46	0,21
5	1,2	RT54108	RACETRACK TOP	202.4	92	7.46	0,21
5	N,S	RT54120	RACETRACK TOP	227.48	103,4	8.25	0,23
5	1,2	RT54120	RACETRACK TOP	227.48	103,4	8.25	0,23
5	N,S	RT54132	RACETRACK TOP	252.56	114,8	9.05	0,26
5	1,2	RT54132	RACETRACK TOP	252.56	114,8	9.05	0,26
5	N,S	RT54144	RACETRACK TOP	277.64	126,2	9.84	0,28
5	1,2	RT54144	RACETRACK TOP	277.64	126,2	9.84	0,28
5	N,S	RT54156	RACETRACK TOP	303.16	137,8	10.64	0,3
5	1,2	RT54156	RACETRACK TOP	303.16	137,8	10.64	0,3
5	N,S	RT54168	RACETRACK TOP	328.24	149,2	11.43	0,32
5	1,2	RT54168	RACETRACK TOP	328.24	149,2	11.43	0,32
5	N,S	RT54180	RACETRACK TOP	353.32	160,6	12.22	0,35
5	1,2	RT54180	RACETRACK TOP	353.32	160,6	12.22	0,35
5	N,S	RT54192	RACETRACK TOP	378.4	172	13.16	0,37
5	1,2	RT54192	RACETRACK TOP	378.4	172	13.16	0,37
5	N,S	RT48204	RACETRACK TOP	361.46	164,3	12.47	0,35
5	1,2	RT48204	RACETRACK TOP	361.46	164,3	12.47	0,35
5	N,S	RT48216	RACETRACK TOP	383.9	174,5	13.18	0,37
5	1,2	RT48216	RACETRACK TOP	383.9	174,5	13.18	0,37
5	N,S	RT48228	RACETRACK TOP	406.34	184,7	13.89	0,39
5	1,2	RT48228	RACETRACK TOP	406.34	184,7	13.89	0,39
5	N,S	RT48240	RACETRACK TOP	428.78	194,9	14.6	0,41
5	1,2	RT48240	RACETRACK TOP	428.78	194,9	14.6	0,41
5	N,S	RT48252	RACETRACK TOP	451.22	205,1	15.31	0,43
5	1,2	RT48252	RACETRACK TOP	451.22	205,1	15.31	0,43
5	N,S	RT54204	RACETRACK TOP	403.92	183,6	13.95	0,4
5	1,2	RT54204	RACETRACK TOP	403.92	183,6	13.95	0,4
5	N,S	RT54216	RACETRACK TOP	429	195	14.75	0,42
5	1,2	RT54216	RACETRACK TOP	429	195	14.75	0,42
5	N,S	RT54228	RACETRACK TOP	454.08	206,4	15.54	0,44
5	1,2	RT54228	RACETRACK TOP	454.08	206,4	15.54	0,44
5	N,S	RT54240	RACETRACK TOP	479.16	217,8	16.34	0,46
5	1,2	RT54240	RACETRACK TOP	479.16	217,8	16.34	0,46
5	N,S	RT54252	RACETRACK TOP	504.68	229,4	17.13	0,49
5	1,2	RT54252	RACETRACK TOP	504.68	229,4	17.13	0,49
5	N,S	RC3648	RECTANGULAR TOP	67.1	30,5	2.28	0,06
5	1,2	RC3648	RECTANGULAR TOP	67.1	30,5	2.28	0,06
5	K	RC3648	RECTANGULAR TOP	67.1	30,5	2.28	0,06
5	N,S	RC3660	RECTANGULAR TOP	83.82	38,1	2.82	0,08
5	1,2	RC3660	RECTANGULAR TOP	83.82	38,1	2.82	0,08
5	K	RC3660	RECTANGULAR TOP	83.82	38,1	2.82	0,08
5	N,S	RC3672	RECTANGULAR TOP	100.54	45,7	3.36	0,1
5	1,2	RC3672	RECTANGULAR TOP	100.54	45,7	3.36	0,1
5	K	RC3672	RECTANGULAR TOP	100.54	45,7	3.36	0,1
5	N,S	RC3684	RECTANGULAR TOP	117.26	53,3	3.91	0,11
5	1,2	RC3684	RECTANGULAR TOP	117.26	53,3	3.91	0,11
5	K	RC3684	RECTANGULAR TOP	117.26	53,3	3.91	0,11
5	N,S	RC3696	RECTANGULAR TOP	133.98	60,9	4.45	0,13
5	1,2	RC3696	RECTANGULAR TOP	133.98	60,9	4.45	0,13
5	K	RC3696	RECTANGULAR TOP	133.98	60,9	4.45	0,13
5	N,S	RC4248	RECTANGULAR TOP	78.32	35,6	2.64	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	RC4248	RECTANGULAR TOP	78.32	35,6	2.64	0,07
5	K	RC4248	RECTANGULAR TOP	78.32	35,6	2.64	0,07
5	N,S	RC4260	RECTANGULAR TOP	98.12	44,6	3.26	0,09
5	1,2	RC4260	RECTANGULAR TOP	98.12	44,6	3.26	0,09
5	K	RC4260	RECTANGULAR TOP	98.12	44,6	3.26	0,09
5	N,S	RC4272	RECTANGULAR TOP	117.92	53,6	3.89	0,11
5	1,2	RC4272	RECTANGULAR TOP	117.92	53,6	3.89	0,11
5	K	RC4272	RECTANGULAR TOP	117.92	53,6	3.89	0,11
5	N,S	RC4284	RECTANGULAR TOP	137.72	62,6	4.51	0,13
5	1,2	RC4284	RECTANGULAR TOP	137.72	62,6	4.51	0,13
5	K	RC4284	RECTANGULAR TOP	137.72	62,6	4.51	0,13
5	N,S	RC4296	RECTANGULAR TOP	157.52	71,6	5.14	0,15
5	1,2	RC4296	RECTANGULAR TOP	157.52	71,6	5.14	0,15
5	K	RC4296	RECTANGULAR TOP	157.52	71,6	5.14	0,15
5	N,S	RC4860	RECTANGULAR TOP	111.98	50,9	3.7	0,1
5	1,2	RC4860	RECTANGULAR TOP	111.98	50,9	3.7	0,1
5	K	RC4860	RECTANGULAR TOP	111.98	50,9	3.7	0,1
5	N,S	RC4872	RECTANGULAR TOP	134.42	61,1	4.41	0,12
5	1,2	RC4872	RECTANGULAR TOP	134.42	61,1	4.41	0,12
5	K	RC4872	RECTANGULAR TOP	134.42	61,1	4.41	0,12
5	N,S	RC4884	RECTANGULAR TOP	134.86	61,3	5.12	0,14
5	1,2	RC4884	RECTANGULAR TOP	134.86	61,3	5.12	0,14
5	K	RC4884	RECTANGULAR TOP	134.86	61,3	5.12	0,14
5	N,S	RC4896	RECTANGULAR TOP	157.3	71,5	5.83	0,17
5	1,2	RC4896	RECTANGULAR TOP	157.3	71,5	5.83	0,17
5	K	RC4896	RECTANGULAR TOP	157.3	71,5	5.83	0,17
5	N,S	RC5460	RECTANGULAR TOP	126.06	57,3	4.14	0,12
5	1,2	RC5460	RECTANGULAR TOP	126.06	57,3	4.14	0,12
5	K	RC5460	RECTANGULAR TOP	126.06	57,3	4.14	0,12
5	N,S	RC5472	RECTANGULAR TOP	151.14	68,7	4.93	0,14
5	1,2	RC5472	RECTANGULAR TOP	151.14	68,7	4.93	0,14
5	K	RC5472	RECTANGULAR TOP	151.14	68,7	4.93	0,14
5	N,S	RC5484	RECTANGULAR TOP	176.22	80,1	5.73	0,16
5	1,2	RC5484	RECTANGULAR TOP	176.22	80,1	5.73	0,16
5	K	RC5484	RECTANGULAR TOP	176.22	80,1	5.73	0,16
5	N,S	RC5496	RECTANGULAR TOP	201.3	91,5	6.52	0,18
5	1,2	RC5496	RECTANGULAR TOP	201.3	91,5	6.52	0,18
5	K	RC5496	RECTANGULAR TOP	201.3	91,5	6.52	0,18
5	N,S	RC48108	RECTANGULAR TOP	201.52	91,6	6.67	0,19
5	1,2	RC48108	RECTANGULAR TOP	201.52	91,6	6.67	0,19
5	K	RC48108	RECTANGULAR TOP	201.52	91,6	6.67	0,19
5	N,S	RC48120	RECTANGULAR TOP	223.96	101,8	7.38	0,21
5	1,2	RC48120	RECTANGULAR TOP	223.96	101,8	7.38	0,21
5	K	RC48120	RECTANGULAR TOP	223.96	101,8	7.38	0,21
5	N,S	RC48132	RECTANGULAR TOP	246.4	112	8.09	0,23
5	1,2	RC48132	RECTANGULAR TOP	246.4	112	8.09	0,23
5	K	RC48132	RECTANGULAR TOP	246.4	112	8.09	0,23
5	N,S	RC48144	RECTANGULAR TOP	268.84	122,2	8.8	0,25
5	1,2	RC48144	RECTANGULAR TOP	268.84	122,2	8.8	0,25
5	K	RC48144	RECTANGULAR TOP	268.84	122,2	8.8	0,25
5	N,S	RC48156	RECTANGULAR TOP	291.28	132,4	9.51	0,27
5	1,2	RC48156	RECTANGULAR TOP	291.28	132,4	9.51	0,27
5	K	RC48156	RECTANGULAR TOP	291.28	132,4	9.51	0,27
5	N,S	RC48168	RECTANGULAR TOP	313.72	142,6	10.22	0,29
5	1,2	RC48168	RECTANGULAR TOP	313.72	142,6	10.22	0,29

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	K	RC48168	RECTANGULAR TOP	313.72	142,6	10.22	0,29
5	N,S	RC48180	RECTANGULAR TOP	336.16	152,8	10.93	0,31
5	1,2	RC48180	RECTANGULAR TOP	336.16	152,8	10.93	0,31
5	K	RC48180	RECTANGULAR TOP	336.16	152,8	10.93	0,31
5	N,S	RC48192	RECTANGULAR TOP	358.6	163	11.64	0,33
5	1,2	RC48192	RECTANGULAR TOP	358.6	163	11.64	0,33
5	K	RC48192	RECTANGULAR TOP	358.6	163	11.64	0,33
5	N,S	RC54108	RECTANGULAR TOP	226.82	103,1	7.46	0,21
5	1,2	RC54108	RECTANGULAR TOP	226.82	103,1	7.46	0,21
5	K	RC54108	RECTANGULAR TOP	226.82	103,1	7.46	0,21
5	N,S	RC54120	RECTANGULAR TOP	251.9	114,5	8.25	0,23
5	1,2	RC54120	RECTANGULAR TOP	251.9	114,5	8.25	0,23
5	K	RC54120	RECTANGULAR TOP	251.9	114,5	8.25	0,23
5	N,S	RC54132	RECTANGULAR TOP	276.98	125,9	9.05	0,26
5	1,2	RC54132	RECTANGULAR TOP	276.98	125,9	9.05	0,26
5	K	RC54132	RECTANGULAR TOP	276.98	125,9	9.05	0,26
5	N,S	RC54144	RECTANGULAR TOP	302.28	137,4	9.84	0,28
5	1,2	RC54144	RECTANGULAR TOP	302.28	137,4	9.84	0,28
5	K	RC54144	RECTANGULAR TOP	302.28	137,4	9.84	0,28
5	N,S	RC54156	RECTANGULAR TOP	327.36	148,8	10.64	0,3
5	1,2	RC54156	RECTANGULAR TOP	327.36	148,8	10.64	0,3
5	K	RC54156	RECTANGULAR TOP	327.36	148,8	10.64	0,3
5	N,S	RC54168	RECTANGULAR TOP	352.44	160,2	11.43	0,32
5	1,2	RC54168	RECTANGULAR TOP	352.44	160,2	11.43	0,32
5	K	RC54168	RECTANGULAR TOP	352.44	160,2	11.43	0,32
5	N,S	RC54180	RECTANGULAR TOP	377.96	171,8	12.22	0,35
5	1,2	RC54180	RECTANGULAR TOP	377.96	171,8	12.22	0,35
5	K	RC54180	RECTANGULAR TOP	377.96	171,8	12.22	0,35
5	N,S	RC54192	RECTANGULAR TOP	403.04	183,2	13.02	0,37
5	1,2	RC54192	RECTANGULAR TOP	403.04	183,2	13.02	0,37
5	K	RC54192	RECTANGULAR TOP	403.04	183,2	13.02	0,37
5	N,S	RC48204	RECTANGULAR TOP	380.82	173,1	12.47	0,35
5	1,2	RC48204	RECTANGULAR TOP	380.82	173,1	12.47	0,35
5	K	RC48204	RECTANGULAR TOP	380.82	173,1	12.47	0,35
5	N,S	RC48216	RECTANGULAR TOP	403.26	183,3	13.18	0,37
5	1,2	RC48216	RECTANGULAR TOP	403.26	183,3	13.18	0,37
5	K	RC48216	RECTANGULAR TOP	403.26	183,3	13.18	0,37
5	N,S	RC48228	RECTANGULAR TOP	425.7	193,5	13.89	0,39
5	1,2	RC48228	RECTANGULAR TOP	425.7	193,5	13.89	0,39
5	K	RC48228	RECTANGULAR TOP	425.7	193,5	13.89	0,39
5	N,S	RC48240	RECTANGULAR TOP	448.14	203,7	14.6	0,41
5	1,2	RC48240	RECTANGULAR TOP	448.14	203,7	14.6	0,41
5	K	RC48240	RECTANGULAR TOP	448.14	203,7	14.6	0,41
5	N,S	RC48252	RECTANGULAR TOP	470.58	213,9	15.31	0,43
5	1,2	RC48252	RECTANGULAR TOP	470.58	213,9	15.31	0,43
5	K	RC48252	RECTANGULAR TOP	470.58	213,9	15.31	0,43
5	N,S	RC54204	RECTANGULAR TOP	428.12	194,6	13.95	0,4
5	1,2	RC54204	RECTANGULAR TOP	428.12	194,6	13.95	0,4
5	K	RC54204	RECTANGULAR TOP	428.12	194,6	13.95	0,4
5	N,S	RC54216	RECTANGULAR TOP	453.64	206,2	14.75	0,42
5	1,2	RC54216	RECTANGULAR TOP	453.64	206,2	14.75	0,42
5	K	RC54216	RECTANGULAR TOP	453.64	206,2	14.75	0,42
5	N,S	RC54228	RECTANGULAR TOP	478.72	217,6	15.54	0,44
5	1,2	RC54228	RECTANGULAR TOP	478.72	217,6	15.54	0,44
5	K	RC54228	RECTANGULAR TOP	478.72	217,6	15.54	0,44

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	RC54240	RECTANGULAR TOP	503.8	229	16.34	0,46
5	1,2	RC54240	RECTANGULAR TOP	503.8	229	16.34	0,46
5	K	RC54240	RECTANGULAR TOP	503.8	229	16.34	0,46
5	N,S	RC54252	RECTANGULAR TOP	528.88	240,4	17.13	0,49
5	1,2	RC54252	RECTANGULAR TOP	528.88	240,4	17.13	0,49
5	K	RC54252	RECTANGULAR TOP	528.88	240,4	17.13	0,49
5	N,S	B3648	BOATSHAPE TOP	59.84	27,2	2.28	0,06
5	1,2	B3648	BOATSHAPE TOP	59.84	27,2	2.28	0,06
5	N,S	B3660	BOATSHAPE TOP	74.8	34	2.82	0,08
5	1,2	B3660	BOATSHAPE TOP	74.8	34	2.82	0,08
5	N,S	B3672	BOATSHAPE TOP	89.76	40,8	3.36	0,1
5	1,2	B3672	BOATSHAPE TOP	89.76	40,8	3.36	0,1
5	N,S	B3684	BOATSHAPE TOP	104.72	47,6	3.91	0,11
5	1,2	B3684	BOATSHAPE TOP	104.72	47,6	3.91	0,11
5	N,S	B3696	BOATSHAPE TOP	119.46	54,3	4.45	0,13
5	1,2	B3696	BOATSHAPE TOP	119.46	54,3	4.45	0,13
5	N,S	B4248	BOATSHAPE TOP	71.06	32,3	2.64	0,07
5	1,2	B4248	BOATSHAPE TOP	71.06	32,3	2.64	0,07
5	N,S	B4260	BOATSHAPE TOP	79.86	36,3	3.26	0,09
5	1,2	B4260	BOATSHAPE TOP	79.86	36,3	3.26	0,09
5	N,S	B4272	BOATSHAPE TOP	97.68	44,4	3.89	0,11
5	1,2	B4272	BOATSHAPE TOP	97.68	44,4	3.89	0,11
5	N,S	B4284	BOATSHAPE TOP	124.08	56,4	4.51	0,13
5	1,2	B4284	BOATSHAPE TOP	124.08	56,4	4.51	0,13
5	N,S	B4296	BOATSHAPE TOP	141.9	64,5	5.14	0,15
5	1,2	B4296	BOATSHAPE TOP	141.9	64,5	5.14	0,15
5	N,S	B4860	BOATSHAPE TOP	102.96	46,8	3.7	0,1
5	1,2	B4860	BOATSHAPE TOP	102.96	46,8	3.7	0,1
5	N,S	B4872	BOATSHAPE TOP	123.42	56,1	4.41	0,12
5	1,2	B4872	BOATSHAPE TOP	123.42	56,1	4.41	0,12
5	N,S	B4884	BOATSHAPE TOP	143.88	65,4	5.12	0,14
5	1,2	B4884	BOATSHAPE TOP	143.88	65,4	5.12	0,14
5	N,S	B4896	BOATSHAPE TOP	164.34	74,7	5.83	0,17
5	1,2	B4896	BOATSHAPE TOP	164.34	74,7	5.83	0,17
5	N,S	B5460	BOATSHAPE TOP	116.82	53,1	4.14	0,12
5	1,2	B5460	BOATSHAPE TOP	116.82	53,1	4.14	0,12
5	N,S	B5472	BOATSHAPE TOP	140.14	63,7	4.93	0,14
5	1,2	B5472	BOATSHAPE TOP	140.14	63,7	4.93	0,14
5	N,S	B5484	BOATSHAPE TOP	163.46	74,3	5.73	0,16
5	1,2	B5484	BOATSHAPE TOP	163.46	74,3	5.73	0,16
5	N,S	B5496	BOATSHAPE TOP	186.78	84,9	6.52	0,18
5	1,2	B5496	BOATSHAPE TOP	186.78	84,9	6.52	0,18
5	N,S	B48108	BOATSHAPE TOP	185.02	84,1	6.67	0,19
5	1,2	B48108	BOATSHAPE TOP	185.02	84,1	6.67	0,19
5	N,S	B48120	BOATSHAPE TOP	205.48	93,4	7.38	0,21
5	1,2	B48120	BOATSHAPE TOP	205.48	93,4	7.38	0,21
5	N,S	B48132	BOATSHAPE TOP	225.94	102,7	8.09	0,23
5	1,2	B48132	BOATSHAPE TOP	225.94	102,7	8.09	0,23
5	N,S	B48144	BOATSHAPE TOP	246.4	112	8.8	0,25
5	1,2	B48144	BOATSHAPE TOP	246.4	112	8.8	0,25
5	N,S	B48156	BOATSHAPE TOP	267.08	121,4	9.51	0,27
5	1,2	B48156	BOATSHAPE TOP	267.08	121,4	9.51	0,27
5	N,S	B48168	BOATSHAPE TOP	287.54	130,7	10.22	0,29
5	1,2	B48168	BOATSHAPE TOP	287.54	130,7	10.22	0,29
5	N,S	B48180	BOATSHAPE TOP	308	140	10.93	0,31

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	B48180	BOATSHAPE TOP	308	140	10.93	0,31
5	N,S	B48192	BOATSHAPE TOP	328.68	149,4	11.64	0,33
5	1,2	B48192	BOATSHAPE TOP	328.68	149,4	11.64	0,33
5	N,S	B54108	BOATSHAPE TOP	210.1	95,5	7.46	0,21
5	1,2	B54108	BOATSHAPE TOP	210.1	95,5	7.46	0,21
5	N,S	B54120	BOATSHAPE TOP	233.42	106,1	8.25	0,23
5	1,2	B54120	BOATSHAPE TOP	233.42	106,1	8.25	0,23
5	N,S	B54132	BOATSHAPE TOP	256.74	116,7	9.05	0,26
5	1,2	B54132	BOATSHAPE TOP	256.74	116,7	9.05	0,26
5	N,S	B54144	BOATSHAPE TOP	280.06	127,3	9.84	0,28
5	1,2	B54144	BOATSHAPE TOP	280.06	127,3	9.84	0,28
5	N,S	B54156	BOATSHAPE TOP	303.38	137,9	10.64	0,3
5	1,2	B54156	BOATSHAPE TOP	303.38	137,9	10.64	0,3
5	N,S	B54168	BOATSHAPE TOP	326.7	148,5	11.43	0,32
5	1,2	B54168	BOATSHAPE TOP	326.7	148,5	11.43	0,32
5	N,S	B54180	BOATSHAPE TOP	350.02	159,1	12.22	0,35
5	1,2	B54180	BOATSHAPE TOP	350.02	159,1	12.22	0,35
5	N,S	B54192	BOATSHAPE TOP	373.34	169,7	13.02	0,37
5	1,2	B54192	BOATSHAPE TOP	373.34	169,7	13.02	0,37
5	N,S	B48204	BOATSHAPE TOP	349.14	158,7	12.47	0,35
5	1,2	B48204	BOATSHAPE TOP	349.14	158,7	12.47	0,35
5	N,S	B48216	BOATSHAPE TOP	369.6	168	13.18	0,37
5	1,2	B48216	BOATSHAPE TOP	369.6	168	13.18	0,37
5	N,S	B48228	BOATSHAPE TOP	390.28	177,4	13.89	0,39
5	1,2	B48228	BOATSHAPE TOP	390.28	177,4	13.89	0,39
5	N,S	B48240	BOATSHAPE TOP	410.74	186,7	14.6	0,41
5	1,2	B48240	BOATSHAPE TOP	410.74	186,7	14.6	0,41
5	N,S	B48252	BOATSHAPE TOP	431.2	196	15.31	0,43
5	1,2	B48252	BOATSHAPE TOP	431.2	196	15.31	0,43
5	N,S	B54204	BOATSHAPE TOP	396.66	180,3	13.95	0,4
5	1,2	B54204	BOATSHAPE TOP	396.66	180,3	13.95	0,4
5	N,S	B54216	BOATSHAPE TOP	419.98	190,9	14.75	0,42
5	1,2	B54216	BOATSHAPE TOP	419.98	190,9	14.75	0,42
5	N,S	B54228	BOATSHAPE TOP	443.3	201,5	15.54	0,44
5	1,2	B54228	BOATSHAPE TOP	443.3	201,5	15.54	0,44
5	N,S	B54240	BOATSHAPE TOP	466.62	212,1	16.34	0,46
5	1,2	B54240	BOATSHAPE TOP	466.62	212,1	16.34	0,46
5	N,S	B54252	BOATSHAPE TOP	489.94	222,7	17.13	0,49
5	1,2	B54252	BOATSHAPE TOP	489.94	222,7	17.13	0,49
5	N,S	A3648	A-SHAPE TOP	55.88	25,4	2.28	0,06
5	1,2	A3648	A-SHAPE TOP	55.88	25,4	2.28	0,06
5	K	A3648	A-SHAPE TOP	55.88	25,4	2.28	0,06
5	N,S	A3660	A-SHAPE TOP	69.96	31,8	2.82	0,08
5	1,2	A3660	A-SHAPE TOP	69.96	31,8	2.82	0,08
5	K	A3660	A-SHAPE TOP	69.96	31,8	2.82	0,08
5	N,S	A3672	A-SHAPE TOP	84.04	38,2	3.36	0,1
5	1,2	A3672	A-SHAPE TOP	84.04	38,2	3.36	0,1
5	K	A3672	A-SHAPE TOP	84.04	38,2	3.36	0,1
5	N,S	A3684	A-SHAPE TOP	97.9	44,5	3.91	0,11
5	1,2	A3684	A-SHAPE TOP	97.9	44,5	3.91	0,11
5	K	A3684	A-SHAPE TOP	97.9	44,5	3.91	0,11
5	N,S	A3696	A-SHAPE TOP	111.98	50,9	4.45	0,13
5	1,2	A3696	A-SHAPE TOP	111.98	50,9	4.45	0,13
5	K	A3696	A-SHAPE TOP	111.98	50,9	4.45	0,13
5	N,S	A4248	A-SHAPE TOP	67.1	30,5	2.64	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	A4248	A-SHAPE TOP	67.1	30,5	2.64	0,07
5	K	A4248	A-SHAPE TOP	67.1	30,5	2.64	0,07
5	N,S	A4260	A-SHAPE TOP	84.04	38,2	3.26	0,09
5	1,2	A4260	A-SHAPE TOP	84.04	38,2	3.26	0,09
5	K	A4260	A-SHAPE TOP	84.04	38,2	3.26	0,09
5	N,S	A4272	A-SHAPE TOP	100.76	45,8	3.89	0,11
5	1,2	A4272	A-SHAPE TOP	100.76	45,8	3.89	0,11
5	K	A4272	A-SHAPE TOP	100.76	45,8	3.89	0,11
5	N,S	A4284	A-SHAPE TOP	117.48	53,4	4.51	0,13
5	1,2	A4284	A-SHAPE TOP	117.48	53,4	4.51	0,13
5	K	A4284	A-SHAPE TOP	117.48	53,4	4.51	0,13
5	N,S	A4296	A-SHAPE TOP	134.42	61,1	5.14	0,15
5	1,2	A4296	A-SHAPE TOP	134.42	61,1	5.14	0,15
5	K	A4296	A-SHAPE TOP	134.42	61,1	5.14	0,15
5	N,S	A4860	A-SHAPE TOP	97.9	44,5	3.7	0,1
5	1,2	A4860	A-SHAPE TOP	97.9	44,5	3.7	0,1
5	K	A4860	A-SHAPE TOP	97.9	44,5	3.7	0,1
5	N,S	A4872	A-SHAPE TOP	117.7	53,5	4.41	0,12
5	1,2	A4872	A-SHAPE TOP	117.7	53,5	4.41	0,12
5	K	A4872	A-SHAPE TOP	117.7	53,5	4.41	0,12
5	N,S	A4884	A-SHAPE TOP	137.28	62,4	5.12	0,14
5	1,2	A4884	A-SHAPE TOP	137.28	62,4	5.12	0,14
5	K	A4884	A-SHAPE TOP	137.28	62,4	5.12	0,14
5	N,S	A4896	A-SHAPE TOP	157.08	71,4	5.83	0,17
5	1,2	A4896	A-SHAPE TOP	157.08	71,4	5.83	0,17
5	K	A4896	A-SHAPE TOP	157.08	71,4	5.83	0,17
5	N,S	A5460	A-SHAPE TOP	111.98	50,9	4.14	0,12
5	1,2	A5460	A-SHAPE TOP	111.98	50,9	4.14	0,12
5	K	A5460	A-SHAPE TOP	111.98	50,9	4.14	0,12
5	N,S	A5472	A-SHAPE TOP	134.42	61,1	4.93	0,14
5	1,2	A5472	A-SHAPE TOP	134.42	61,1	4.93	0,14
5	K	A5472	A-SHAPE TOP	134.42	61,1	4.93	0,14
5	N,S	A5484	A-SHAPE TOP	156.86	71,3	5.73	0,16
5	1,2	A5484	A-SHAPE TOP	156.86	71,3	5.73	0,16
5	K	A5484	A-SHAPE TOP	156.86	71,3	5.73	0,16
5	N,S	A5496	A-SHAPE TOP	179.3	81,5	6.52	0,18
5	1,2	A5496	A-SHAPE TOP	179.3	81,5	6.52	0,18
5	K	A5496	A-SHAPE TOP	179.3	81,5	6.52	0,18
5	N,S	A48108	A-SHAPE TOP	176.44	80,2	6.67	0,19
5	1,2	A48108	A-SHAPE TOP	176.44	80,2	6.67	0,19
5	K	A48108	A-SHAPE TOP	176.44	80,2	6.67	0,19
5	N,S	A48120	A-SHAPE TOP	196.02	89,1	7.38	0,21
5	1,2	A48120	A-SHAPE TOP	196.02	89,1	7.38	0,21
5	K	A48120	A-SHAPE TOP	196.02	89,1	7.38	0,21
5	N,S	A48132	A-SHAPE TOP	215.82	98,1	8.09	0,23
5	1,2	A48132	A-SHAPE TOP	215.82	98,1	8.09	0,23
5	K	A48132	A-SHAPE TOP	215.82	98,1	8.09	0,23
5	N,S	A48144	A-SHAPE TOP	235.18	106,9	8.8	0,25
5	1,2	A48144	A-SHAPE TOP	235.18	106,9	8.8	0,25
5	K	A48144	A-SHAPE TOP	235.18	106,9	8.8	0,25
5	N,S	A48156	A-SHAPE TOP	254.76	115,8	9.51	0,27
5	1,2	A48156	A-SHAPE TOP	254.76	115,8	9.51	0,27
5	K	A48156	A-SHAPE TOP	254.76	115,8	9.51	0,27
5	N,S	A48168	A-SHAPE TOP	274.56	124,8	10.22	0,29
5	1,2	A48168	A-SHAPE TOP	274.56	124,8	10.22	0,29

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	K	A48168	A-SHAPE TOP	274.56	124,8	10.22	0,29
5	N,S	A48180	A-SHAPE TOP	293.92	133,6	10.93	0,31
5	1,2	A48180	A-SHAPE TOP	293.92	133,6	10.93	0,31
5	K	A48180	A-SHAPE TOP	293.92	133,6	10.93	0,31
5	N,S	A48192	A-SHAPE TOP	313.72	142,6	11.64	0,33
5	1,2	A48192	A-SHAPE TOP	313.72	142,6	11.64	0,33
5	K	A48192	A-SHAPE TOP	313.72	142,6	11.64	0,33
5	N,S	A54108	A-SHAPE TOP	201.52	91,6	7.46	0,21
5	1,2	A54108	A-SHAPE TOP	201.52	91,6	7.46	0,21
5	K	A54108	A-SHAPE TOP	201.52	91,6	7.46	0,21
5	N,S	A54120	A-SHAPE TOP	223.96	101,8	8.25	0,23
5	1,2	A54120	A-SHAPE TOP	223.96	101,8	8.25	0,23
5	K	A54120	A-SHAPE TOP	223.96	101,8	8.25	0,23
5	N,S	A54132	A-SHAPE TOP	246.4	112	9.05	0,26
5	1,2	A54132	A-SHAPE TOP	246.4	112	9.05	0,26
5	K	A54132	A-SHAPE TOP	246.4	112	9.05	0,26
5	N,S	A54144	A-SHAPE TOP	268.84	122,2	9.84	0,28
5	1,2	A54144	A-SHAPE TOP	268.84	122,2	9.84	0,28
5	K	A54144	A-SHAPE TOP	268.84	122,2	9.84	0,28
5	N,S	A54156	A-SHAPE TOP	291.28	132,4	10.64	0,3
5	1,2	A54156	A-SHAPE TOP	291.28	132,4	10.64	0,3
5	K	A54156	A-SHAPE TOP	291.28	132,4	10.64	0,3
5	N,S	A54168	A-SHAPE TOP	313.72	142,6	11.43	0,32
5	1,2	A54168	A-SHAPE TOP	313.72	142,6	11.43	0,32
5	K	A54168	A-SHAPE TOP	313.72	142,6	11.43	0,32
5	N,S	A54180	A-SHAPE TOP	336.16	152,8	12.22	0,35
5	1,2	A54180	A-SHAPE TOP	336.16	152,8	12.22	0,35
5	K	A54180	A-SHAPE TOP	336.16	152,8	12.22	0,35
5	N,S	A54192	A-SHAPE TOP	358.6	163	13.02	0,37
5	1,2	A54192	A-SHAPE TOP	358.6	163	13.02	0,37
5	K	A54192	A-SHAPE TOP	358.6	163	13.02	0,37
5	N,S	A48204	A-SHAPE TOP	333.3	151,5	12.47	0,35
5	1,2	A48204	A-SHAPE TOP	333.3	151,5	12.47	0,35
5	K	A48204	A-SHAPE TOP	333.3	151,5	12.47	0,35
5	N,S	A48216	A-SHAPE TOP	353.1	160,5	13.18	0,37
5	1,2	A48216	A-SHAPE TOP	353.1	160,5	13.18	0,37
5	K	A48216	A-SHAPE TOP	353.1	160,5	13.18	0,37
5	N,S	A48228	A-SHAPE TOP	372.46	169,3	13.89	0,39
5	1,2	A48228	A-SHAPE TOP	372.46	169,3	13.89	0,39
5	K	A48228	A-SHAPE TOP	372.46	169,3	13.89	0,39
5	N,S	A48240	A-SHAPE TOP	392.04	178,2	14.6	0,41
5	1,2	A48240	A-SHAPE TOP	392.04	178,2	14.6	0,41
5	K	A48240	A-SHAPE TOP	392.04	178,2	14.6	0,41
5	N,S	A48252	A-SHAPE TOP	411.84	187,2	15.31	0,43
5	1,2	A48252	A-SHAPE TOP	411.84	187,2	15.31	0,43
5	K	A48252	A-SHAPE TOP	411.84	187,2	15.31	0,43
5	N,S	A54204	A-SHAPE TOP	380.82	173,1	13.95	0,4
5	1,2	A54204	A-SHAPE TOP	380.82	173,1	13.95	0,4
5	K	A54204	A-SHAPE TOP	380.82	173,1	13.95	0,4
5	N,S	A54216	A-SHAPE TOP	403.26	183,3	14.75	0,42
5	1,2	A54216	A-SHAPE TOP	403.26	183,3	14.75	0,42
5	K	A54216	A-SHAPE TOP	403.26	183,3	14.75	0,42
5	N,S	A54228	A-SHAPE TOP	425.7	193,5	15.54	0,44
5	1,2	A54228	A-SHAPE TOP	425.7	193,5	15.54	0,44
5	K	A54228	A-SHAPE TOP	425.7	193,5	15.54	0,44

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	A54240	A-SHAPE TOP	448.14	203,7	16.34	0,46
5	1,2	A54240	A-SHAPE TOP	448.14	203,7	16.34	0,46
5	K	A54240	A-SHAPE TOP	448.14	203,7	16.34	0,46
5	N,S	A54252	A-SHAPE TOP	470.36	213,8	17.13	0,49
5	1,2	A54252	A-SHAPE TOP	470.36	213,8	17.13	0,49
5	K	A54252	A-SHAPE TOP	470.36	213,8	17.13	0,49
5	N,S	W3648	WAVE TOP	63.58	28,9	2.28	0,06
5	1,2	W3648	WAVE TOP	63.58	28,9	2.28	0,06
5	N,S	W3660	WAVE TOP	79.42	36,1	2.82	0,08
5	1,2	W3660	WAVE TOP	79.42	36,1	2.82	0,08
5	N,S	W3672	WAVE TOP	95.26	43,3	3.36	0,1
5	1,2	W3672	WAVE TOP	95.26	43,3	3.36	0,1
5	N,S	W3684	WAVE TOP	111.1	50,5	3.91	0,11
5	1,2	W3684	WAVE TOP	111.1	50,5	3.91	0,11
5	N,S	W3696	WAVE TOP	126.94	57,7	4.45	0,13
5	1,2	W3696	WAVE TOP	126.94	57,7	4.45	0,13
5	N,S	W4248	WAVE TOP	74.8	34	2.64	0,07
5	1,2	W4248	WAVE TOP	74.8	34	2.64	0,07
5	N,S	W4260	WAVE TOP	93.28	42,4	3.26	0,09
5	1,2	W4260	WAVE TOP	93.28	42,4	3.26	0,09
5	N,S	W4272	WAVE TOP	111.76	50,8	3.89	0,11
5	1,2	W4272	WAVE TOP	111.76	50,8	3.89	0,11
5	N,S	W4284	WAVE TOP	130.24	59,2	4.51	0,13
5	1,2	W4284	WAVE TOP	130.24	59,2	4.51	0,13
5	N,S	W4296	WAVE TOP	148.72	67,6	5.14	0,15
5	1,2	W4296	WAVE TOP	148.72	67,6	5.14	0,15
5	N,S	W4860	WAVE TOP	107.36	48,8	3.7	0,1
5	1,2	W4860	WAVE TOP	107.36	48,8	3.7	0,1
5	N,S	W4872	WAVE TOP	128.92	58,6	4.41	0,12
5	1,2	W4872	WAVE TOP	128.92	58,6	4.41	0,12
5	N,S	W4884	WAVE TOP	150.48	68,4	5.12	0,14
5	1,2	W4884	WAVE TOP	150.48	68,4	5.12	0,14
5	N,S	W4896	WAVE TOP	172.04	78,2	5.83	0,17
5	1,2	W4896	WAVE TOP	172.04	78,2	5.83	0,17
5	N,S	W5460	WAVE TOP	121.44	55,2	4.14	0,12
5	1,2	W5460	WAVE TOP	121.44	55,2	4.14	0,12
5	N,S	W5472	WAVE TOP	145.64	66,2	4.93	0,14
5	1,2	W5472	WAVE TOP	145.64	66,2	4.93	0,14
5	N,S	W5484	WAVE TOP	169.84	77,2	5.73	0,16
5	1,2	W5484	WAVE TOP	169.84	77,2	5.73	0,16
5	N,S	W5496	WAVE TOP	194.04	88,2	6.52	0,18
5	1,2	W5496	WAVE TOP	194.04	88,2	6.52	0,18
5	N,S	W48108	WAVE TOP	193.16	87,8	6.67	0,19
5	1,2	W48108	WAVE TOP	193.16	87,8	6.67	0,19
5	N,S	W48120	WAVE TOP	214.72	97,6	7.38	0,21
5	1,2	W48120	WAVE TOP	214.72	97,6	7.38	0,21
5	N,S	W48132	WAVE TOP	236.28	107,4	8.09	0,23
5	1,2	W48132	WAVE TOP	236.28	107,4	8.09	0,23
5	N,S	W48144	WAVE TOP	257.84	117,2	8.8	0,25
5	1,2	W48144	WAVE TOP	257.84	117,2	8.8	0,25
5	N,S	W48156	WAVE TOP	279.18	126,9	9.51	0,27
5	1,2	W48156	WAVE TOP	279.18	126,9	9.51	0,27
5	N,S	W48168	WAVE TOP	300.74	136,7	10.22	0,29
5	1,2	W48168	WAVE TOP	300.74	136,7	10.22	0,29
5	N,S	W48180	WAVE TOP	322.3	146,5	10.93	0,31

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	W48180	WAVE TOP	322.3	146,5	10.93	0,31
5	N,S	W48192	WAVE TOP	343.86	156,3	11.64	0,33
5	1,2	W48192	WAVE TOP	343.86	156,3	11.64	0,33
5	N,S	W54108	WAVE TOP	218.24	99,2	7.46	0,21
5	1,2	W54108	WAVE TOP	218.24	99,2	7.46	0,21
5	N,S	W54120	WAVE TOP	242.66	110,3	8.25	0,23
5	1,2	W54120	WAVE TOP	242.66	110,3	8.25	0,23
5	N,S	W54132	WAVE TOP	266.86	121,3	9.05	0,26
5	1,2	W54132	WAVE TOP	266.86	121,3	9.05	0,26
5	N,S	W54144	WAVE TOP	291.06	132,3	9.84	0,28
5	1,2	W54144	WAVE TOP	291.06	132,3	9.84	0,28
5	N,S	W54156	WAVE TOP	315.26	143,3	10.64	0,3
5	1,2	W54156	WAVE TOP	315.26	143,3	10.64	0,3
5	N,S	W54168	WAVE TOP	339.46	154,3	11.43	0,32
5	1,2	W54168	WAVE TOP	339.46	154,3	11.43	0,32
5	N,S	W54180	WAVE TOP	364.1	165,5	12.22	0,35
5	1,2	W54180	WAVE TOP	364.1	165,5	12.22	0,35
5	N,S	W54192	WAVE TOP	388.3	176,5	13.02	0,37
5	1,2	W54192	WAVE TOP	388.3	176,5	13.02	0,37
5	N,S	W48204	WAVE TOP	364.98	165,9	12.47	0,35
5	1,2	W48204	WAVE TOP	364.98	165,9	12.47	0,35
5	N,S	W48216	WAVE TOP	386.54	175,7	13.18	0,37
5	1,2	W48216	WAVE TOP	386.54	175,7	13.18	0,37
5	N,S	W48228	WAVE TOP	408.1	185,5	13.89	0,39
5	1,2	W48228	WAVE TOP	408.1	185,5	13.89	0,39
5	N,S	W48240	WAVE TOP	429.22	195,1	14.6	0,41
5	1,2	W48240	WAVE TOP	429.22	195,1	14.6	0,41
5	N,S	W48252	WAVE TOP	450.78	204,9	15.31	0,43
5	1,2	W48252	WAVE TOP	450.78	204,9	15.31	0,43
5	N,S	W54204	WAVE TOP	412.5	187,5	13.95	0,4
5	1,2	W54204	WAVE TOP	412.5	187,5	13.95	0,4
5	N,S	W54216	WAVE TOP	436.7	198,5	14.75	0,42
5	1,2	W54216	WAVE TOP	436.7	198,5	14.75	0,42
5	N,S	W54228	WAVE TOP	460.9	209,5	15.54	0,44
5	1,2	W54228	WAVE TOP	460.9	209,5	15.54	0,44
5	N,S	W54240	WAVE TOP	485.1	220,5	16.34	0,46
5	1,2	W54240	WAVE TOP	485.1	220,5	16.34	0,46
5	N,S	W54252	WAVE TOP	509.52	231,6	17.13	0,49
5	1,2	W54252	WAVE TOP	509.52	231,6	17.13	0,49
5	N,S	O4272	OVAL TOP	96.58	43,9	3.89	0,11
5	1,2	O4272	OVAL TOP	96.58	43,9	3.89	0,11
5	N,S	O4284	OVAL TOP	114.84	52,2	4.51	0,13
5	1,2	O4284	OVAL TOP	114.84	52,2	4.51	0,13
5	N,S	O4296	OVAL TOP	133.54	60,7	5.14	0,15
5	1,2	O4296	OVAL TOP	133.54	60,7	5.14	0,15
5	N,S	O4872	OVAL TOP	105.16	47,8	4.41	0,12
5	1,2	O4872	OVAL TOP	105.16	47,8	4.41	0,12
5	N,S	O4884	OVAL TOP	124.74	56,7	5.12	0,14
5	1,2	O4884	OVAL TOP	124.74	56,7	5.12	0,14
5	N,S	O4896	OVAL TOP	144.54	65,7	5.83	0,17
5	1,2	O4896	OVAL TOP	144.54	65,7	5.83	0,17
5	N,S	O5472	OVAL TOP	115.5	52,5	4.93	0,14
5	1,2	O5472	OVAL TOP	115.5	52,5	4.93	0,14
5	N,S	O5484	OVAL TOP	135.96	61,8	5.73	0,16
5	1,2	O5484	OVAL TOP	135.96	61,8	5.73	0,16

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	O5496	OVAL TOP	156.2	71	6.52	0,18
5	1,2	O5496	OVAL TOP	156.2	71	6.52	0,18
5	N,S	O48108	OVAL TOP	164.34	74,7	6.67	0,19
5	1,2	O48108	OVAL TOP	164.34	74,7	6.67	0,19
5	N,S	O48120	OVAL TOP	185.02	84,1	7.38	0,21
5	1,2	O48120	OVAL TOP	185.02	84,1	7.38	0,21
5	N,S	O48132	OVAL TOP	205.26	93,3	8.09	0,23
5	1,2	O48132	OVAL TOP	205.26	93,3	8.09	0,23
5	N,S	O48144	OVAL TOP	225.5	102,5	8.8	0,25
5	1,2	O48144	OVAL TOP	225.5	102,5	8.8	0,25
5	N,S	O48156	OVAL TOP	246.18	111,9	9.51	0,27
5	1,2	O48156	OVAL TOP	246.18	111,9	9.51	0,27
5	N,S	O48168	OVAL TOP	266.42	121,1	10.22	0,29
5	1,2	O48168	OVAL TOP	266.42	121,1	10.22	0,29
5	N,S	O48180	OVAL TOP	286.88	130,4	10.93	0,31
5	1,2	O48180	OVAL TOP	286.88	130,4	10.93	0,31
5	N,S	O48192	OVAL TOP	307.12	139,6	11.64	0,33
5	1,2	O48192	OVAL TOP	307.12	139,6	11.64	0,33
5	N,S	O54108	OVAL TOP	178.42	81,1	7.46	0,21
5	1,2	O54108	OVAL TOP	178.42	81,1	7.46	0,21
5	N,S	O54120	OVAL TOP	200.2	91	8.25	0,23
5	1,2	O54120	OVAL TOP	200.2	91	8.25	0,23
5	N,S	O54132	OVAL TOP	222.2	101	9.05	0,26
5	1,2	O54132	OVAL TOP	222.2	101	9.05	0,26
5	N,S	O54144	OVAL TOP	244.2	111	9.84	0,28
5	1,2	O54144	OVAL TOP	244.2	111	9.84	0,28
5	N,S	O54156	OVAL TOP	266.2	121	10.64	0,3
5	1,2	O54156	OVAL TOP	266.2	121	10.64	0,3
5	N,S	O54168	OVAL TOP	288.42	131,1	11.43	0,32
5	1,2	O54168	OVAL TOP	288.42	131,1	11.43	0,32
5	N,S	O54180	OVAL TOP	310.42	141,1	12.22	0,35
5	1,2	O54180	OVAL TOP	310.42	141,1	12.22	0,35
5	N,S	O54192	OVAL TOP	332.86	151,3	13.02	0,37
5	1,2	O54192	OVAL TOP	332.86	151,3	13.02	0,37
5	N,S	O48204	OVAL TOP	327.36	148,8	12.47	0,35
5	1,2	O48204	OVAL TOP	327.36	148,8	12.47	0,35
5	N,S	O48216	OVAL TOP	348.26	158,3	13.18	0,37
5	1,2	O48216	OVAL TOP	348.26	158,3	13.18	0,37
5	N,S	O48228	OVAL TOP	368.72	167,6	13.89	0,39
5	1,2	O48228	OVAL TOP	368.72	167,6	13.89	0,39
5	N,S	O48240	OVAL TOP	388.96	176,8	14.6	0,41
5	1,2	O48240	OVAL TOP	388.96	176,8	14.6	0,41
5	N,S	O48252	OVAL TOP	409.64	186,2	15.31	0,43
5	1,2	O48252	OVAL TOP	409.64	186,2	15.31	0,43
5	N,S	O54204	OVAL TOP	354.86	161,3	13.95	0,4
5	1,2	O54204	OVAL TOP	354.86	161,3	13.95	0,4
5	N,S	O54216	OVAL TOP	377.3	171,5	14.75	0,42
5	1,2	O54216	OVAL TOP	377.3	171,5	14.75	0,42
5	N,S	O54228	OVAL TOP	399.52	181,6	15.54	0,44
5	1,2	O54228	OVAL TOP	399.52	181,6	15.54	0,44
5	N,S	O54240	OVAL TOP	421.96	191,8	16.34	0,46
5	1,2	O54240	OVAL TOP	421.96	191,8	16.34	0,46
5	N,S	O54252	OVAL TOP	444.4	202	17.13	0,49
5	1,2	O54252	OVAL TOP	444.4	202	17.13	0,49
N	N	DC22	DISC BASE DIA 22"	12	5,45	1.11	0,03

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
N	N	DC27	DISC BASE DIA 27"	12	5,45	1.11	0,03
N	N	LB20	THERMOFUSED LAMINATE BASE	28.82	13,1	2.83	0,08
N	N	LB20WM	THERM LAM BASE W/WIRE MNGMENT	28.82	13,1	2.83	0,08
N	N	LB24	THERMOFUSED LAMINATE BASE	32.56	14,8	3.37	0,1
N	N	LB24WM	THERM LAM BASE W/WIRE MNGMENT	32.56	14,8	3.37	0,1
N	N	LB30	THERMOFUSED LAMINATE BASE	38.06	17,3	4.17	0,12
N	N	LB30WM	THERM LAM BASE W/WIRE MNGMENT	38.06	17,3	4.17	0,12
N	N	CB20	COMBINED BASE THERM LAM/METAL	22.88	10,4	2.21	0,06
N	N	CB24	COMBINED BASE THERM LAM/METAL	27.06	12,3	2.61	0,07
N	N	TB26	METAL T-BASE	11.44	5,2	1.67	0,05
N	N	TB33	METAL T-BASE	14.08	6,4	1.95	0,06
N	N	XB33	METAL X-BASE	19.8	9	4	0,1
5	N,S	RCM2448	RECTANGULAR TOP	44.66	20,3	1.57	0,04
5	1,2	RCM2448	RECTANGULAR TOP	44.66	20,3	1.57	0,04
5	N,S	RCM2454	RECTANGULAR TOP	50.38	22,9	1.76	0,05
5	1,2	RCM2454	RECTANGULAR TOP	50.38	22,9	1.76	0,05
5	N,S	RCM2460	RECTANGULAR TOP	55.88	25,4	1.94	0,06
5	1,2	RCM2460	RECTANGULAR TOP	55.88	25,4	1.94	0,06
5	N,S	RCM2466	RECTANGULAR TOP	61.6	28	2.13	0,06
5	1,2	RCM2466	RECTANGULAR TOP	61.6	28	2.13	0,06
5	N,S	RCM2472	RECTANGULAR TOP	67.32	30,6	2.32	0,07
5	1,2	RCM2472	RECTANGULAR TOP	67.32	30,6	2.32	0,07
5	N,S	RCM2478	RECTANGULAR TOP	73.04	33,2	2.5	0,07
5	1,2	RCM2478	RECTANGULAR TOP	73.04	33,2	2.5	0,07
5	N,S	RCM2484	RECTANGULAR TOP	78.76	35,8	2.69	0,08
5	1,2	RCM2484	RECTANGULAR TOP	78.76	35,8	2.69	0,08
5	N,S	RCM2490	RECTANGULAR TOP	84.48	38,4	2.88	0,08
5	1,2	RCM2490	RECTANGULAR TOP	84.48	38,4	2.88	0,08
5	N,S	RCM2496	RECTANGULAR TOP	90.2	41	3.06	0,09
5	1,2	RCM2496	RECTANGULAR TOP	90.2	41	3.06	0,09
5	N,S	RCM3048	RECTANGULAR TOP	55.88	25,4	1.93	0,05
5	1,2	RCM3048	RECTANGULAR TOP	55.88	25,4	1.93	0,05
5	N,S	RCM3054	RECTANGULAR TOP	62.92	28,6	2.15	0,06
5	1,2	RCM3054	RECTANGULAR TOP	62.92	28,6	2.15	0,06
5	N,S	RCM3060	RECTANGULAR TOP	69.96	31,8	2.38	0,07
5	1,2	RCM3060	RECTANGULAR TOP	69.96	31,8	2.38	0,07
5	N,S	RCM3066	RECTANGULAR TOP	77	35	2.61	0,07
5	1,2	RCM3066	RECTANGULAR TOP	77	35	2.61	0,07
5	N,S	RCM3072	RECTANGULAR TOP	84.04	38,2	2.84	0,08
5	1,2	RCM3072	RECTANGULAR TOP	84.04	38,2	2.84	0,08
5	N,S	RCM3078	RECTANGULAR TOP	91.08	41,4	3.07	0,09
5	1,2	RCM3078	RECTANGULAR TOP	91.08	41,4	3.07	0,09
5	N,S	RCM3084	RECTANGULAR TOP	98.12	44,6	3.3	0,09
5	1,2	RCM3084	RECTANGULAR TOP	98.12	44,6	3.3	0,09
5	N,S	RCM3090	RECTANGULAR TOP	105.16	47,8	3.53	0,1
5	1,2	RCM3090	RECTANGULAR TOP	105.16	47,8	3.53	0,1
5	N,S	RCM3096	RECTANGULAR TOP	112.2	51	3.75	0,11
5	1,2	RCM3096	RECTANGULAR TOP	112.2	51	3.75	0,11
5	N,S	RCMM2448	RECTANGULAR TOP WITH MODESTY	54.56	24,8	1.79	0,05
5	1,2	RCMM2448	RECTANGULAR TOP WITH MODESTY	54.56	24,8	1.79	0,05
5	N,S	RCMM2454	RECTANGULAR TOP WITH MODESTY	61.16	27,8	2.01	0,06
5	1,2	RCMM2454	RECTANGULAR TOP WITH MODESTY	61.16	27,8	2.01	0,06
5	N,S	RCMM2460	RECTANGULAR TOP WITH MODESTY	67.98	30,9	2.22	0,06
5	1,2	RCMM2460	RECTANGULAR TOP WITH MODESTY	67.98	30,9	2.22	0,06
5	N,S	RCMM2466	RECTANGULAR TOP WITH MODESTY	74.58	33,9	2.44	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	RCMM2466	RECTANGULAR TOP WITH MODESTY	74.58	33,9	2.44	0,07
5	N,S	RCMM2472	RECTANGULAR TOP WITH MODESTY	81.4	37	2.65	0,08
5	1,2	RCMM2472	RECTANGULAR TOP WITH MODESTY	81.4	37	2.65	0,08
5	N,S	RCMM2478	RECTANGULAR TOP WITH MODESTY	88	40	2.87	0,08
5	1,2	RCMM2478	RECTANGULAR TOP WITH MODESTY	88	40	2.87	0,08
5	N,S	RCMM2484	RECTANGULAR TOP WITH MODESTY	94.82	43,1	3.08	0,09
5	1,2	RCMM2484	RECTANGULAR TOP WITH MODESTY	94.82	43,1	3.08	0,09
5	N,S	RCMM2490	RECTANGULAR TOP WITH MODESTY	101.42	46,1	3.3	0,09
5	1,2	RCMM2490	RECTANGULAR TOP WITH MODESTY	101.42	46,1	3.3	0,09
5	N,S	RCMM2496	RECTANGULAR TOP WITH MODESTY	107.8	49	3.52	0,1
5	1,2	RCMM2496	RECTANGULAR TOP WITH MODESTY	107.8	49	3.52	0,1
5	N,S	RCMM3048	RECTANGULAR TOP WITH MODESTY	65.78	29,9	2.21	0,06
5	1,2	RCMM3048	RECTANGULAR TOP WITH MODESTY	65.78	29,9	2.21	0,06
5	N,S	RCMM3054	RECTANGULAR TOP WITH MODESTY	73.92	33,6	2.47	0,07
5	1,2	RCMM3054	RECTANGULAR TOP WITH MODESTY	73.92	33,6	2.47	0,07
5	N,S	RCMM3060	RECTANGULAR TOP WITH MODESTY	81.84	37,2	2.74	0,08
5	1,2	RCMM3060	RECTANGULAR TOP WITH MODESTY	81.84	37,2	2.74	0,08
5	N,S	RCMM3066	RECTANGULAR TOP WITH MODESTY	89.98	40,9	3	0,09
5	1,2	RCMM3066	RECTANGULAR TOP WITH MODESTY	89.98	40,9	3	0,09
5	N,S	RCMM3072	RECTANGULAR TOP WITH MODESTY	98.12	44,6	3.27	0,09
5	1,2	RCMM3072	RECTANGULAR TOP WITH MODESTY	98.12	44,6	3.27	0,09
5	N,S	RCMM3078	RECTANGULAR TOP WITH MODESTY	106.26	48,3	3.54	0,1
5	1,2	RCMM3078	RECTANGULAR TOP WITH MODESTY	106.26	48,3	3.54	0,1
5	N,S	RCMM3084	RECTANGULAR TOP WITH MODESTY	114.4	52	3.8	0,11
5	1,2	RCMM3084	RECTANGULAR TOP WITH MODESTY	114.4	52	3.8	0,11
5	N,S	RCMM3090	RECTANGULAR TOP WITH MODESTY	122.32	55,6	4.07	0,12
5	1,2	RCMM3090	RECTANGULAR TOP WITH MODESTY	122.32	55,6	4.07	0,12
5	N,S	RCMM3096	RECTANGULAR TOP WITH MODESTY	130.68	59,4	4.33	0,12
5	1,2	RCMM3096	RECTANGULAR TOP WITH MODESTY	130.68	59,4	4.33	0,12
5	N,S	FTM2436	FANTAIL TOP	31.02	14,1	1.66	0,05
5	1,2	FTM2436	FANTAIL TOP	31.02	14,1	1.66	0,05
5	N,S	FTM2442	FANTAIL TOP	39.16	17,8	1.93	0,05
5	1,2	FTM2442	FANTAIL TOP	39.16	17,8	1.93	0,05
5	N,S	FTM2448	FANTAIL TOP	47.3	21,5	2.19	0,06
5	1,2	FTM2448	FANTAIL TOP	47.3	21,5	2.19	0,06
5	N,S	FTM2454	FANTAIL TOP	55.22	25,1	2.46	0,07
5	1,2	FTM2454	FANTAIL TOP	55.22	25,1	2.46	0,07
5	N,S	FTM2460	FANTAIL TOP	63.58	28,9	2.72	0,08
5	1,2	FTM2460	FANTAIL TOP	63.58	28,9	2.72	0,08
5	N,S	FTM3042	FANTAIL TOP	42.46	19,3	2.39	0,07
5	1,2	FTM3042	FANTAIL TOP	42.46	19,3	2.39	0,07
5	N,S	FTM3048	FANTAIL TOP	51.92	23,6	2.72	0,08
5	1,2	FTM3048	FANTAIL TOP	51.92	23,6	2.72	0,08
5	N,S	FTM3054	FANTAIL TOP	61.38	27,9	3.05	0,09
5	1,2	FTM3054	FANTAIL TOP	61.38	27,9	3.05	0,09
5	N,S	FTM3060	FANTAIL TOP	71.06	32,3	3.37	0,1
5	1,2	FTM3060	FANTAIL TOP	71.06	32,3	3.37	0,1
5	N,S	FTMM2436	FANTAIL TOP WITH MODESTY	35.2	16	1.91	0,05
5	1,2	FTMM2436	FANTAIL TOP WITH MODESTY	35.2	16	1.91	0,05
5	N,S	FTMM2442	FANTAIL TOP WITH MODESTY	44.88	20,4	2.22	0,06
5	1,2	FTMM2442	FANTAIL TOP WITH MODESTY	44.88	20,4	2.22	0,06
5	N,S	FTMM2448	FANTAIL TOP WITH MODESTY	54.34	24,7	2.53	0,07
5	1,2	FTMM2448	FANTAIL TOP WITH MODESTY	54.34	24,7	2.53	0,07
5	N,S	FTMM2454	FANTAIL TOP WITH MODESTY	64.02	29,1	2.83	0,08
5	1,2	FTMM2454	FANTAIL TOP WITH MODESTY	64.02	29,1	2.83	0,08

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	FTMM2460	FANTAIL TOP WITH MODESTY	73.92	33,6	3.14	0,09
5	1,2	FTMM2460	FANTAIL TOP WITH MODESTY	73.92	33,6	3.14	0,09
5	N,S	FTMM3042	FANTAIL TOP WITH MODESTY	46.64	21,2	2.77	0,08
5	1,2	FTMM3042	FANTAIL TOP WITH MODESTY	46.64	21,2	2.77	0,08
5	N,S	FTMM3048	FANTAIL TOP WITH MODESTY	57.64	26,2	3.15	0,09
5	1,2	FTMM3048	FANTAIL TOP WITH MODESTY	57.64	26,2	3.15	0,09
5	N,S	FTMM3054	FANTAIL TOP WITH MODESTY	68.64	31,2	3.53	0,1
5	1,2	FTMM3054	FANTAIL TOP WITH MODESTY	68.64	31,2	3.53	0,1
5	N,S	FTMM3060	FANTAIL TOP WITH MODESTY	79.86	36,3	3.92	0,11
5	1,2	FTMM3060	FANTAIL TOP WITH MODESTY	79.86	36,3	3.92	0,11
5	N,S	PM2448	PENTAGONAL TOP 10°	48.84	22,2	2.1	0,06
5	1,2	PM2448	PENTAGONAL TOP 10°	48.84	22,2	2.1	0,06
5	N,S	PM2454	PENTAGONAL TOP 10°	55	25	2.32	0,07
5	1,2	PM2454	PENTAGONAL TOP 10°	55	25	2.32	0,07
5	N,S	PM2460	PENTAGONAL TOP 10°	61.16	27,8	2.55	0,07
5	1,2	PM2460	PENTAGONAL TOP 10°	61.16	27,8	2.55	0,07
5	N,S	PM2466	PENTAGONAL TOP 10°	67.54	30,7	2.77	0,08
5	1,2	PM2466	PENTAGONAL TOP 10°	67.54	30,7	2.77	0,08
5	N,S	PM2472	PENTAGONAL TOP 10°	73.7	33,5	2.99	0,08
5	1,2	PM2472	PENTAGONAL TOP 10°	73.7	33,5	2.99	0,08
5	N,S	PM2478	PENTAGONAL TOP 10°	80.08	36,4	3.22	0,09
5	1,2	PM2478	PENTAGONAL TOP 10°	80.08	36,4	3.22	0,09
5	N,S	PM2484	PENTAGONAL TOP 10°	86.68	39,4	3.44	0,1
5	1,2	PM2484	PENTAGONAL TOP 10°	86.68	39,4	3.44	0,1
5	N,S	PM3060	PENTAGONAL TOP 10°	76.34	34,7	3.03	0,09
5	1,2	PM3060	PENTAGONAL TOP 10°	76.34	34,7	3.03	0,09
5	N,S	PM3066	PENTAGONAL TOP 10°	84.04	38,2	3.29	0,09
5	1,2	PM3066	PENTAGONAL TOP 10°	84.04	38,2	3.29	0,09
5	N,S	PM3072	PENTAGONAL TOP 10°	91.96	41,8	3.56	0,1
5	1,2	PM3072	PENTAGONAL TOP 10°	91.96	41,8	3.56	0,1
5	N,S	PM3078	PENTAGONAL TOP 10°	99.66	45,3	3.82	0,11
5	1,2	PM3078	PENTAGONAL TOP 10°	99.66	45,3	3.82	0,11
5	N,S	PM3084	PENTAGONAL TOP 10°	107.58	48,9	4.09	0,12
5	1,2	PM3084	PENTAGONAL TOP 10°	107.58	48,9	4.09	0,12
5	N,S	PM24485	PENTAGONAL TOP 15°	51.04	23,2	2.1	0,06
5	1,2	PM24485	PENTAGONAL TOP 15°	51.04	23,2	2.1	0,06
5	N,S	PM24545	PENTAGONAL TOP 15°	57.64	26,2	2.32	0,07
5	1,2	PM24545	PENTAGONAL TOP 15°	57.64	26,2	2.32	0,07
5	N,S	PM24605	PENTAGONAL TOP 15°	64.02	29,1	2.55	0,07
5	1,2	PM24605	PENTAGONAL TOP 15°	64.02	29,1	2.55	0,07
5	N,S	PM24665	PENTAGONAL TOP 15°	70.62	32,1	2.77	0,08
5	1,2	PM24665	PENTAGONAL TOP 15°	70.62	32,1	2.77	0,08
5	N,S	PM24725	PENTAGONAL TOP 15°	77.22	35,1	2.99	0,08
5	1,2	PM24725	PENTAGONAL TOP 15°	77.22	35,1	2.99	0,08
5	N,S	PM24785	PENTAGONAL TOP 15°	84.26	38,3	3.22	0,09
5	1,2	PM24785	PENTAGONAL TOP 15°	84.26	38,3	3.22	0,09
5	N,S	PM24845	PENTAGONAL TOP 15°	91.08	41,4	3.44	0,1
5	1,2	PM24845	PENTAGONAL TOP 15°	91.08	41,4	3.44	0,1
5	N,S	PM30605	PENTAGONAL TOP 15°	64.02	29,1	2.55	0,07
5	1,2	PM30605	PENTAGONAL TOP 15°	64.02	29,1	2.55	0,07
5	N,S	PM30665	PENTAGONAL TOP 15°	70.62	32,1	2.77	0,08
5	1,2	PM30665	PENTAGONAL TOP 15°	70.62	32,1	2.77	0,08
5	N,S	PM30725	PENTAGONAL TOP 15°	77.22	35,1	2.99	0,08
5	1,2	PM30725	PENTAGONAL TOP 15°	77.22	35,1	2.99	0,08
5	N,S	PM30785	PENTAGONAL TOP 15°	84.26	38,3	3.22	0,09

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	1,2	PM30785	PENTAGONAL TOP 15°	84.26	38,3	3.22	0,09
5	N,S	PM30845	PENTAGONAL TOP 15°	91.08	41,4	3.44	0,1
5	1,2	PM30845	PENTAGONAL TOP 15°	91.08	41,4	3.44	0,1
5	N,S	HRM3060	HALFMOON TOP 30 x 60	65.9	29,95	2.46	0,05
5	1,2	HRM3060	HALFMOON TOP 30 x 60	65.9	29,95	2.46	0,05
N	N	TB24	METAL T-BASE	9.24	4,2	0.93	0,03
N	N	STL2	METAL SPIDER LEG	16.28	7,4	0.35	0,01
N	N	MSTL2	METAL SPIDER LEG WITH CASTERS	16.3	7,4	0.35	0,01
N	N	ATL2	METAL ANGLED LEG	16.28	7,4	0.37	0,01
N	N	MATL2	METAL ANGLED LEG WITH CASTERS	16.28	7,4	0.37	0,01
N	N	QTL2	METAL SQUARE LEG	16.28	7,4	0.31	0,01
N	N	MQTL2	METAL SQUARE LEG WITH CASTERS	16.28	7,4	0.31	0,01
N	N	VTL2	METAL ROUND LEG	16.28	7,4	0.31	0,01
N	N	MVTL2	METAL ROUND LEG WITH CASTERS	16.28	7,4	0.31	0,01
		PCINTS1	STARTER LINK #1	2.64	1,2	0.01	0,01
		PCINT2	ADD ON LINK #2	2.64	1,2	0.01	0,01
		PCINT3	ADD ON LINK #3	2.64	1,2	0.01	0,01
		PCINT4	ADD ON LINK #4	2.64	1,2	0.01	0,01
		PCINT5	ADD ON LINK #5	2.64	1,2	0.01	0,01
		PCINT6	ADD ON LINK #6	2.64	1,2	0.01	0,01
		PCINT7	ADD ON LINK #7	2.64	1,2	0.01	0,01
		PCINT8	ADD ON LINK #8	2.64	1,2	0.01	0,01
		BYPASS1	STARTER BY PASS LINK #1	3	1,36	0.5	0,01
		BYPASS2	BY PASS LINK #2	2	0,91	0.5	0,01
		BYPASS3	BY PASS LINK #3	2	0,91	0.5	0,01
		BYPASS4	BY PASS LINK #4	2	0,91	0.5	0,01
		BYPASS5	BY PASS LINK #5	2	0,91	0.5	0,01
		BYPASS6	BY PASS LINK #6	2	0,91	0.5	0,01
		BYPASS7	BY PASS LINK #7	2	0,91	0.5	0,01
1	N,S	RCT2448	RECTANGULAR TOP	27.72	12,6	1.18	0,03
1	N,S	RCT2454	RECTANGULAR TOP	31.24	14,2	1.32	0,04
1	N,S	RCT2460	RECTANGULAR TOP	34.76	15,8	1.45	0,04
1	N,S	RCT2466	RECTANGULAR TOP	38.28	17,4	1.59	0,04
1	N,S	RCT2472	RECTANGULAR TOP	41.8	19	1.72	0,05
1	N,S	RCT3048	RECTANGULAR TOP	34.76	15,8	1.43	0,04
1	N,S	RCT3054	RECTANGULAR TOP	39.17	17,81	1.6	0,05
1	N,S	RCT3060	RECTANGULAR TOP	43.59	19,81	1.76	0,05
1	N,S	RCT3066	RECTANGULAR TOP	48	21,82	1.93	0,05
1	N,S	RCT3072	RECTANGULAR TOP	52.42	23,83	2.1	0,06
1	N,S	RCTT2448	RECTANGULAR TOP TRANSL MODESTY	27.72	12,6	1.18	0,03
1	N,S	RCTT2454	RECTANGULAR TOP TRANSL MODESTY	31.24	14,2	1.32	0,04
1	N,S	RCTT2460	RECTANGULAR TOP TRANSL MODESTY	34.76	15,8	1.45	0,04
1	N,S	RCTT2466	RECTANGULAR TOP TRANSL MODESTY	38.28	17,4	1.59	0,04
1	N,S	RCTT2472	RECTANGULAR TOP TRANSL MODESTY	41.8	19	1.72	0,05
1	N,S	RCTT3048	RECTANGULAR TOP TRANSL MODESTY	34.76	15,8	1.43	0,04
1	N,S	RCTT3054	RECTANGULAR TOP TRANSL MODESTY	39.17	17,81	1.6	0,05
1	N,S	RCTT3060	RECTANGULAR TOP TRANSL MODESTY	43.59	19,81	1.76	0,05
1	N,S	RCTT3066	RECTANGULAR TOP TRANSL MODESTY	48	21,82	1.93	0,05
1	N,S	RCTT3072	RECTANGULAR TOP TRANSL MODESTY	52.42	23,83	2.1	0,06
1	N,S	HT2448	HEXAGONAL TOP	24.64	11,2	1.18	0,03
1	N,S	HT2454	HEXAGONAL TOP	28.16	12,8	1.32	0,04
1	N,S	HT2460	HEXAGONAL TOP	31.68	14,4	1.45	0,04
1	N,S	HT2466	HEXAGONAL TOP	35.2	16	1.59	0,04
1	N,S	HT2472	HEXAGONAL TOP	38.72	17,6	1.72	0,05
1	N,S	HT3048	HEXAGONAL TOP	31.68	14,4	1.43	0,04

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
1	N,S	HT3054	HEXAGONAL TOP	36.08	16,4	1.6	0,05
1	N,S	HT3060	HEXAGONAL TOP	40.26	18,3	1.76	0,05
1	N,S	HT3066	HEXAGONAL TOP	44.44	20,2	1.93	0,05
1	N,S	HT3072	HEXAGONAL TOP	48.62	22,1	2.1	0,06
1	N,S	HTT2448	HEXAGONAL TOP / TRANSL MODESTY	24.64	11,2	1.18	0,03
1	N,S	HTT2454	HEXAGONAL TOP / TRANSL MODESTY	28.16	12,8	1.32	0,04
1	N,S	HTT2460	HEXAGONAL TOP / TRANSL MODESTY	31.68	14,4	1.45	0,04
1	N,S	HTT2466	HEXAGONAL TOP / TRANSL MODESTY	35.2	16	1.59	0,04
1	N,S	HTT2472	HEXAGONAL TOP / TRANSL MODESTY	38.72	17,6	1.72	0,05
1	N,S	HTT3048	HEXAGONAL TOP / TRANSL MODESTY	31.68	14,4	1.43	0,04
1	N,S	HTT3054	HEXAGONAL TOP / TRANSL MODESTY	36.08	16,4	1.6	0,05
1	N,S	HTT3060	HEXAGONAL TOP / TRANSL MODESTY	40.26	18,3	1.76	0,05
1	N,S	HTT3066	HEXAGONAL TOP / TRANSL MODESTY	44.44	20,2	1.93	0,05
1	N,S	HTT3072	HEXAGONAL TOP / TRANSL MODESTY	48.62	22,1	2.1	0,06
1	N,S	WT2448	WAVE TOP	26.84	12,2	1.18	0,03
1	N,S	WT2454	WAVE TOP	30.14	13,7	1.32	0,04
1	N,S	WT2460	WAVE TOP	33.44	15,2	1.45	0,04
1	N,S	WT2466	WAVE TOP	36.74	16,7	1.59	0,04
1	N,S	WT2472	WAVE TOP	40.04	18,2	1.72	0,05
1	N,S	WT3048	WAVE TOP	33.66	15,3	1.43	0,04
1	N,S	WT3054	WAVE TOP	37.8	17,18	1.6	0,05
1	N,S	WT3060	WAVE TOP	41.93	19,06	1.76	0,05
1	N,S	WT3066	WAVE TOP	46.07	20,94	1.93	0,05
1	N,S	WT3072	WAVE TOP	50.21	22,82	2.1	0,06
1	N,S	WTT2448	WAVE TOP WITH TRANSL MODESTY	26.84	12,2	1.18	0,03
1	N,S	WTT2454	WAVE TOP WITH TRANSL MODESTY	30.14	13,7	1.32	0,04
1	N,S	WTT2460	WAVE TOP WITH TRANSL MODESTY	33.44	15,2	1.45	0,04
1	N,S	WTT2466	WAVE TOP WITH TRANSL MODESTY	36.74	16,7	1.59	0,04
1	N,S	WTT2472	WAVE TOP WITH TRANSL MODESTY	40.04	18,2	1.72	0,05
1	N,S	WTT3048	WAVE TOP WITH TRANSL MODESTY	33.66	15,3	1.43	0,04
1	N,S	WTT3054	WAVE TOP WITH TRANSL MODESTY	37.8	17,18	1.6	0,05
1	N,S	WTT3060	WAVE TOP WITH TRANSL MODESTY	41.93	19,06	1.76	0,05
1	N,S	WTT3066	WAVE TOP WITH TRANSL MODESTY	46.07	20,94	1.93	0,05
1	N,S	WTT3072	WAVE TOP WITH TRANSL MODESTY	50.21	22,82	2.1	0,06
1	N,S	TZT2448	TRAPEZOIDAL TOP	20.68	9,4	1.1	0,03
1	N,S	TZT2454	TRAPEZOIDAL TOP	23.98	10,9	1.23	0,03
1	N,S	TZT2460	TRAPEZOIDAL TOP	27.28	12,4	1.36	0,04
1	N,S	TZT2466	TRAPEZOIDAL TOP	30.58	13,9	1.49	0,04
1	N,S	TZT2472	TRAPEZOIDAL TOP	33.88	15,4	1.61	0,05
1	N,S	TZT3048	TRAPEZOIDAL TOP	24.42	11,1	1.34	0,04
1	N,S	TZT3054	TRAPEZOIDAL TOP	28.32	12,87	1.49	0,04
1	N,S	TZT3060	TRAPEZOIDAL TOP	32.22	14,64	1.65	0,05
1	N,S	TZT3066	TRAPEZOIDAL TOP	36.11	16,42	1.8	0,05
1	N,S	TZT3072	TRAPEZOIDAL TOP	40.01	18,19	1.95	0,06
1	N,S	TZTT2448	TRAPEZOIDAL TOP/TRANSL MODESTY	20.68	9,4	1.1	0,03
1	N,S	TZTT2454	TRAPEZOIDAL TOP/TRANSL MODESTY	23.98	10,9	1.23	0,03
1	N,S	TZTT2460	TRAPEZOIDAL TOP/TRANSL MODESTY	27.28	12,4	1.36	0,04
1	N,S	TZTT2466	TRAPEZOIDAL TOP/TRANSL MODESTY	30.58	13,9	1.49	0,04
1	N,S	TZTT2472	TRAPEZOIDAL TOP/TRANSL MODESTY	33.88	15,4	1.61	0,05
1	N,S	TZTT3048	TRAPEZOIDAL TOP/TRANSL MODESTY	24.42	11,1	1.34	0,04
1	N,S	TZTT3054	TRAPEZOIDAL TOP/TRANSL MODESTY	28.32	12,87	1.49	0,04
1	N,S	TZTT3060	TRAPEZOIDAL TOP/TRANSL MODESTY	32.22	14,64	1.65	0,05
1	N,S	TZTT3066	TRAPEZOIDAL TOP/TRANSL MODESTY	36.11	16,42	1.8	0,05
1	N,S	TZTT3072	TRAPEZOIDAL TOP/TRANSL MODESTY	40.01	18,19	1.95	0,06
1	N,S	HRT3060	HALFMOON TOP 30 x 60	40.26	18,3	1.76	0,05

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
N	N	MTB24	METAL T-BASE WITH CASTERS	17.16	7,8	3.1	0,09
N	N	MTBF24	METAL T-BASE/CASTERS, FLIP-TOP	21.12	9,6	3.1	0,09
N	N	MTBFH24	MET T-BASE/CAST, FLIPTOP HANDLE	21.56	9,8	3.1	0,09
N	N	MLB24	METAL L-BASE WITH CASTERS	21.56	9,8	2.5	0,07
N	N	MLBF24	METAL L-BASE/CASTERS, FLIP-TOP	25.52	11,6	2.5	0,07
N	N	MLBFH24	METAL L-BASE/CAST, FLIPTOP HAN	25.96	11,8	2.5	0,07
1	N	CMA405823GC	CORNER TABLE, RIGHT, C BASE	76.61	34,75	4.52	0,13
1	N,S	MRCF2448	MOBILE RECT TABLE, FLIP, 24"D	31.65	14,36	1.31	0,04
1	N,S	MRCF2454	MOBILE RECT TABLE, FLIP, 24"D	35.48	16,09	1.46	0,04
1	N,S	MRCF2460	MOBILE RECT TABLE, FLIP, 24"D	39.31	17,83	1.61	0,05
1	N,S	MRCF2466	MOBILE RECT TABLE, FLIP, 24"D	43.14	19,57	1.76	0,05
1	N,S	MRCF2472	MOBILE RECT TABLE, FLIP, 24"D	46.96	21,3	1.91	0,05
1	N,S	MRCF2478	MOBILE RECT TABLE, FLIP, 24"D	50.8	23,04	2.06	0,06
1	N,S	MRCF2484	MOBILE RECT TABLE, FLIP, 24"D	54.62	24,78	2.21	0,06
2	N,S	MRCF2448	MOBILE RECT TABLE, FLIP, 24"D	31.65	14,36	1.31	0,04
2	N,S	MRCF2454	MOBILE RECT TABLE, FLIP, 24"D	35.48	16,09	1.46	0,04
2	N,S	MRCF2460	MOBILE RECT TABLE, FLIP, 24"D	39.31	17,83	1.61	0,05
2	N,S	MRCF2466	MOBILE RECT TABLE, FLIP, 24"D	43.14	19,57	1.76	0,05
2	N,S	MRCF2472	MOBILE RECT TABLE, FLIP, 24"D	46.96	21,3	1.91	0,05
2	N,S	MRCF2478	MOBILE RECT TABLE, FLIP, 24"D	50.8	23,04	2.06	0,06
2	N,S	MRCF2484	MOBILE RECT TABLE, FLIP, 24"D	54.62	24,78	2.21	0,06
5	N,S	MRCF2448	MOBILE RECT TABLE, FLIP, 24"D	43.03	19,52	1.8	0,05
5	N,S	MRCF2454	MOBILE RECT TABLE, FLIP, 24"D	48.19	21,86	1.99	0,06
5	N,S	MRCF2460	MOBILE RECT TABLE, FLIP, 24"D	53.42	24,23	2.24	0,06
5	N,S	MRCF2466	MOBILE RECT TABLE, FLIP, 24"D	58.55	26,56	2.41	0,07
5	N,S	MRCF2472	MOBILE RECT TABLE, FLIP, 24"D	63.75	28,92	2.63	0,07
5	N,S	MRCF2478	MOBILE RECT TABLE, FLIP, 24"D	68.93	31,27	2.84	0,08
5	N,S	MRCF2484	MOBILE RECT TABLE, FLIP, 24"D	74.12	33,62	3.05	0,09
6	N,S	MRCF2448	MOBILE RECT TABLE, FLIP, 24"D	43.03	19,52	1.8	0,05
6	N,S	MRCF2454	MOBILE RECT TABLE, FLIP, 24"D	48.19	21,86	1.99	0,06
6	N,S	MRCF2460	MOBILE RECT TABLE, FLIP, 24"D	53.42	24,23	2.24	0,06
6	N,S	MRCF2466	MOBILE RECT TABLE, FLIP, 24"D	58.55	26,56	2.41	0,07
6	N,S	MRCF2472	MOBILE RECT TABLE, FLIP, 24"D	63.75	28,92	2.63	0,07
6	N,S	MRCF2478	MOBILE RECT TABLE, FLIP, 24"D	68.93	31,27	2.84	0,08
6	N,S	MRCF2484	MOBILE RECT TABLE, FLIP, 24"D	74.12	33,62	3.05	0,09
1	N,S	MRCF2448E	MOBILE RECT TABLE, FLIP, 24"D	31.65	14,36	1.31	0,04
1	N,S	MRCF2454E	MOBILE RECT TABLE, FLIP, 24"D	35.48	16,09	1.46	0,04
1	N,S	MRCF2460E	MOBILE RECT TABLE, FLIP, 24"D	39.31	17,83	1.61	0,05
1	N,S	MRCF2466E	MOBILE RECT TABLE, FLIP, 24"D	43.14	19,57	1.76	0,05
1	N,S	MRCF2472E	MOBILE RECT TABLE, FLIP, 24"D	46.96	21,3	1.91	0,05
1	N,S	MRCF2478E	MOBILE RECT TABLE, FLIP, 24"D	50.8	23,04	2.06	0,06
1	N,S	MRCF2484E	MOBILE RECT TABLE, FLIP, 24"D	54.62	24,78	2.21	0,06
2	N,S	MRCF2448E	MOBILE RECT TABLE, FLIP, 24"D	31.65	14,36	1.31	0,04
2	N,S	MRCF2454E	MOBILE RECT TABLE, FLIP, 24"D	35.48	16,09	1.46	0,04
2	N,S	MRCF2460E	MOBILE RECT TABLE, FLIP, 24"D	39.31	17,83	1.61	0,05
2	N,S	MRCF2466E	MOBILE RECT TABLE, FLIP, 24"D	43.14	19,57	1.76	0,05
2	N,S	MRCF2472E	MOBILE RECT TABLE, FLIP, 24"D	46.96	21,3	1.91	0,05
2	N,S	MRCF2478E	MOBILE RECT TABLE, FLIP, 24"D	50.8	23,04	2.06	0,06
2	N,S	MRCF2484E	MOBILE RECT TABLE, FLIP, 24"D	54.62	24,78	2.21	0,06
5	N,S	MRCF2448E	MOBILE RECT TABLE, FLIP, 24"D	43.03	19,52	1.8	0,05
5	N,S	MRCF2454E	MOBILE RECT TABLE, FLIP, 24"D	48.19	21,86	1.99	0,06
5	N,S	MRCF2460E	MOBILE RECT TABLE, FLIP, 24"D	53.42	24,23	2.24	0,06
5	N,S	MRCF2466E	MOBILE RECT TABLE, FLIP, 24"D	58.55	26,56	2.41	0,07
5	N,S	MRCF2472E	MOBILE RECT TABLE, FLIP, 24"D	63.75	28,92	2.63	0,07
5	N,S	MRCF2478E	MOBILE RECT TABLE, FLIP, 24"D	68.93	31,27	2.84	0,08

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	MRCF2484E	MOBILE RECT TABLE, FLIP, 24"D	74.12	33,62	3.05	0,09
6	N,S	MRCF2448E	MOBILE RECT TABLE, FLIP, 24"D	43.03	19,52	1.8	0,05
6	N,S	MRCF2454E	MOBILE RECT TABLE, FLIP, 24"D	48.19	21,86	1.99	0,06
6	N,S	MRCF2460E	MOBILE RECT TABLE, FLIP, 24"D	53.42	24,23	2.24	0,06
6	N,S	MRCF2466E	MOBILE RECT TABLE, FLIP, 24"D	58.55	26,56	2.41	0,07
6	N,S	MRCF2472E	MOBILE RECT TABLE, FLIP, 24"D	63.75	28,92	2.63	0,07
6	N,S	MRCF2478E	MOBILE RECT TABLE, FLIP, 24"D	68.93	31,27	2.84	0,08
6	N,S	MRCF2484E	MOBILE RECT TABLE, FLIP, 24"D	74.12	33,62	3.05	0,09
1	N,S	MRCF3048	MOBILE RECT TABLE, FLIP, 30"D	39.11	17,74	1.59	0,05
1	N,S	MRCF3054	MOBILE RECT TABLE, FLIP, 30"D	43.83	19,88	1.75	0,05
1	N,S	MRCF3060	MOBILE RECT TABLE, FLIP, 30"D	48.6	22,04	1.96	0,06
1	N,S	MRCF3066	MOBILE RECT TABLE, FLIP, 30"D	53.3	24,18	2.11	0,06
1	N,S	MRCF3072	MOBILE RECT TABLE, FLIP, 30"D	58.04	26,33	2.3	0,07
1	N,S	MRCF3078	MOBILE RECT TABLE, FLIP, 30"D	62.77	28,47	2.47	0,07
1	N,S	MRCF3084	MOBILE RECT TABLE, FLIP, 30"D	67.51	30,62	2.65	0,08
2	N,S	MRCF3048	MOBILE RECT TABLE, FLIP, 30"D	39.11	17,74	1.59	0,05
2	N,S	MRCF3054	MOBILE RECT TABLE, FLIP, 30"D	43.83	19,88	1.75	0,05
2	N,S	MRCF3060	MOBILE RECT TABLE, FLIP, 30"D	48.6	22,04	1.96	0,06
2	N,S	MRCF3066	MOBILE RECT TABLE, FLIP, 30"D	53.3	24,18	2.11	0,06
2	N,S	MRCF3072	MOBILE RECT TABLE, FLIP, 30"D	58.04	26,33	2.3	0,07
2	N,S	MRCF3078	MOBILE RECT TABLE, FLIP, 30"D	62.77	28,47	2.47	0,07
2	N,S	MRCF3084	MOBILE RECT TABLE, FLIP, 30"D	67.51	30,62	2.65	0,08
5	N,S	MRCF3048	MOBILE RECT TABLE, FLIP, 30"D	53	24,04	2.07	0,06
5	N,S	MRCF3054	MOBILE RECT TABLE, FLIP, 30"D	59.37	26,93	2.28	0,06
5	N,S	MRCF3060	MOBILE RECT TABLE, FLIP, 30"D	65.82	29,86	2.56	0,07
5	N,S	MRCF3066	MOBILE RECT TABLE, FLIP, 30"D	72.17	32,74	2.76	0,08
5	N,S	MRCF3072	MOBILE RECT TABLE, FLIP, 30"D	78.58	35,64	3.01	0,09
5	N,S	MRCF3078	MOBILE RECT TABLE, FLIP, 30"D	84.99	38,55	3.25	0,09
5	N,S	MRCF3084	MOBILE RECT TABLE, FLIP, 30"D	91.39	41,45	3.49	0,1
6	N,S	MRCF3048	MOBILE RECT TABLE, FLIP, 30"D	53	24,04	2.07	0,06
6	N,S	MRCF3054	MOBILE RECT TABLE, FLIP, 30"D	59.37	26,93	2.28	0,06
6	N,S	MRCF3060	MOBILE RECT TABLE, FLIP, 30"D	65.82	29,86	2.56	0,07
6	N,S	MRCF3066	MOBILE RECT TABLE, FLIP, 30"D	72.17	32,74	2.76	0,08
6	N,S	MRCF3072	MOBILE RECT TABLE, FLIP, 30"D	78.58	35,64	3.01	0,09
6	N,S	MRCF3078	MOBILE RECT TABLE, FLIP, 30"D	84.99	38,55	3.25	0,09
6	N,S	MRCF3084	MOBILE RECT TABLE, FLIP, 30"D	91.39	41,45	3.49	0,1
1	N,S	MRCF3048E	MOBILE RECT TABLE, FLIP, 30"D	39.11	17,74	1.59	0,05
1	N,S	MRCF3054E	MOBILE RECT TABLE, FLIP, 30"D	43.83	19,88	1.75	0,05
1	N,S	MRCF3060E	MOBILE RECT TABLE, FLIP, 30"D	48.6	22,04	1.96	0,06
1	N,S	MRCF3066E	MOBILE RECT TABLE, FLIP, 30"D	53.3	24,18	2.11	0,06
1	N,S	MRCF3072E	MOBILE RECT TABLE, FLIP, 30"D	58.04	26,33	2.3	0,07
1	N,S	MRCF3078E	MOBILE RECT TABLE, FLIP, 30"D	62.77	28,47	2.47	0,07
1	N,S	MRCF3084E	MOBILE RECT TABLE, FLIP, 30"D	67.51	30,62	2.65	0,08
2	N,S	MRCF3048E	MOBILE RECT TABLE, FLIP, 30"D	39.11	17,74	1.59	0,05
2	N,S	MRCF3054E	MOBILE RECT TABLE, FLIP, 30"D	43.83	19,88	1.75	0,05
2	N,S	MRCF3060E	MOBILE RECT TABLE, FLIP, 30"D	48.6	22,04	1.96	0,06
2	N,S	MRCF3066E	MOBILE RECT TABLE, FLIP, 30"D	53.3	24,18	2.11	0,06
2	N,S	MRCF3072E	MOBILE RECT TABLE, FLIP, 30"D	58.04	26,33	2.3	0,07
2	N,S	MRCF3078E	MOBILE RECT TABLE, FLIP, 30"D	62.77	28,47	2.47	0,07
2	N,S	MRCF3084E	MOBILE RECT TABLE, FLIP, 30"D	67.51	30,62	2.65	0,08
5	N,S	MRCF3048E	MOBILE RECT TABLE, FLIP, 30"D	53	24,04	2.07	0,06
5	N,S	MRCF3054E	MOBILE RECT TABLE, FLIP, 30"D	59.37	26,93	2.28	0,06
5	N,S	MRCF3060E	MOBILE RECT TABLE, FLIP, 30"D	65.82	29,86	2.56	0,07
5	N,S	MRCF3066E	MOBILE RECT TABLE, FLIP, 30"D	72.17	32,74	2.76	0,08
5	N,S	MRCF3072E	MOBILE RECT TABLE, FLIP, 30"D	78.58	35,64	3.01	0,09

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N,S	MRCF3078E	MOBILE RECT TABLE, FLIP, 30"D	84.99	38,55	3.25	0,09
5	N,S	MRCF3084E	MOBILE RECT TABLE, FLIP, 30"D	91.39	41,45	3.49	0,1
6	N,S	MRCF3048E	MOBILE RECT TABLE, FLIP, 30"D	53	24,04	2.07	0,06
6	N,S	MRCF3054E	MOBILE RECT TABLE, FLIP, 30"D	59.37	26,93	2.28	0,06
6	N,S	MRCF3060E	MOBILE RECT TABLE, FLIP, 30"D	65.82	29,86	2.56	0,07
6	N,S	MRCF3066E	MOBILE RECT TABLE, FLIP, 30"D	72.17	32,74	2.76	0,08
6	N,S	MRCF3072E	MOBILE RECT TABLE, FLIP, 30"D	78.58	35,64	3.01	0,09
6	N,S	MRCF3078E	MOBILE RECT TABLE, FLIP, 30"D	84.99	38,55	3.25	0,09
6	N,S	MRCF3084E	MOBILE RECT TABLE, FLIP, 30"D	91.39	41,45	3.49	0,1
1	N,S	MTZF2460	MOBILE TRAPZ TABLE, FLIP, 24"D	31.43	14,26	1.49	0,04
1	N,S	MTZF2466	MOBILE TRAPZ TABLE, FLIP, 24"D	34.94	15,85	1.6	0,05
1	N,S	MTZF2472	MOBILE TRAPZ TABLE, FLIP, 24"D	38.5	17,46	1.74	0,05
2	N,S	MTZF2460	MOBILE TRAPZ TABLE, FLIP, 24"D	31.43	14,26	1.49	0,04
2	N,S	MTZF2466	MOBILE TRAPZ TABLE, FLIP, 24"D	34.94	15,85	1.6	0,05
2	N,S	MTZF2472	MOBILE TRAPZ TABLE, FLIP, 24"D	38.5	17,46	1.74	0,05
5	N,S	MTZF2460	MOBILE TRAPZ TABLE, FLIP, 24"D	42.88	19,45	2.09	0,06
5	N,S	MTZF2466	MOBILE TRAPZ TABLE, FLIP, 24"D	47.64	21,61	2.25	0,06
5	N,S	MTZF2472	MOBILE TRAPZ TABLE, FLIP, 24"D	52.46	23,8	2.45	0,07
6	N,S	MTZF2460	MOBILE TRAPZ TABLE, FLIP, 24"D	42.88	19,45	2.09	0,06
6	N,S	MTZF2466	MOBILE TRAPZ TABLE, FLIP, 24"D	47.64	21,61	2.25	0,06
6	N,S	MTZF2472	MOBILE TRAPZ TABLE, FLIP, 24"D	52.46	23,8	2.45	0,07
1	N,S	MTZF2460E	MOBILE TRAPZ TABLE, FLIP, 24"D	31.43	14,26	1.49	0,04
1	N,S	MTZF2466E	MOBILE TRAPZ TABLE, FLIP, 24"D	34.94	15,85	1.6	0,05
1	N,S	MTZF2472E	MOBILE TRAPZ TABLE, FLIP, 24"D	38.5	17,46	1.74	0,05
2	N,S	MTZF2460E	MOBILE TRAPZ TABLE, FLIP, 24"D	31.43	14,26	1.49	0,04
2	N,S	MTZF2466E	MOBILE TRAPZ TABLE, FLIP, 24"D	34.94	15,85	1.6	0,05
2	N,S	MTZF2472E	MOBILE TRAPZ TABLE, FLIP, 24"D	38.5	17,46	1.74	0,05
5	N,S	MTZF2460E	MOBILE TRAPZ TABLE, FLIP, 24"D	42.88	19,45	2.09	0,06
5	N,S	MTZF2466E	MOBILE TRAPZ TABLE, FLIP, 24"D	47.64	21,61	2.25	0,06
5	N,S	MTZF2472E	MOBILE TRAPZ TABLE, FLIP, 24"D	52.46	23,8	2.45	0,07
6	N,S	MTZF2460E	MOBILE TRAPZ TABLE, FLIP, 24"D	42.88	19,45	2.09	0,06
6	N,S	MTZF2466E	MOBILE TRAPZ TABLE, FLIP, 24"D	47.64	21,61	2.25	0,06
6	N,S	MTZF2472E	MOBILE TRAPZ TABLE, FLIP, 24"D	52.46	23,8	2.45	0,07
1	N,S	MTZF3060	MOBILE TRAPZ TABLE, FLIP, 30"D	37.1	16,83	1.84	0,05
1	N,S	MTZF3066	MOBILE TRAPZ TABLE, FLIP, 30"D	40.9	18,55	1.98	0,06
1	N,S	MTZF3072	MOBILE TRAPZ TABLE, FLIP, 30"D	45.86	20,8	2.15	0,06
2	N,S	MTZF3060	MOBILE TRAPZ TABLE, FLIP, 30"D	37.1	16,83	1.84	0,05
2	N,S	MTZF3066	MOBILE TRAPZ TABLE, FLIP, 30"D	40.9	18,55	1.98	0,06
2	N,S	MTZF3072	MOBILE TRAPZ TABLE, FLIP, 30"D	45.86	20,8	2.15	0,06
5	N,S	MTZF3060	MOBILE TRAPZ TABLE, FLIP, 30"D	50.55	22,93	2.59	0,07
5	N,S	MTZF3066	MOBILE TRAPZ TABLE, FLIP, 30"D	55.69	25,26	2.79	0,08
5	N,S	MTZF3072	MOBILE TRAPZ TABLE, FLIP, 30"D	62.39	28,3	3.03	0,09
6	N,S	MTZF3060	MOBILE TRAPZ TABLE, FLIP, 30"D	50.55	22,93	2.59	0,07
6	N,S	MTZF3066	MOBILE TRAPZ TABLE, FLIP, 30"D	55.69	25,26	2.79	0,08
6	N,S	MTZF3072	MOBILE TRAPZ TABLE, FLIP, 30"D	62.39	28,3	3.03	0,09
1	N,S	MTZF3060E	MOBILE TRAPZ TABLE, FLIP, 30"D	37.1	16,83	1.84	0,05
1	N,S	MTZF3066E	MOBILE TRAPZ TABLE, FLIP, 30"D	40.9	18,55	1.98	0,06
1	N,S	MTZF3072E	MOBILE TRAPZ TABLE, FLIP, 30"D	45.86	20,8	2.15	0,06
2	N,S	MTZF3060E	MOBILE TRAPZ TABLE, FLIP, 30"D	37.1	16,83	1.84	0,05
2	N,S	MTZF3066E	MOBILE TRAPZ TABLE, FLIP, 30"D	40.9	18,55	1.98	0,06
2	N,S	MTZF3072E	MOBILE TRAPZ TABLE, FLIP, 30"D	45.86	20,8	2.15	0,06
5	N,S	MTZF3060E	MOBILE TRAPZ TABLE, FLIP, 30"D	50.55	22,93	2.59	0,07
5	N,S	MTZF3066E	MOBILE TRAPZ TABLE, FLIP, 30"D	55.69	25,26	2.79	0,08
5	N,S	MTZF3072E	MOBILE TRAPZ TABLE, FLIP, 30"D	62.39	28,3	3.03	0,09
6	N,S	MTZF3060E	MOBILE TRAPZ TABLE, FLIP, 30"D	50.55	22,93	2.59	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N,S	MTZF3066E	MOBILE TRAPZ TABLE, FLIP, 30"D	55.69	25,26	2.79	0,08
6	N,S	MTZF3072E	MOBILE TRAPZ TABLE, FLIP, 30"D	62.39	28,3	3.03	0,09
1	N,S	MRC2448	MOBILE RECTANGULAR TABLE, 24"D	31.65	14,36	1.31	0,04
1	N,S	MRC2454	MOBILE RECTANGULAR TABLE, 24"D	35.48	16,09	1.46	0,04
1	N,S	MRC2460	MOBILE RECTANGULAR TABLE, 24"D	39.31	17,83	1.61	0,05
1	N,S	MRC2466	MOBILE RECTANGULAR TABLE, 24"D	43.14	19,57	1.76	0,05
1	N,S	MRC2472	MOBILE RECTANGULAR TABLE, 24"D	46.96	21,3	1.91	0,05
1	N,S	MRC2478	MOBILE RECTANGULAR TABLE, 24"D	50.8	23,04	2.06	0,06
1	N,S	MRC2484	MOBILE RECTANGULAR TABLE, 24"D	54.62	24,78	2.21	0,06
2	N,S	MRC2448	MOBILE RECTANGULAR TABLE, 24"D	31.65	14,36	1.31	0,04
2	N,S	MRC2454	MOBILE RECTANGULAR TABLE, 24"D	35.48	16,09	1.46	0,04
2	N,S	MRC2460	MOBILE RECTANGULAR TABLE, 24"D	39.31	17,83	1.61	0,05
2	N,S	MRC2466	MOBILE RECTANGULAR TABLE, 24"D	43.14	19,57	1.76	0,05
2	N,S	MRC2472	MOBILE RECTANGULAR TABLE, 24"D	46.96	21,3	1.91	0,05
2	N,S	MRC2478	MOBILE RECTANGULAR TABLE, 24"D	50.8	23,04	2.06	0,06
2	N,S	MRC2484	MOBILE RECTANGULAR TABLE, 24"D	54.62	24,78	2.21	0,06
5	N,S	MRC2448	MOBILE RECTANGULAR TABLE, 24"D	43.03	19,52	1.8	0,05
5	N,S	MRC2454	MOBILE RECTANGULAR TABLE, 24"D	48.19	21,86	1.99	0,06
5	N,S	MRC2460	MOBILE RECTANGULAR TABLE, 24"D	53.42	24,23	2.24	0,06
5	N,S	MRC2466	MOBILE RECTANGULAR TABLE, 24"D	58.55	26,56	2.41	0,07
5	N,S	MRC2472	MOBILE RECTANGULAR TABLE, 24"D	63.75	28,92	2.63	0,07
5	N,S	MRC2478	MOBILE RECTANGULAR TABLE, 24"D	68.93	31,27	2.84	0,08
5	N,S	MRC2484	MOBILE RECTANGULAR TABLE, 24"D	74.12	33,62	3.05	0,09
6	N,S	MRC2448	MOBILE RECTANGULAR TABLE, 24"D	43.03	19,52	1.8	0,05
6	N,S	MRC2454	MOBILE RECTANGULAR TABLE, 24"D	48.19	21,86	1.99	0,06
6	N,S	MRC2460	MOBILE RECTANGULAR TABLE, 24"D	53.42	24,23	2.24	0,06
6	N,S	MRC2466	MOBILE RECTANGULAR TABLE, 24"D	58.55	26,56	2.41	0,07
6	N,S	MRC2472	MOBILE RECTANGULAR TABLE, 24"D	63.75	28,92	2.63	0,07
6	N,S	MRC2478	MOBILE RECTANGULAR TABLE, 24"D	68.93	31,27	2.84	0,08
6	N,S	MRC2484	MOBILE RECTANGULAR TABLE, 24"D	74.12	33,62	3.05	0,09
1	N,S	MRC2448E	MOBILE RECTANGULAR TABLE, 24"D	31.65	14,36	1.31	0,04
1	N,S	MRC2454E	MOBILE RECTANGULAR TABLE, 24"D	35.48	16,09	1.46	0,04
1	N,S	MRC2460E	MOBILE RECTANGULAR TABLE, 24"D	39.31	17,83	1.61	0,05
1	N,S	MRC2466E	MOBILE RECTANGULAR TABLE, 24"D	43.14	19,57	1.76	0,05
1	N,S	MRC2472E	MOBILE RECTANGULAR TABLE, 24"D	46.96	21,3	1.91	0,05
1	N,S	MRC2478E	MOBILE RECTANGULAR TABLE, 24"D	50.8	23,04	2.06	0,06
1	N,S	MRC2484E	MOBILE RECTANGULAR TABLE, 24"D	54.62	24,78	2.21	0,06
2	N,S	MRC2448E	MOBILE RECTANGULAR TABLE, 24"D	31.65	14,36	1.31	0,04
2	N,S	MRC2454E	MOBILE RECTANGULAR TABLE, 24"D	35.48	16,09	1.46	0,04
2	N,S	MRC2460E	MOBILE RECTANGULAR TABLE, 24"D	39.31	17,83	1.61	0,05
2	N,S	MRC2466E	MOBILE RECTANGULAR TABLE, 24"D	43.14	19,57	1.76	0,05
2	N,S	MRC2472E	MOBILE RECTANGULAR TABLE, 24"D	46.96	21,3	1.91	0,05
2	N,S	MRC2478E	MOBILE RECTANGULAR TABLE, 24"D	50.8	23,04	2.06	0,06
2	N,S	MRC2484E	MOBILE RECTANGULAR TABLE, 24"D	54.62	24,78	2.21	0,06
5	N,S	MRC2448E	MOBILE RECTANGULAR TABLE, 24"D	43.03	19,52	1.8	0,05
5	N,S	MRC2454E	MOBILE RECTANGULAR TABLE, 24"D	48.19	21,86	1.99	0,06
5	N,S	MRC2460E	MOBILE RECTANGULAR TABLE, 24"D	53.42	24,23	2.24	0,06
5	N,S	MRC2466E	MOBILE RECTANGULAR TABLE, 24"D	58.55	26,56	2.41	0,07
5	N,S	MRC2472E	MOBILE RECTANGULAR TABLE, 24"D	63.75	28,92	2.63	0,07
5	N,S	MRC2478E	MOBILE RECTANGULAR TABLE, 24"D	68.93	31,27	2.84	0,08
5	N,S	MRC2484E	MOBILE RECTANGULAR TABLE, 24"D	74.12	33,62	3.05	0,09
6	N,S	MRC2448E	MOBILE RECTANGULAR TABLE, 24"D	43.03	19,52	1.8	0,05
6	N,S	MRC2454E	MOBILE RECTANGULAR TABLE, 24"D	48.19	21,86	1.99	0,06
6	N,S	MRC2460E	MOBILE RECTANGULAR TABLE, 24"D	53.42	24,23	2.24	0,06
6	N,S	MRC2466E	MOBILE RECTANGULAR TABLE, 24"D	58.55	26,56	2.41	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N,S	MRC2472E	MOBILE RECTANGULAR TABLE, 24"D	63.75	28,92	2.63	0,07
6	N,S	MRC2478E	MOBILE RECTANGULAR TABLE, 24"D	68.93	31,27	2.84	0,08
6	N,S	MRC2484E	MOBILE RECTANGULAR TABLE, 24"D	74.12	33,62	3.05	0,09
1	N,S	MRC3048	MOBILE RECTANGULAR TABLE, 30"D	39.11	17,74	1.59	0,05
1	N,S	MRC3054	MOBILE RECTANGULAR TABLE, 30"D	43.83	19,88	1.75	0,05
1	N,S	MRC3060	MOBILE RECTANGULAR TABLE, 30"D	48.6	22,04	1.96	0,06
1	N,S	MRC3066	MOBILE RECTANGULAR TABLE, 30"D	53.3	24,18	2.11	0,06
1	N,S	MRC3072	MOBILE RECTANGULAR TABLE, 30"D	58.04	26,33	2.3	0,07
1	N,S	MRC3078	MOBILE RECTANGULAR TABLE, 30"D	62.77	28,47	2.47	0,07
1	N,S	MRC3084	MOBILE RECTANGULAR TABLE, 30"D	67.51	30,62	2.65	0,08
2	N,S	MRC3048	MOBILE RECTANGULAR TABLE, 30"D	39.11	17,74	1.59	0,05
2	N,S	MRC3054	MOBILE RECTANGULAR TABLE, 30"D	43.83	19,88	1.75	0,05
2	N,S	MRC3060	MOBILE RECTANGULAR TABLE, 30"D	48.6	22,04	1.96	0,06
2	N,S	MRC3066	MOBILE RECTANGULAR TABLE, 30"D	53.3	24,18	2.11	0,06
2	N,S	MRC3072	MOBILE RECTANGULAR TABLE, 30"D	58.04	26,33	2.3	0,07
2	N,S	MRC3078	MOBILE RECTANGULAR TABLE, 30"D	62.77	28,47	2.47	0,07
2	N,S	MRC3084	MOBILE RECTANGULAR TABLE, 30"D	67.51	30,62	2.65	0,08
5	N,S	MRC3048	MOBILE RECTANGULAR TABLE, 30"D	53	24,04	2.07	0,06
5	N,S	MRC3054	MOBILE RECTANGULAR TABLE, 30"D	59.37	26,93	2.28	0,06
5	N,S	MRC3060	MOBILE RECTANGULAR TABLE, 30"D	65.82	29,86	2.56	0,07
5	N,S	MRC3066	MOBILE RECTANGULAR TABLE, 30"D	72.17	32,74	2.76	0,08
5	N,S	MRC3072	MOBILE RECTANGULAR TABLE, 30"D	78.58	35,64	3.01	0,09
5	N,S	MRC3078	MOBILE RECTANGULAR TABLE, 30"D	84.99	38,55	3.25	0,09
5	N,S	MRC3084	MOBILE RECTANGULAR TABLE, 30"D	91.39	41,45	3.49	0,1
6	N,S	MRC3048	MOBILE RECTANGULAR TABLE, 30"D	53	24,04	2.07	0,06
6	N,S	MRC3054	MOBILE RECTANGULAR TABLE, 30"D	59.37	26,93	2.28	0,06
6	N,S	MRC3060	MOBILE RECTANGULAR TABLE, 30"D	65.82	29,86	2.56	0,07
6	N,S	MRC3066	MOBILE RECTANGULAR TABLE, 30"D	72.17	32,74	2.76	0,08
6	N,S	MRC3072	MOBILE RECTANGULAR TABLE, 30"D	78.58	35,64	3.01	0,09
6	N,S	MRC3078	MOBILE RECTANGULAR TABLE, 30"D	84.99	38,55	3.25	0,09
6	N,S	MRC3084	MOBILE RECTANGULAR TABLE, 30"D	91.39	41,45	3.49	0,1
1	N,S	MRC3048E	MOBILE RECTANGULAR TABLE, 30"D	39.11	17,74	1.59	0,05
1	N,S	MRC3054E	MOBILE RECTANGULAR TABLE, 30"D	43.83	19,88	1.75	0,05
1	N,S	MRC3060E	MOBILE RECTANGULAR TABLE, 30"D	48.6	22,04	1.96	0,06
1	N,S	MRC3066E	MOBILE RECTANGULAR TABLE, 30"D	53.3	24,18	2.11	0,06
1	N,S	MRC3072E	MOBILE RECTANGULAR TABLE, 30"D	58.04	26,33	2.3	0,07
1	N,S	MRC3078E	MOBILE RECTANGULAR TABLE, 30"D	62.77	28,47	2.47	0,07
1	N,S	MRC3084E	MOBILE RECTANGULAR TABLE, 30"D	67.51	30,62	2.65	0,08
2	N,S	MRC3048E	MOBILE RECTANGULAR TABLE, 30"D	39.11	17,74	1.59	0,05
2	N,S	MRC3054E	MOBILE RECTANGULAR TABLE, 30"D	43.83	19,88	1.75	0,05
2	N,S	MRC3060E	MOBILE RECTANGULAR TABLE, 30"D	48.6	22,04	1.96	0,06
2	N,S	MRC3066E	MOBILE RECTANGULAR TABLE, 30"D	53.3	24,18	2.11	0,06
2	N,S	MRC3072E	MOBILE RECTANGULAR TABLE, 30"D	58.04	26,33	2.3	0,07
2	N,S	MRC3078E	MOBILE RECTANGULAR TABLE, 30"D	62.77	28,47	2.47	0,07
2	N,S	MRC3084E	MOBILE RECTANGULAR TABLE, 30"D	67.51	30,62	2.65	0,08
5	N,S	MRC3048E	MOBILE RECTANGULAR TABLE, 30"D	53	24,04	2.07	0,06
5	N,S	MRC3054E	MOBILE RECTANGULAR TABLE, 30"D	59.37	26,93	2.28	0,06
5	N,S	MRC3060E	MOBILE RECTANGULAR TABLE, 30"D	65.82	29,86	2.56	0,07
5	N,S	MRC3066E	MOBILE RECTANGULAR TABLE, 30"D	72.17	32,74	2.76	0,08
5	N,S	MRC3072E	MOBILE RECTANGULAR TABLE, 30"D	78.58	35,64	3.01	0,09
5	N,S	MRC3078E	MOBILE RECTANGULAR TABLE, 30"D	84.99	38,55	3.25	0,09
5	N,S	MRC3084E	MOBILE RECTANGULAR TABLE, 30"D	91.39	41,45	3.49	0,1
6	N,S	MRC3048E	MOBILE RECTANGULAR TABLE, 30"D	53	24,04	2.07	0,06
6	N,S	MRC3054E	MOBILE RECTANGULAR TABLE, 30"D	59.37	26,93	2.28	0,06
6	N,S	MRC3060E	MOBILE RECTANGULAR TABLE, 30"D	65.82	29,86	2.56	0,07

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N,S	MRC3066E	MOBILE RECTANGULAR TABLE, 30"D	72.17	32,74	2.76	0,08
6	N,S	MRC3072E	MOBILE RECTANGULAR TABLE, 30"D	78.58	35,64	3.01	0,09
6	N,S	MRC3078E	MOBILE RECTANGULAR TABLE, 30"D	84.99	38,55	3.25	0,09
6	N,S	MRC3084E	MOBILE RECTANGULAR TABLE, 30"D	91.39	41,45	3.49	0,1
1	N,S	MTZ2460	MOBILE TRAPEZOIDAL TABLE, 24"D	31.43	14,26	1.49	0,04
1	N,S	MTZ2466	MOBILE TRAPEZOIDAL TABLE, 24"D	34.94	15,85	1.6	0,05
1	N,S	MTZ2472	MOBILE TRAPEZOIDAL TABLE, 24"D	38.5	17,46	1.74	0,05
2	N,S	MTZ2460	MOBILE TRAPEZOIDAL TABLE, 24"D	31.43	14,26	1.49	0,04
2	N,S	MTZ2466	MOBILE TRAPEZOIDAL TABLE, 24"D	34.94	15,85	1.6	0,05
2	N,S	MTZ2472	MOBILE TRAPEZOIDAL TABLE, 24"D	38.5	17,46	1.74	0,05
5	N,S	MTZ2460	MOBILE TRAPEZOIDAL TABLE, 24"D	42.88	19,45	2.09	0,06
5	N,S	MTZ2466	MOBILE TRAPEZOIDAL TABLE, 24"D	47.64	21,61	2.25	0,06
5	N,S	MTZ2472	MOBILE TRAPEZOIDAL TABLE, 24"D	52.46	23,8	2.45	0,07
6	N,S	MTZ2460	MOBILE TRAPEZOIDAL TABLE, 24"D	42.88	19,45	2.09	0,06
6	N,S	MTZ2466	MOBILE TRAPEZOIDAL TABLE, 24"D	47.64	21,61	2.25	0,06
6	N,S	MTZ2472	MOBILE TRAPEZOIDAL TABLE, 24"D	52.46	23,8	2.45	0,07
1	N,S	MTZ2460E	MOBILE TRAPEZOIDAL TABLE, 24"D	31.43	14,26	1.49	0,04
1	N,S	MTZ2466E	MOBILE TRAPEZOIDAL TABLE, 24"D	34.94	15,85	1.6	0,05
1	N,S	MTZ2472E	MOBILE TRAPEZOIDAL TABLE, 24"D	38.5	17,46	1.74	0,05
2	N,S	MTZ2460E	MOBILE TRAPEZOIDAL TABLE, 24"D	31.43	14,26	1.49	0,04
2	N,S	MTZ2466E	MOBILE TRAPEZOIDAL TABLE, 24"D	34.94	15,85	1.6	0,05
2	N,S	MTZ2472E	MOBILE TRAPEZOIDAL TABLE, 24"D	38.5	17,46	1.74	0,05
5	N,S	MTZ2460E	MOBILE TRAPEZOIDAL TABLE, 24"D	42.88	19,45	2.09	0,06
5	N,S	MTZ2466E	MOBILE TRAPEZOIDAL TABLE, 24"D	47.64	21,61	2.25	0,06
5	N,S	MTZ2472E	MOBILE TRAPEZOIDAL TABLE, 24"D	52.46	23,8	2.45	0,07
6	N,S	MTZ2460E	MOBILE TRAPEZOIDAL TABLE, 24"D	42.88	19,45	2.09	0,06
6	N,S	MTZ2466E	MOBILE TRAPEZOIDAL TABLE, 24"D	47.64	21,61	2.25	0,06
6	N,S	MTZ2472E	MOBILE TRAPEZOIDAL TABLE, 24"D	52.46	23,8	2.45	0,07
1	N,S	MTZ3060	MOBILE TRAPEZOIDAL TABLE, 30"D	37.1	16,83	1.84	0,05
1	N,S	MTZ3066	MOBILE TRAPEZOIDAL TABLE, 30"D	40.9	18,55	1.98	0,06
1	N,S	MTZ3072	MOBILE TRAPEZOIDAL TABLE, 30"D	45.86	20,8	2.15	0,06
2	N,S	MTZ3060	MOBILE TRAPEZOIDAL TABLE, 30"D	37.1	16,83	1.84	0,05
2	N,S	MTZ3066	MOBILE TRAPEZOIDAL TABLE, 30"D	40.9	18,55	1.98	0,06
2	N,S	MTZ3072	MOBILE TRAPEZOIDAL TABLE, 30"D	45.86	20,8	2.15	0,06
5	N,S	MTZ3060	MOBILE TRAPEZOIDAL TABLE, 30"D	50.55	22,93	2.59	0,07
5	N,S	MTZ3066	MOBILE TRAPEZOIDAL TABLE, 30"D	55.69	25,26	2.79	0,08
5	N,S	MTZ3072	MOBILE TRAPEZOIDAL TABLE, 30"D	62.39	28,3	3.03	0,09
6	N,S	MTZ3060	MOBILE TRAPEZOIDAL TABLE, 30"D	50.55	22,93	2.59	0,07
6	N,S	MTZ3066	MOBILE TRAPEZOIDAL TABLE, 30"D	55.69	25,26	2.79	0,08
6	N,S	MTZ3072	MOBILE TRAPEZOIDAL TABLE, 30"D	62.39	28,3	3.03	0,09
1	N,S	MTZ3060E	MOBILE TRAPEZOIDAL TABLE, 30"D	37.1	16,83	1.84	0,05
1	N,S	MTZ3066E	MOBILE TRAPEZOIDAL TABLE, 30"D	40.9	18,55	1.98	0,06
1	N,S	MTZ3072E	MOBILE TRAPEZOIDAL TABLE, 30"D	45.86	20,8	2.15	0,06
2	N,S	MTZ3060E	MOBILE TRAPEZOIDAL TABLE, 30"D	37.1	16,83	1.84	0,05
2	N,S	MTZ3066E	MOBILE TRAPEZOIDAL TABLE, 30"D	40.9	18,55	1.98	0,06
2	N,S	MTZ3072E	MOBILE TRAPEZOIDAL TABLE, 30"D	45.86	20,8	2.15	0,06
5	N,S	MTZ3060E	MOBILE TRAPEZOIDAL TABLE, 30"D	50.55	22,93	2.59	0,07
5	N,S	MTZ3066E	MOBILE TRAPEZOIDAL TABLE, 30"D	55.69	25,26	2.79	0,08
5	N,S	MTZ3072E	MOBILE TRAPEZOIDAL TABLE, 30"D	62.39	28,3	3.03	0,09
6	N,S	MTZ3060E	MOBILE TRAPEZOIDAL TABLE, 30"D	50.55	22,93	2.59	0,07
6	N,S	MTZ3066E	MOBILE TRAPEZOIDAL TABLE, 30"D	55.69	25,26	2.79	0,08
6	N,S	MTZ3072E	MOBILE TRAPEZOIDAL TABLE, 30"D	62.39	28,3	3.03	0,09
N	N	MODF48RC	MODESTY PANEL FOR RECT SURFACE	7.67	3,48	0.53	0,02
N	N	MODF54RC	MODESTY PANEL FOR RECT SURFACE	8.72	3,96	0.61	0,02
N	N	MODF60RC	MODESTY PANEL FOR RECT SURFACE	9.73	4,41	0.67	0,02

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
N	N	MODF66RC	MODESTY PANEL FOR RECT SURFACE	10.79	4,89	0.75	0,02
N	N	MODF72RC	MODESTY PANEL FOR RECT SURFACE	11.78	5,34	0.81	0,02
N	N	MODF78RC	MODESTY PANEL FOR RECT SURFACE	12.83	5,82	0.88	0,02
N	N	MODF84RC	MODESTY PANEL FOR RECT SURFACE	13.85	6,28	0.95	0,03
N	N	MODF60TZ24	MODESTY FOR 24"D TRAPZ TOP	6.66	3,02	0.47	0,01
N	N	MODF66TZ24	MODESTY FOR 24"D TRAPZ TOP	7.67	3,48	0.53	0,02
N	N	MODF72TZ24	MODESTY FOR 24"D TRAPZ TOP	8.72	3,96	0.61	0,02
N	N	MODF60TZ30	MODESTY FOR 30"D TRAPZ TOP	5.84	2,65	0.41	0,01
N	N	MODF66TZ30	MODESTY FOR 30"D TRAPZ TOP	6.85	3,11	0.48	0,01
N	N	MODF72TZ30	MODESTY FOR 30"D TRAPZ TOP	7.88	3,57	0.54	0,02
G	C	UP4	TABLE CONNECTORS	2.34	1,06	0.15	0,01
G	C	TH2	UNDERWORKSURFACE HOOK	2.55	1,16	0.15	0,01
G	C	DCPS72	PLUG-IN STARTER	6.4	2,9	0.41	0,01
G	C	DCHS72	HARDWIRE PLUG-IN STARTER	5.9	2,68	0.41	0,01
G	C	DCHS120	HARDWIRE PLUG-IN STARTER	7.9	3,58	0.41	0,01
1	N	RCA2970GC	RECT TABLE, C METAL BASE 29"	79.1	35,88	4	0,11
1	N	RCA2964GC	RECT TABLE, C METAL BASE 29"	74.2	33,66	3.66	0,1
1	N	RCA2958GC	RECT TABLE, C METAL BASE 29"	69.31	31,44	3.33	0,09
1	N	RCA2952GC	RECT TABLE, C METAL BASE 29"	64.41	29,22	2.99	0,08
1	N	RCA2946GC	RECT TABLE, C METAL BASE 29"	55.51	25,18	2.66	0,08
2	N	RCA2970GC	RECT TABLE, C METAL BASE 29"	79.1	35,88	4	0,11
2	N	RCA2964GC	RECT TABLE, C METAL BASE 29"	74.2	33,66	3.66	0,1
2	N	RCA2958GC	RECT TABLE, C METAL BASE 29"	69.31	31,44	3.33	0,09
2	N	RCA2952GC	RECT TABLE, C METAL BASE 29"	64.41	29,22	2.99	0,08
2	N	RCA2946GC	RECT TABLE, C METAL BASE 29"	55.51	25,18	2.66	0,08
5	N	RCA2970GC	RECT TABLE, C METAL BASE 29"	97.79	44,36	4.48	0,13
5	N	RCA2964GC	RECT TABLE, C METAL BASE 29"	91.32	41,42	4.11	0,12
5	N	RCA2958GC	RECT TABLE, C METAL BASE 29"	84.86	38,49	3.73	0,11
5	N	RCA2952GC	RECT TABLE, C METAL BASE 29"	78.39	35,56	3.36	0,1
5	N	RCA2946GC	RECT TABLE, C METAL BASE 29"	67.92	30,81	2.98	0,08
5	K	RCA2970GC	RECT TABLE, C METAL BASE 29"	97.79	44,36	4.48	0,13
5	K	RCA2964GC	RECT TABLE, C METAL BASE 29"	91.32	41,42	4.11	0,12
5	K	RCA2958GC	RECT TABLE, C METAL BASE 29"	84.86	38,49	3.73	0,11
5	K	RCA2952GC	RECT TABLE, C METAL BASE 29"	78.39	35,56	3.36	0,1
5	K	RCA2946GC	RECT TABLE, C METAL BASE 29"	67.92	30,81	2.98	0,08
6	N	RCA2970GC	RECT TABLE, C METAL BASE 29"	97.79	44,36	4.48	0,13
6	N	RCA2964GC	RECT TABLE, C METAL BASE 29"	91.32	41,42	4.11	0,12
6	N	RCA2958GC	RECT TABLE, C METAL BASE 29"	84.86	38,49	3.73	0,11
6	N	RCA2952GC	RECT TABLE, C METAL BASE 29"	78.39	35,56	3.36	0,1
6	N	RCA2946GC	RECT TABLE, C METAL BASE 29"	67.92	30,81	2.98	0,08
6	K	RCA2970GC	RECT TABLE, C METAL BASE 29"	97.79	44,36	4.48	0,13
6	K	RCA2964GC	RECT TABLE, C METAL BASE 29"	91.32	41,42	4.11	0,12
6	K	RCA2958GC	RECT TABLE, C METAL BASE 29"	84.86	38,49	3.73	0,11
6	K	RCA2952GC	RECT TABLE, C METAL BASE 29"	78.39	35,56	3.36	0,1
6	K	RCA2946GC	RECT TABLE, C METAL BASE 29"	67.92	30,81	2.98	0,08
1	N	RCA2370GC	RECT TABLE, C METAL BASE 23"	68.74	31,18	3.27	0,09
1	N	RCA2364GC	RECT TABLE, C METAL BASE 23"	64.69	29,34	2.99	0,08
1	N	RCA2358GC	RECT TABLE, C METAL BASE 23"	60.64	27,51	2.72	0,08
1	N	RCA2352GC	RECT TABLE, C METAL BASE 23"	59.59	27,03	2.45	0,07
1	N	RCA2346GC	RECT TABLE, C METAL BASE 23"	48.54	22,02	2.17	0,06
2	N	RCA2370GC	RECT TABLE, C METAL BASE 23"	68.74	31,18	3.27	0,09
2	N	RCA2364GC	RECT TABLE, C METAL BASE 23"	64.69	29,34	2.99	0,08
2	N	RCA2358GC	RECT TABLE, C METAL BASE 23"	60.64	27,51	2.72	0,08
2	N	RCA2352GC	RECT TABLE, C METAL BASE 23"	59.59	27,03	2.45	0,07
2	N	RCA2346GC	RECT TABLE, C METAL BASE 23"	48.54	22,02	2.17	0,06

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N	RCA2370GC	RECT TABLE, C METAL BASE 23"	83.98	38,09	3.66	0,1
5	N	RCA2364GC	RECT TABLE, C METAL BASE 23"	78.65	35,68	3.36	0,1
5	N	RCA2358GC	RECT TABLE, C METAL BASE 23"	73.32	33,26	3.05	0,09
5	N	RCA2352GC	RECT TABLE, C METAL BASE 23"	67.99	30,84	2.75	0,08
5	N	RCA2346GC	RECT TABLE, C METAL BASE 23"	58.66	26,61	2.44	0,07
5	K	RCA2370GC	RECT TABLE, C METAL BASE 23"	83.98	38,09	3.66	0,1
5	K	RCA2364GC	RECT TABLE, C METAL BASE 23"	78.65	35,68	3.36	0,1
5	K	RCA2358GC	RECT TABLE, C METAL BASE 23"	73.32	33,26	3.05	0,09
5	K	RCA2352GC	RECT TABLE, C METAL BASE 23"	67.99	30,84	2.75	0,08
5	K	RCA2346GC	RECT TABLE, C METAL BASE 23"	58.66	26,61	2.44	0,07
6	N	RCA2370GC	RECT TABLE, C METAL BASE 23"	83.98	38,09	3.66	0,1
6	N	RCA2364GC	RECT TABLE, C METAL BASE 23"	78.65	35,68	3.36	0,1
6	N	RCA2358GC	RECT TABLE, C METAL BASE 23"	73.32	33,26	3.05	0,09
6	N	RCA2352GC	RECT TABLE, C METAL BASE 23"	67.99	30,84	2.75	0,08
6	N	RCA2346GC	RECT TABLE, C METAL BASE 23"	58.66	26,61	2.44	0,07
6	K	RCA2370GC	RECT TABLE, C METAL BASE 23"	83.98	38,09	3.66	0,1
6	K	RCA2364GC	RECT TABLE, C METAL BASE 23"	78.65	35,68	3.36	0,1
6	K	RCA2358GC	RECT TABLE, C METAL BASE 23"	73.32	33,26	3.05	0,09
6	K	RCA2352GC	RECT TABLE, C METAL BASE 23"	67.99	30,84	2.75	0,08
6	K	RCA2346GC	RECT TABLE, C METAL BASE 23"	58.66	26,61	2.44	0,07
1	N	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	94.06	42,66	4.11	0,12
1	N	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	88.01	39,92	3.77	0,11
1	N	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	81.95	37,17	3.44	0,1
1	N	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	75.89	34,42	3.1	0,09
1	N	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	67.17	30,47	2.77	0,08
2	N	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	94.06	42,66	4.11	0,12
2	N	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	88.01	39,92	3.77	0,11
2	N	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	81.95	37,17	3.44	0,1
2	N	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	75.89	34,42	3.1	0,09
2	N	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	67.17	30,47	2.77	0,08
5	N	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	112.78	51,16	4.61	0,13
5	N	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	105.15	47,7	4.23	0,12
5	N	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	97.52	44,23	3.86	0,11
5	N	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	89.89	40,77	3.48	0,1
5	N	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	78.26	35,5	3.11	0,09
5	K	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	112.78	51,16	4.61	0,13
5	K	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	105.15	47,7	4.23	0,12
5	K	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	97.52	44,23	3.86	0,11
5	K	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	89.89	40,77	3.48	0,1
5	K	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	78.26	35,5	3.11	0,09
6	N	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	112.78	51,16	4.61	0,13
6	N	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	105.15	47,7	4.23	0,12
6	N	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	97.52	44,23	3.86	0,11
6	N	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	89.89	40,77	3.48	0,1
6	N	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	78.26	35,5	3.11	0,09
6	K	RCAM2970GC	RECT TABLE W/MODESTY, C BASE	112.78	51,16	4.61	0,13
6	K	RCAM2964GC	RECT TABLE W/MODESTY, C BASE	105.15	47,7	4.23	0,12
6	K	RCAM2958GC	RECT TABLE W/MODESTY, C BASE	97.52	44,23	3.86	0,11
6	K	RCAM2952GC	RECT TABLE W/MODESTY, C BASE	89.89	40,77	3.48	0,1
6	K	RCAM2946GC	RECT TABLE W/MODESTY, C BASE	78.26	35,5	3.11	0,09
1	N	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	83.7	37,97	3.36	0,1
1	N	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	78.49	35,6	3.09	0,09
1	N	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	73.29	33,24	2.81	0,08
1	N	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	68.07	30,88	2.54	0,07
1	N	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	58.86	26,7	2.27	0,06

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
2	N	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	83.7	37,97	3.36	0,1
2	N	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	78.49	35,6	3.09	0,09
2	N	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	73.29	33,24	2.81	0,08
2	N	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	68.07	30,88	2.54	0,07
2	N	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	58.86	26,7	2.27	0,06
5	N	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	98.97	44,89	3.77	0,11
5	N	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	92.48	41,95	3.46	0,1
5	N	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	85.99	39	3.15	0,09
5	N	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	79.5	36,06	2.85	0,08
5	N	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	69	31,3	2.54	0,07
5	K	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	98.97	44,89	3.77	0,11
5	K	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	92.48	41,95	3.46	0,1
5	K	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	85.99	39	3.15	0,09
5	K	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	79.5	36,06	2.85	0,08
5	K	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	69	31,3	2.54	0,07
6	N	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	98.97	44,89	3.77	0,11
6	N	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	92.48	41,95	3.46	0,1
6	N	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	85.99	39	3.15	0,09
6	N	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	79.5	36,06	2.85	0,08
6	N	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	69	31,3	2.54	0,07
6	K	RCAM2370GC	RECT TABLE W/MODESTY, C BASE	98.97	44,89	3.77	0,11
6	K	RCAM2364GC	RECT TABLE W/MODESTY, C BASE	92.48	41,95	3.46	0,1
6	K	RCAM2358GC	RECT TABLE W/MODESTY, C BASE	85.99	39	3.15	0,09
6	K	RCAM2352GC	RECT TABLE W/MODESTY, C BASE	79.5	36,06	2.85	0,08
6	K	RCAM2346GC	RECT TABLE W/MODESTY, C BASE	69	31,3	2.54	0,07
1	N	CMA825829GC	CORNER TABLE, LEFT, C BASE	117.33	53,22	9.07	0,26
1	N	CMA765829GC	CORNER TABLE, LEFT, C BASE	112.43	51	8.42	0,24
1	N	CMA705829GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.77	0,22
1	N	CMA645829GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	7.12	0,2
1	N	CMA585829GC	CORNER TABLE, C BASE	97.74	44,33	6.47	0,18
2	N	CMA825829GC	CORNER TABLE, LEFT, C BASE	117.33	53,22	9.07	0,26
2	N	CMA765829GC	CORNER TABLE, LEFT, C BASE	112.43	51	8.42	0,24
2	N	CMA705829GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.77	0,22
2	N	CMA645829GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	7.12	0,2
2	N	CMA585829GC	CORNER TABLE, C BASE	97.74	44,33	6.47	0,18
5	N	CMA825829GC	CORNER TABLE, LEFT, C BASE	146.75	66,56	10.17	0,29
5	N	CMA765829GC	CORNER TABLE, LEFT, C BASE	140.28	63,63	9.44	0,27
5	N	CMA705829GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.71	0,25
5	N	CMA645829GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.99	0,23
5	N	CMA585829GC	CORNER TABLE, C BASE	120.88	54,83	7.26	0,21
6	N	CMA825829GC	CORNER TABLE, LEFT, C BASE	146.75	66,56	10.17	0,29
6	N	CMA765829GC	CORNER TABLE, LEFT, C BASE	140.28	63,63	9.44	0,27
6	N	CMA705829GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.71	0,25
6	N	CMA645829GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.99	0,23
6	N	CMA585829GC	CORNER TABLE, C BASE	120.88	54,83	7.26	0,21
1	N	CMA825229GC	CORNER TABLE, LEFT, C BASE	112.43	51	8.16	0,23
1	N	CMA765229GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.57	0,21
1	N	CMA705229GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.99	0,2
1	N	CMA645229GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	6.4	0,18
1	N	CMA585229GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.82	0,16
2	N	CMA825229GC	CORNER TABLE, LEFT, C BASE	112.43	51	8.16	0,23
2	N	CMA765229GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.57	0,21
2	N	CMA705229GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.99	0,2
2	N	CMA645229GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	6.4	0,18
2	N	CMA585229GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.82	0,16

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N	CMA825229GC	CORNER TABLE, LEFT, C BASE	140.28	63,63	9.15	0,26
5	N	CMA765229GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.49	0,24
5	N	CMA705229GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.84	0,22
5	N	CMA645229GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	7.18	0,2
5	N	CMA585229GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.53	0,18
6	N	CMA825229GC	CORNER TABLE, LEFT, C BASE	140.28	63,63	9.15	0,26
6	N	CMA765229GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.49	0,24
6	N	CMA705229GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.84	0,22
6	N	CMA645229GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	7.18	0,2
6	N	CMA585229GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.53	0,18
1	N	CMA824629GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.25	0,21
1	N	CMA764629GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.73	0,19
1	N	CMA704629GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	6.21	0,18
1	N	CMA644629GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.69	0,16
1	N	CMA584629GC	CORNER TABLE, LEFT, C BASE	87.95	39,89	5.17	0,15
2	N	CMA824629GC	CORNER TABLE, LEFT, C BASE	107.53	48,77	7.25	0,21
2	N	CMA764629GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.73	0,19
2	N	CMA704629GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	6.21	0,18
2	N	CMA644629GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.69	0,16
2	N	CMA584629GC	CORNER TABLE, LEFT, C BASE	87.95	39,89	5.17	0,15
5	N	CMA824629GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.13	0,23
5	N	CMA764629GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.55	0,21
5	N	CMA704629GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	6.96	0,2
5	N	CMA644629GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.38	0,18
5	N	CMA584629GC	CORNER TABLE, LEFT, C BASE	107.95	48,97	5.8	0,16
6	N	CMA824629GC	CORNER TABLE, LEFT, C BASE	133.82	60,7	8.13	0,23
6	N	CMA764629GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.55	0,21
6	N	CMA704629GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	6.96	0,2
6	N	CMA644629GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.38	0,18
6	N	CMA584629GC	CORNER TABLE, LEFT, C BASE	107.95	48,97	5.8	0,16
1	N	CMA824029GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.34	0,18
1	N	CMA764029GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	5.88	0,17
1	N	CMA704029GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.43	0,15
1	N	CMA644029GC	CORNER TABLE, LEFT, C BASE	87.95	39,89	4.97	0,14
1	N	CMA584029GC	CORNER TABLE, LEFT, C BASE	83.05	37,67	4.52	0,13
2	N	CMA824029GC	CORNER TABLE, LEFT, C BASE	102.64	46,56	6.34	0,18
2	N	CMA764029GC	CORNER TABLE, LEFT, C BASE	97.74	44,33	5.88	0,17
2	N	CMA704029GC	CORNER TABLE, LEFT, C BASE	92.85	42,12	5.43	0,15
2	N	CMA644029GC	CORNER TABLE, LEFT, C BASE	87.95	39,89	4.97	0,14
2	N	CMA584029GC	CORNER TABLE, LEFT, C BASE	83.05	37,67	4.52	0,13
5	N	CMA824029GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.11	0,2
5	N	CMA764029GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	6.6	0,19
5	N	CMA704029GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.09	0,17
5	N	CMA644029GC	CORNER TABLE, LEFT, C BASE	107.95	48,97	5.58	0,16
5	N	CMA584029GC	CORNER TABLE, LEFT, C BASE	101.48	46,03	5.07	0,14
6	N	CMA824029GC	CORNER TABLE, LEFT, C BASE	127.35	57,76	7.11	0,2
6	N	CMA764029GC	CORNER TABLE, LEFT, C BASE	120.88	54,83	6.6	0,19
6	N	CMA704029GC	CORNER TABLE, LEFT, C BASE	114.42	51,9	6.09	0,17
6	N	CMA644029GC	CORNER TABLE, LEFT, C BASE	107.95	48,97	5.58	0,16
6	N	CMA584029GC	CORNER TABLE, LEFT, C BASE	101.48	46,03	5.07	0,14
1	N	CMA588229GC	CORNER TABLE, RIGHT, C BASE	117.33	53,22	9.07	0,26
1	N	CMA587629GC	CORNER TABLE, RIGHT, C BASE	112.43	51	8.42	0,24
1	N	CMA587029GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.77	0,22
1	N	CMA586429GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	7.12	0,2
2	N	CMA588229GC	CORNER TABLE, RIGHT, C BASE	117.33	53,22	9.07	0,26

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
2	N	CMA587629GC	CORNER TABLE, RIGHT, C BASE	112.43	51	8.42	0,24
2	N	CMA587029GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.77	0,22
2	N	CMA586429GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	7.12	0,2
5	N	CMA588229GC	CORNER TABLE, RIGHT, C BASE	146.75	66,56	10.17	0,29
5	N	CMA587629GC	CORNER TABLE, RIGHT, C BASE	140.28	63,63	9.44	0,27
5	N	CMA587029GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.71	0,25
5	N	CMA586429GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.99	0,23
6	N	CMA588229GC	CORNER TABLE, RIGHT, C BASE	146.75	66,56	10.17	0,29
6	N	CMA587629GC	CORNER TABLE, RIGHT, C BASE	140.28	63,63	9.44	0,27
6	N	CMA587029GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.71	0,25
6	N	CMA586429GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.99	0,23
1	N	CMA528229GC	CORNER TABLE, RIGHT, C BASE	112.43	51	8.16	0,23
1	N	CMA527629GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.57	0,21
1	N	CMA527029GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.99	0,2
1	N	CMA526429GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	6.4	0,18
1	N	CMA525829GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.82	0,16
2	N	CMA528229GC	CORNER TABLE, RIGHT, C BASE	112.43	51	8.16	0,23
2	N	CMA527629GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.57	0,21
2	N	CMA527029GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.99	0,2
2	N	CMA526429GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	6.4	0,18
2	N	CMA525829GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.82	0,16
5	N	CMA528229GC	CORNER TABLE, RIGHT, C BASE	140.28	63,63	9.15	0,26
5	N	CMA527629GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.49	0,24
5	N	CMA527029GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.84	0,22
5	N	CMA526429GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	7.18	0,2
5	N	CMA525829GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.53	0,18
6	N	CMA528229GC	CORNER TABLE, RIGHT, C BASE	140.28	63,63	9.15	0,26
6	N	CMA527629GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.49	0,24
6	N	CMA527029GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.84	0,22
6	N	CMA526429GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	7.18	0,2
6	N	CMA525829GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.53	0,18
1	N	CMA468229GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.25	0,21
1	N	CMA467629GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.73	0,19
1	N	CMA467029GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	6.21	0,18
1	N	CMA466429GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.69	0,16
1	N	CMA465829GC	CORNER TABLE, RIGHT, C BASE	87.95	39,89	5.17	0,15
2	N	CMA468229GC	CORNER TABLE, RIGHT, C BASE	107.53	48,77	7.25	0,21
2	N	CMA467629GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.73	0,19
2	N	CMA467029GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	6.21	0,18
2	N	CMA466429GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.69	0,16
2	N	CMA465829GC	CORNER TABLE, RIGHT, C BASE	87.95	39,89	5.17	0,15
5	N	CMA468229GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.13	0,23
5	N	CMA467629GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.55	0,21
5	N	CMA467029GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	6.96	0,2
5	N	CMA466429GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.38	0,18
5	N	CMA465829GC	CORNER TABLE, RIGHT, C BASE	107.95	48,97	5.8	0,16
6	N	CMA468229GC	CORNER TABLE, RIGHT, C BASE	133.82	60,7	8.13	0,23
6	N	CMA467629GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.55	0,21
6	N	CMA467029GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	6.96	0,2
6	N	CMA466429GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.38	0,18
6	N	CMA465829GC	CORNER TABLE, RIGHT, C BASE	107.95	48,97	5.8	0,16
1	N	CMA408229GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.34	0,18
1	N	CMA407629GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	5.88	0,17
1	N	CMA407029GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.43	0,15
1	N	CMA406429GC	CORNER TABLE, RIGHT, C BASE	87.95	39,89	4.97	0,14

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
1	N	CMA405829GC	CORNER TABLE, RIGHT, C BASE	83.05	37,67	4.52	0,13
2	N	CMA408229GC	CORNER TABLE, RIGHT, C BASE	102.64	46,56	6.34	0,18
2	N	CMA407629GC	CORNER TABLE, RIGHT, C BASE	97.74	44,33	5.88	0,17
2	N	CMA407029GC	CORNER TABLE, RIGHT, C BASE	92.85	42,12	5.43	0,15
2	N	CMA406429GC	CORNER TABLE, RIGHT, C BASE	87.95	39,89	4.97	0,14
2	N	CMA405829GC	CORNER TABLE, RIGHT, C BASE	83.05	37,67	4.52	0,13
5	N	CMA408229GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.11	0,2
5	N	CMA407629GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	6.6	0,19
5	N	CMA407029GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.09	0,17
5	N	CMA406429GC	CORNER TABLE, RIGHT, C BASE	107.95	48,97	5.58	0,16
5	N	CMA405829GC	CORNER TABLE, RIGHT, C BASE	101.48	46,03	5.07	0,14
6	N	CMA408229GC	CORNER TABLE, RIGHT, C BASE	127.35	57,76	7.11	0,2
6	N	CMA407629GC	CORNER TABLE, RIGHT, C BASE	120.88	54,83	6.6	0,19
6	N	CMA407029GC	CORNER TABLE, RIGHT, C BASE	114.42	51,9	6.09	0,17
6	N	CMA406429GC	CORNER TABLE, RIGHT, C BASE	107.95	48,97	5.58	0,16
6	N	CMA405829GC	CORNER TABLE, RIGHT, C BASE	101.48	46,03	5.07	0,14
1	N	CMA825823GC	CORNER TABLE, LEFT, C BASE	104.95	47,6	9.07	0,26
1	N	CMA765823GC	CORNER TABLE, LEFT, C BASE	100.9	45,77	8.42	0,24
1	N	CMA705823GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.77	0,22
1	N	CMA645823GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	7.12	0,2
1	N	CMA585823GC	CORNER TABLE, C BASE	88.76	40,26	6.47	0,18
2	N	CMA825823GC	CORNER TABLE, LEFT, C BASE	104.95	47,6	9.07	0,26
2	N	CMA765823GC	CORNER TABLE, LEFT, C BASE	100.9	45,77	8.42	0,24
2	N	CMA705823GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.77	0,22
2	N	CMA645823GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	7.12	0,2
2	N	CMA585823GC	CORNER TABLE, C BASE	88.76	40,26	6.47	0,18
5	N	CMA825823GC	CORNER TABLE, LEFT, C BASE	130.15	59,04	10.17	0,29
5	N	CMA765823GC	CORNER TABLE, LEFT, C BASE	124.82	56,62	9.44	0,27
5	N	CMA705823GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.71	0,25
5	N	CMA645823GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.99	0,23
5	N	CMA585823GC	CORNER TABLE, C BASE	108.83	49,36	7.26	0,21
6	N	CMA825823GC	CORNER TABLE, LEFT, C BASE	130.15	59,04	10.17	0,29
6	N	CMA765823GC	CORNER TABLE, LEFT, C BASE	124.82	56,62	9.44	0,27
6	N	CMA705823GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.71	0,25
6	N	CMA645823GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.99	0,23
6	N	CMA585823GC	CORNER TABLE, C BASE	108.83	49,36	7.26	0,21
1	N	CMA825223GC	CORNER TABLE, LEFT, C BASE	100.9	45,77	8.16	0,23
1	N	CMA765223GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.57	0,21
1	N	CMA705223GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.99	0,2
1	N	CMA645223GC	CORNER TABLE, LEFT, C BASE	88.76	40,26	6.4	0,18
1	N	CMA585223GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.82	0,16
2	N	CMA825223GC	CORNER TABLE, LEFT, C BASE	100.9	45,77	8.16	0,23
2	N	CMA765223GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.57	0,21
2	N	CMA705223GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.99	0,2
2	N	CMA645223GC	CORNER TABLE, LEFT, C BASE	88.76	40,26	6.4	0,18
2	N	CMA585223GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.82	0,16
5	N	CMA825223GC	CORNER TABLE, LEFT, C BASE	124.82	56,62	9.15	0,26
5	N	CMA765223GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.49	0,24
5	N	CMA705223GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.84	0,22
5	N	CMA645223GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	7.18	0,2
5	N	CMA585223GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.53	0,18
6	N	CMA825223GC	CORNER TABLE, LEFT, C BASE	124.82	56,62	9.15	0,26
6	N	CMA765223GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.49	0,24
6	N	CMA705223GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.84	0,22
6	N	CMA645223GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	7.18	0,2

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N	CMA585223GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.53	0,18
1	N	CMA824623GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.25	0,21
1	N	CMA764623GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.73	0,19
1	N	CMA704623GC	CORNER TABLE, LEFT, C BASE	88.76	40,26	6.21	0,18
1	N	CMA644623GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.69	0,16
1	N	CMA584623GC	CORNER TABLE, LEFT, C BASE	80.66	36,59	5.17	0,15
2	N	CMA824623GC	CORNER TABLE, LEFT, C BASE	96.85	43,93	7.25	0,21
2	N	CMA764623GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.73	0,19
2	N	CMA704623GC	CORNER TABLE, LEFT, C BASE	88.76	40,26	6.21	0,18
2	N	CMA644623GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.69	0,16
2	N	CMA584623GC	CORNER TABLE, LEFT, C BASE	80.66	36,59	5.17	0,15
5	N	CMA824623GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.13	0,23
5	N	CMA764623GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.55	0,21
5	N	CMA704623GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	6.96	0,2
5	N	CMA644623GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.38	0,18
5	N	CMA584623GC	CORNER TABLE, LEFT, C BASE	98.17	44,53	5.8	0,16
6	N	CMA824623GC	CORNER TABLE, LEFT, C BASE	119.49	54,2	8.13	0,23
6	N	CMA764623GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.55	0,21
6	N	CMA704623GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	6.96	0,2
6	N	CMA644623GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.38	0,18
6	N	CMA584623GC	CORNER TABLE, LEFT, C BASE	98.17	44,53	5.8	0,16
1	N	CMA824023GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.34	0,18
1	N	CMA764023GC	CORNER TABLE, LEFT, C BASE	86.76	39,35	5.88	0,17
1	N	CMA704023GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.43	0,15
1	N	CMA644023GC	CORNER TABLE, LEFT, C BASE	80.66	36,59	4.97	0,14
1	N	CMA584023GC	CORNER TABLE, LEFT, C BASE	76.61	34,75	4.52	0,13
2	N	CMA824023GC	CORNER TABLE, LEFT, C BASE	92.81	42,1	6.34	0,18
2	N	CMA764023GC	CORNER TABLE, LEFT, C BASE	86.76	39,35	5.88	0,17
2	N	CMA704023GC	CORNER TABLE, LEFT, C BASE	84.71	38,42	5.43	0,15
2	N	CMA644023GC	CORNER TABLE, LEFT, C BASE	80.66	36,59	4.97	0,14
2	N	CMA584023GC	CORNER TABLE, LEFT, C BASE	76.61	34,75	4.52	0,13
5	N	CMA824023GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.11	0,2
5	N	CMA764023GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	6.6	0,19
5	N	CMA704023GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.09	0,17
5	N	CMA644023GC	CORNER TABLE, LEFT, C BASE	98.17	44,53	5.58	0,16
5	N	CMA584023GC	CORNER TABLE, LEFT, C BASE	92.84	42,11	5.07	0,14
6	N	CMA824023GC	CORNER TABLE, LEFT, C BASE	114.16	51,78	7.11	0,2
6	N	CMA764023GC	CORNER TABLE, LEFT, C BASE	108.83	49,36	6.6	0,19
6	N	CMA704023GC	CORNER TABLE, LEFT, C BASE	103.5	46,95	6.09	0,17
6	N	CMA644023GC	CORNER TABLE, LEFT, C BASE	98.17	44,53	5.58	0,16
6	N	CMA584023GC	CORNER TABLE, LEFT, C BASE	92.84	42,11	5.07	0,14
1	N	CMA588223GC	CORNER TABLE, RIGHT, C BASE	104.95	47,6	9.07	0,26
1	N	CMA587623GC	CORNER TABLE, RIGHT, C BASE	100.9	45,77	8.42	0,24
1	N	CMA587023GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.77	0,22
1	N	CMA586423GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	7.12	0,2
2	N	CMA588223GC	CORNER TABLE, RIGHT, C BASE	104.95	47,6	9.07	0,26
2	N	CMA587623GC	CORNER TABLE, RIGHT, C BASE	100.9	45,77	8.42	0,24
2	N	CMA587023GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.77	0,22
2	N	CMA586423GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	7.12	0,2
5	N	CMA588223GC	CORNER TABLE, RIGHT, C BASE	130.15	59,04	10.17	0,29
5	N	CMA587623GC	CORNER TABLE, RIGHT, C BASE	124.82	56,62	9.44	0,27
5	N	CMA587023GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.71	0,25
5	N	CMA586423GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.99	0,23
6	N	CMA588223GC	CORNER TABLE, RIGHT, C BASE	130.15	59,04	10.17	0,29
6	N	CMA587623GC	CORNER TABLE, RIGHT, C BASE	124.82	56,62	9.44	0,27

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N	CMA587023GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.71	0,25
6	N	CMA586423GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.99	0,23
1	N	CMA528223GC	CORNER TABLE, RIGHT, C BASE	100.9	45,77	8.16	0,23
1	N	CMA527623GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.57	0,21
1	N	CMA527023GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.99	0,2
1	N	CMA526423GC	CORNER TABLE, RIGHT, C BASE	88.76	40,26	6.4	0,18
1	N	CMA525823GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.82	0,16
2	N	CMA528223GC	CORNER TABLE, RIGHT, C BASE	100.9	45,77	8.16	0,23
2	N	CMA527623GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.57	0,21
2	N	CMA527023GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.99	0,2
2	N	CMA526423GC	CORNER TABLE, RIGHT, C BASE	88.76	40,26	6.4	0,18
2	N	CMA525823GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.82	0,16
5	N	CMA528223GC	CORNER TABLE, RIGHT, C BASE	124.82	56,62	9.15	0,26
5	N	CMA527623GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.49	0,24
5	N	CMA527023GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.84	0,22
5	N	CMA526423GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	7.18	0,2
5	N	CMA525823GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.53	0,18
6	N	CMA528223GC	CORNER TABLE, RIGHT, C BASE	124.82	56,62	9.15	0,26
6	N	CMA527623GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.49	0,24
6	N	CMA527023GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.84	0,22
6	N	CMA526423GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	7.18	0,2
6	N	CMA525823GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.53	0,18
1	N	CMA468223GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.25	0,21
1	N	CMA467623GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.73	0,19
1	N	CMA467023GC	CORNER TABLE, RIGHT, C BASE	88.76	40,26	6.21	0,18
1	N	CMA466423GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.69	0,16
1	N	CMA465823GC	CORNER TABLE, RIGHT, C BASE	80.66	36,59	5.17	0,15
2	N	CMA468223GC	CORNER TABLE, RIGHT, C BASE	96.85	43,93	7.25	0,21
2	N	CMA467623GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.73	0,19
2	N	CMA467023GC	CORNER TABLE, RIGHT, C BASE	88.76	40,26	6.21	0,18
2	N	CMA466423GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.69	0,16
2	N	CMA465823GC	CORNER TABLE, RIGHT, C BASE	80.66	36,59	5.17	0,15
5	N	CMA468223GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.13	0,23
5	N	CMA467623GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.55	0,21
5	N	CMA467023GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	6.96	0,2
5	N	CMA466423GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.38	0,18
5	N	CMA465823GC	CORNER TABLE, RIGHT, C BASE	98.17	44,53	5.8	0,16
6	N	CMA468223GC	CORNER TABLE, RIGHT, C BASE	119.49	54,2	8.13	0,23
6	N	CMA467623GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.55	0,21
6	N	CMA467023GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	6.96	0,2
6	N	CMA466423GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.38	0,18
6	N	CMA465823GC	CORNER TABLE, RIGHT, C BASE	98.17	44,53	5.8	0,16
1	N	CMA408223GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.34	0,18
1	N	CMA407623GC	CORNER TABLE, RIGHT, C BASE	86.76	39,35	5.88	0,17
1	N	CMA407023GC	CORNER TABLE, RIGHT, C BASE	80.66	36,59	5.43	0,15
1	N	CMA406423GC	CORNER TABLE, RIGHT, C BASE	80.66	36,59	4.97	0,14
1	N	CMA407023GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.43	0,15
2	N	CMA408223GC	CORNER TABLE, RIGHT, C BASE	92.81	42,1	6.34	0,18
2	N	CMA407623GC	CORNER TABLE, RIGHT, C BASE	86.76	39,35	5.88	0,17
2	N	CMA407023GC	CORNER TABLE, RIGHT, C BASE	84.71	38,42	5.43	0,15
2	N	CMA406423GC	CORNER TABLE, RIGHT, C BASE	80.66	36,59	4.97	0,14
2	N	CMA405823GC	CORNER TABLE, RIGHT, C BASE	76.61	34,75	4.52	0,13
5	N	CMA408223GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.11	0,2
5	N	CMA407623GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	6.6	0,19
5	N	CMA407023GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.09	0,17

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
5	N	CMA406423GC	CORNER TABLE, RIGHT, C BASE	98.17	44,53	5.58	0,16
5	N	CMA405823GC	CORNER TABLE, RIGHT, C BASE	92.84	42,11	5.07	0,14
6	N	CMA408223GC	CORNER TABLE, RIGHT, C BASE	114.16	51,78	7.11	0,2
6	N	CMA407623GC	CORNER TABLE, RIGHT, C BASE	108.83	49,36	6.6	0,19
6	N	CMA407023GC	CORNER TABLE, RIGHT, C BASE	103.5	46,95	6.09	0,17
6	N	CMA406423GC	CORNER TABLE, RIGHT, C BASE	98.17	44,53	5.58	0,16
6	N	CMA405823GC	CORNER TABLE, RIGHT, C BASE	92.84	42,11	5.07	0,14
1	N	CMAM825829GC	LEFT AJUS CORNER TABLE/MOD.	135.09	61,28	9.07	0,26
1	N	CMAM765829GC	LEFT AJUS CORNER TABLE/MOD.	129.03	58,53	8.42	0,24
1	N	CMAM705829GC	LEFT AJUS CORNER TABLE/MOD.	122.33	55,49	7.77	0,22
1	N	CMAM645829GC	LEFT AJUS CORNER TABLE/MOD.	116.27	52,74	7.12	0,2
1	N	CMAM585829GC	AJUS CORNER TABLE/MOD.	110.21	49,99	6.47	0,18
2	N	CMAM825829GC	LEFT AJUS CORNER TABLE/MOD.	135.09	61,28	9.07	0,26
2	N	CMAM765829GC	LEFT AJUS CORNER TABLE/MOD.	129.03	58,53	8.42	0,24
2	N	CMAM705829GC	LEFT AJUS CORNER TABLE/MOD.	122.33	55,49	7.77	0,22
2	N	CMAM645829GC	LEFT AJUS CORNER TABLE/MOD.	116.27	52,74	7.12	0,2
2	N	CMAM585829GC	AJUS CORNER TABLE/MOD.	110.21	49,99	6.47	0,18
5	N	CMAM825829GC	LEFT AJUS CORNER TABLE/MOD.	164.51	74,62	10.17	0,29
5	N	CMAM765829GC	LEFT AJUS CORNER TABLE/MOD.	156.88	71,16	9.44	0,27
5	N	CMAM705829GC	LEFT AJUS CORNER TABLE/MOD.	148.61	67,41	8.71	0,25
5	N	CMAM645829GC	LEFT AJUS CORNER TABLE/MOD.	140.98	63,95	7.99	0,23
5	N	CMAM585829GC	AJUS CORNER TABLE/MOD.	133.35	60,49	7.26	0,21
6	N	CMAM825829GC	LEFT AJUS CORNER TABLE/MOD.	164.51	74,62	10.17	0,29
6	N	CMAM765829GC	LEFT AJUS CORNER TABLE/MOD.	156.88	71,16	9.44	0,27
6	N	CMAM705829GC	LEFT AJUS CORNER TABLE/MOD.	148.61	67,41	8.71	0,25
6	N	CMAM645829GC	LEFT AJUS CORNER TABLE/MOD.	140.98	63,95	7.99	0,23
6	N	CMAM585829GC	AJUS CORNER TABLE/MOD.	133.35	60,49	7.26	0,21
1	N	CMAM825229GC	LEFT AJUS CORNER TABLE/MOD.	130.19	59,05	8.16	0,23
1	N	CMAM765229GC	LEFT AJUS CORNER TABLE/MOD.	119.48	54,2	7.57	0,21
1	N	CMAM705229GC	LEFT AJUS CORNER TABLE/MOD.	117.43	53,27	6.99	0,2
1	N	CMAM645229GC	LEFT AJUS CORNER TABLE/MOD.	109.05	49,46	6.4	0,18
1	N	CMAM585229GC	LEFT AJUS CORNER TABLE/MOD.	104.15	47,24	5.82	0,16
2	N	CMAM825229GC	LEFT AJUS CORNER TABLE/MOD.	130.19	59,05	8.16	0,23
2	N	CMAM765229GC	LEFT AJUS CORNER TABLE/MOD.	119.48	54,2	7.57	0,21
2	N	CMAM705229GC	LEFT AJUS CORNER TABLE/MOD.	117.43	53,27	6.99	0,2
2	N	CMAM645229GC	LEFT AJUS CORNER TABLE/MOD.	109.05	49,46	6.4	0,18
2	N	CMAM585229GC	LEFT AJUS CORNER TABLE/MOD.	104.15	47,24	5.82	0,16
5	N	CMAM825229GC	LEFT AJUS CORNER TABLE/MOD.	158.04	71,69	9.15	0,26
5	N	CMAM765229GC	LEFT AJUS CORNER TABLE/MOD.	145.76	66,12	8.49	0,24
5	N	CMAM705229GC	LEFT AJUS CORNER TABLE/MOD.	142.15	64,48	7.84	0,22
5	N	CMAM645229GC	LEFT AJUS CORNER TABLE/MOD.	132.19	59,96	7.18	0,2
5	N	CMAM585229GC	LEFT AJUS CORNER TABLE/MOD.	125.72	57,03	6.53	0,18
6	N	CMAM825229GC	LEFT AJUS CORNER TABLE/MOD.	158.04	71,69	9.15	0,26
6	N	CMAM765229GC	LEFT AJUS CORNER TABLE/MOD.	145.76	66,12	8.49	0,24
6	N	CMAM705229GC	LEFT AJUS CORNER TABLE/MOD.	142.15	64,48	7.84	0,22
6	N	CMAM645229GC	LEFT AJUS CORNER TABLE/MOD.	132.19	59,96	7.18	0,2
6	N	CMAM585229GC	LEFT AJUS CORNER TABLE/MOD.	125.72	57,03	6.53	0,18
1	N	CMAM824629GC	LEFT AJUS CORNER TABLE/MOD.	125.3	56,84	7.25	0,21
1	N	CMAM764629GC	LEFT AJUS CORNER TABLE/MOD.	119.24	54,09	6.73	0,19
1	N	CMAM704629GC	LEFT AJUS CORNER TABLE/MOD.	107.89	48,94	6.21	0,18
1	N	CMAM644629GC	LEFT AJUS CORNER TABLE/MOD.	106.48	48,3	5.69	0,16
1	N	CMAM584629GC	LEFT AJUS CORNER TABLE/MOD.	100.42	45,55	5.17	0,15
2	N	CMAM824629GC	LEFT AJUS CORNER TABLE/MOD.	125.3	56,84	7.25	0,21
2	N	CMAM764629GC	LEFT AJUS CORNER TABLE/MOD.	119.24	54,09	6.73	0,19
2	N	CMAM704629GC	LEFT AJUS CORNER TABLE/MOD.	107.89	48,94	6.21	0,18

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
2	N	CMAM644629GC	LEFT AJUS CORNER TABLE/MOD.	106.48	48,3	5.69	0,16
2	N	CMAM584629GC	LEFT AJUS CORNER TABLE/MOD.	100.42	45,55	5.17	0,15
5	N	CMAM824629GC	LEFT AJUS CORNER TABLE/MOD.	151.58	68,76	8.13	0,23
5	N	CMAM764629GC	LEFT AJUS CORNER TABLE/MOD.	143.95	65,29	7.55	0,21
5	N	CMAM704629GC	LEFT AJUS CORNER TABLE/MOD.	131.03	59,43	6.96	0,2
5	N	CMAM644629GC	LEFT AJUS CORNER TABLE/MOD.	128.05	58,08	6.38	0,18
5	N	CMAM584629GC	LEFT AJUS CORNER TABLE/MOD.	120.42	54,62	5.8	0,16
6	N	CMAM824629GC	LEFT AJUS CORNER TABLE/MOD.	151.58	68,76	8.13	0,23
6	N	CMAM764629GC	LEFT AJUS CORNER TABLE/MOD.	143.95	65,29	7.55	0,21
6	N	CMAM704629GC	LEFT AJUS CORNER TABLE/MOD.	131.03	59,43	6.96	0,2
6	N	CMAM644629GC	LEFT AJUS CORNER TABLE/MOD.	128.05	58,08	6.38	0,18
6	N	CMAM584629GC	LEFT AJUS CORNER TABLE/MOD.	120.42	54,62	5.8	0,16
1	N	CMAM824029GC	LEFT AJUS CORNER TABLE/MOD.	120.4	54,61	6.34	0,18
1	N	CMAM764029GC	LEFT AJUS CORNER TABLE/MOD.	114.34	51,86	5.88	0,17
1	N	CMAM704029GC	LEFT AJUS CORNER TABLE/MOD.	107.64	48,82	5.43	0,15
1	N	CMAM644029GC	LEFT AJUS CORNER TABLE/MOD.	101.58	46,08	4.97	0,14
1	N	CMAM584029GC	LEFT AJUS CORNER TABLE/MOD.	95.52	43,33	4.52	0,13
2	N	CMAM824029GC	LEFT AJUS CORNER TABLE/MOD.	120.4	54,61	6.34	0,18
2	N	CMAM764029GC	LEFT AJUS CORNER TABLE/MOD.	114.34	51,86	5.88	0,17
2	N	CMAM704029GC	LEFT AJUS CORNER TABLE/MOD.	107.64	48,82	5.43	0,15
2	N	CMAM644029GC	LEFT AJUS CORNER TABLE/MOD.	101.58	46,08	4.97	0,14
2	N	CMAM584029GC	LEFT AJUS CORNER TABLE/MOD.	95.52	43,33	4.52	0,13
5	N	CMAM824029GC	LEFT AJUS CORNER TABLE/MOD.	145.11	65,82	7.11	0,2
5	N	CMAM764029GC	LEFT AJUS CORNER TABLE/MOD.	137.48	62,36	6.6	0,19
5	N	CMAM704029GC	LEFT AJUS CORNER TABLE/MOD.	129.21	58,61	6.09	0,17
5	N	CMAM644029GC	LEFT AJUS CORNER TABLE/MOD.	121.58	55,15	5.58	0,16
5	N	CMAM584029GC	LEFT AJUS CORNER TABLE/MOD.	113.95	51,69	5.07	0,14
6	N	CMAM824029GC	LEFT AJUS CORNER TABLE/MOD.	145.11	65,82	7.11	0,2
6	N	CMAM764029GC	LEFT AJUS CORNER TABLE/MOD.	137.48	62,36	6.6	0,19
6	N	CMAM704029GC	LEFT AJUS CORNER TABLE/MOD.	129.21	58,61	6.09	0,17
6	N	CMAM644029GC	LEFT AJUS CORNER TABLE/MOD.	121.58	55,15	5.58	0,16
6	N	CMAM584029GC	LEFT AJUS CORNER TABLE/MOD.	113.95	51,69	5.07	0,14
1	N	CMAM588229GC	LEFT RIGHT CORNER TABLE/MOD	135.09	61,28	9.07	0,26
1	N	CMAM587629GC	LEFT RIGHT CORNER TABLE/MOD	129.03	58,53	8.42	0,24
1	N	CMAM587029GC	LEFT RIGHT CORNER TABLE/MOD	122.33	55,49	7.77	0,22
1	N	CMAM586429GC	LEFT RIGHT CORNER TABLE/MOD	116.27	52,74	7.12	0,2
2	N	CMAM588229GC	LEFT RIGHT CORNER TABLE/MOD	135.09	61,28	9.07	0,26
2	N	CMAM587629GC	LEFT RIGHT CORNER TABLE/MOD	129.03	58,53	8.42	0,24
2	N	CMAM587029GC	LEFT RIGHT CORNER TABLE/MOD	122.33	55,49	7.77	0,22
2	N	CMAM586429GC	LEFT RIGHT CORNER TABLE/MOD	116.27	52,74	7.12	0,2
5	N	CMAM588229GC	LEFT RIGHT CORNER TABLE/MOD	164.51	74,62	10.17	0,29
5	N	CMAM587629GC	LEFT RIGHT CORNER TABLE/MOD	156.88	71,16	9.44	0,27
5	N	CMAM587029GC	LEFT RIGHT CORNER TABLE/MOD	148.61	67,41	8.71	0,25
5	N	CMAM586429GC	LEFT RIGHT CORNER TABLE/MOD	140.98	63,95	7.99	0,23
6	N	CMAM588229GC	LEFT RIGHT CORNER TABLE/MOD	164.51	74,62	10.17	0,29
6	N	CMAM587629GC	LEFT RIGHT CORNER TABLE/MOD	156.88	71,16	9.44	0,27
6	N	CMAM587029GC	LEFT RIGHT CORNER TABLE/MOD	148.61	67,41	8.71	0,25
6	N	CMAM586429GC	LEFT RIGHT CORNER TABLE/MOD	140.98	63,95	7.99	0,23
1	N	CMAM528229GC	LEFT RIGHT CORNER TABLE/MOD	130.19	59,05	8.16	0,23
1	N	CMAM527629GC	LEFT RIGHT CORNER TABLE/MOD	119.48	54,2	7.57	0,21
1	N	CMAM527029GC	LEFT RIGHT CORNER TABLE/MOD	117.43	53,27	6.99	0,2
1	N	CMAM526429GC	LEFT RIGHT CORNER TABLE/MOD	109.05	49,46	6.4	0,18
1	N	CMAM525829GC	LEFT RIGHT CORNER TABLE/MOD	104.15	47,24	5.82	0,16
2	N	CMAM528229GC	LEFT RIGHT CORNER TABLE/MOD	130.19	59,05	8.16	0,23
2	N	CMAM527629GC	LEFT RIGHT CORNER TABLE/MOD	119.48	54,2	7.57	0,21

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
2	N	CMAM527029GC	LEFT RIGHT CORNER TABLE/MOD	117.43	53,27	6.99	0,2
2	N	CMAM526429GC	LEFT RIGHT CORNER TABLE/MOD	109.05	49,46	6.4	0,18
2	N	CMAM525829GC	LEFT RIGHT CORNER TABLE/MOD	104.15	47,24	5.82	0,16
5	N	CMAM528229GC	LEFT RIGHT CORNER TABLE/MOD	158.04	71,69	9.15	0,26
5	N	CMAM527629GC	LEFT RIGHT CORNER TABLE/MOD	145.76	66,12	8.49	0,24
5	N	CMAM527029GC	LEFT RIGHT CORNER TABLE/MOD	142.15	64,48	7.84	0,22
5	N	CMAM526429GC	LEFT RIGHT CORNER TABLE/MOD	132.19	59,96	7.18	0,2
5	N	CMAM525829GC	LEFT RIGHT CORNER TABLE/MOD	125.72	57,03	6.53	0,18
6	N	CMAM528229GC	LEFT RIGHT CORNER TABLE/MOD	158.04	71,69	9.15	0,26
6	N	CMAM527629GC	LEFT RIGHT CORNER TABLE/MOD	145.76	66,12	8.49	0,24
6	N	CMAM527029GC	LEFT RIGHT CORNER TABLE/MOD	142.15	64,48	7.84	0,22
6	N	CMAM526429GC	LEFT RIGHT CORNER TABLE/MOD	132.19	59,96	7.18	0,2
6	N	CMAM525829GC	LEFT RIGHT CORNER TABLE/MOD	125.72	57,03	6.53	0,18
1	N	CMAM468229GC	LEFT RIGHT CORNER TABLE/MOD	125.3	56,84	7.25	0,21
1	N	CMAM467629GC	LEFT RIGHT CORNER TABLE/MOD	119.24	54,09	6.73	0,19
1	N	CMAM467029GC	LEFT RIGHT CORNER TABLE/MOD	107.89	48,94	6.21	0,18
1	N	CMAM466429GC	LEFT RIGHT CORNER TABLE/MOD	106.48	48,3	5.69	0,16
1	N	CMAM465829GC	LEFT RIGHT CORNER TABLE/MOD	100.42	45,55	5.17	0,15
2	N	CMAM468229GC	LEFT RIGHT CORNER TABLE/MOD	125.3	56,84	7.25	0,21
2	N	CMAM467629GC	LEFT RIGHT CORNER TABLE/MOD	119.24	54,09	6.73	0,19
2	N	CMAM467029GC	LEFT RIGHT CORNER TABLE/MOD	107.89	48,94	6.21	0,18
2	N	CMAM466429GC	LEFT RIGHT CORNER TABLE/MOD	106.48	48,3	5.69	0,16
2	N	CMAM465829GC	LEFT RIGHT CORNER TABLE/MOD	100.42	45,55	5.17	0,15
5	N	CMAM468229GC	LEFT RIGHT CORNER TABLE/MOD	151.58	68,76	8.13	0,23
5	N	CMAM467629GC	LEFT RIGHT CORNER TABLE/MOD	143.95	65,29	7.55	0,21
5	N	CMAM467029GC	LEFT RIGHT CORNER TABLE/MOD	131.03	59,43	6.96	0,2
5	N	CMAM466429GC	LEFT RIGHT CORNER TABLE/MOD	128.05	58,08	6.38	0,18
5	N	CMAM465829GC	LEFT RIGHT CORNER TABLE/MOD	120.42	54,62	5.8	0,16
6	N	CMAM468229GC	LEFT RIGHT CORNER TABLE/MOD	151.58	68,76	8.13	0,23
6	N	CMAM467629GC	LEFT RIGHT CORNER TABLE/MOD	143.95	65,29	7.55	0,21
6	N	CMAM467029GC	LEFT RIGHT CORNER TABLE/MOD	131.03	59,43	6.96	0,2
6	N	CMAM466429GC	LEFT RIGHT CORNER TABLE/MOD	128.05	58,08	6.38	0,18
6	N	CMAM465829GC	LEFT RIGHT CORNER TABLE/MOD	120.42	54,62	5.8	0,16
1	N	CMAM408229GC	LEFT RIGHT CORNER TABLE/MOD	120.4	54,61	6.34	0,18
1	N	CMAM407629GC	LEFT RIGHT CORNER TABLE/MOD	114.34	51,86	5.88	0,17
1	N	CMAM407029GC	LEFT RIGHT CORNER TABLE/MOD	107.64	48,82	5.43	0,15
1	N	CMAM406429GC	LEFT RIGHT CORNER TABLE/MOD	101.58	46,08	4.97	0,14
1	N	CMAM405829GC	LEFT RIGHT CORNER TABLE/MOD	95.52	43,33	4.52	0,13
2	N	CMAM408229GC	LEFT RIGHT CORNER TABLE/MOD	120.4	54,61	6.34	0,18
2	N	CMAM407629GC	LEFT RIGHT CORNER TABLE/MOD	114.34	51,86	5.88	0,17
2	N	CMAM407029GC	LEFT RIGHT CORNER TABLE/MOD	107.64	48,82	5.43	0,15
2	N	CMAM406429GC	LEFT RIGHT CORNER TABLE/MOD	101.58	46,08	4.97	0,14
2	N	CMAM405829GC	LEFT RIGHT CORNER TABLE/MOD	95.52	43,33	4.52	0,13
5	N	CMAM408229GC	LEFT RIGHT CORNER TABLE/MOD	145.11	65,82	7.11	0,2
5	N	CMAM407629GC	LEFT RIGHT CORNER TABLE/MOD	137.48	62,36	6.6	0,19
5	N	CMAM407029GC	LEFT RIGHT CORNER TABLE/MOD	129.21	58,61	6.09	0,17
5	N	CMAM406429GC	LEFT RIGHT CORNER TABLE/MOD	121.58	55,15	5.58	0,16
5	N	CMAM405829GC	LEFT RIGHT CORNER TABLE/MOD	113.95	51,69	5.07	0,14
6	N	CMAM408229GC	LEFT RIGHT CORNER TABLE/MOD	145.11	65,82	7.11	0,2
6	N	CMAM407629GC	LEFT RIGHT CORNER TABLE/MOD	137.48	62,36	6.6	0,19
6	N	CMAM407029GC	LEFT RIGHT CORNER TABLE/MOD	129.21	58,61	6.09	0,17
6	N	CMAM406429GC	LEFT RIGHT CORNER TABLE/MOD	121.58	55,15	5.58	0,16
6	N	CMAM405829GC	LEFT RIGHT CORNER TABLE/MOD	113.95	51,69	5.07	0,14
1	N	CMAM825823GC	LEFT AJUS CORNER TABLE/MOD.	122.71	55,66	9.07	0,26
1	N	CMAM765823GC	LEFT AJUS CORNER TABLE/MOD.	117.5	53,3	8.42	0,24

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
1	N	CMAM705823GC	LEFT AJUS CORNER TABLE/MOD.	111.65	50,64	7.77	0,22
1	N	CMAM645823GC	LEFT AJUS CORNER TABLE/MOD.	106.44	48,28	7.12	0,2
1	N	CMAM585823GC	AJUS CORNER TABLE/MOD.	101.23	45,92	6.47	0,18
2	N	CMAM825823GC	LEFT AJUS CORNER TABLE/MOD.	122.71	55,66	9.07	0,26
2	N	CMAM765823GC	LEFT AJUS CORNER TABLE/MOD.	117.5	53,3	8.42	0,24
2	N	CMAM705823GC	LEFT AJUS CORNER TABLE/MOD.	111.65	50,64	7.77	0,22
2	N	CMAM645823GC	LEFT AJUS CORNER TABLE/MOD.	106.44	48,28	7.12	0,2
2	N	CMAM585823GC	AJUS CORNER TABLE/MOD.	101.23	45,92	6.47	0,18
5	N	CMAM825823GC	LEFT AJUS CORNER TABLE/MOD.	147.91	67,09	10.17	0,29
5	N	CMAM765823GC	LEFT AJUS CORNER TABLE/MOD.	141.42	64,15	9.44	0,27
5	N	CMAM705823GC	LEFT AJUS CORNER TABLE/MOD.	134.29	60,91	8.71	0,25
5	N	CMAM645823GC	LEFT AJUS CORNER TABLE/MOD.	127.79	57,96	7.99	0,23
5	N	CMAM585823GC	AJUS CORNER TABLE/MOD.	121.3	55,02	7.26	0,21
6	N	CMAM825823GC	LEFT AJUS CORNER TABLE/MOD.	147.91	67,09	10.17	0,29
6	N	CMAM765823GC	LEFT AJUS CORNER TABLE/MOD.	141.42	64,15	9.44	0,27
6	N	CMAM705823GC	LEFT AJUS CORNER TABLE/MOD.	134.29	60,91	8.71	0,25
6	N	CMAM645823GC	LEFT AJUS CORNER TABLE/MOD.	127.79	57,96	7.99	0,23
6	N	CMAM585823GC	AJUS CORNER TABLE/MOD.	121.3	55,02	7.26	0,21
1	N	CMAM825223GC	LEFT AJUS CORNER TABLE/MOD.	118.66	53,82	8.16	0,23
1	N	CMAM765223GC	LEFT AJUS CORNER TABLE/MOD.	108.8	49,35	7.57	0,21
1	N	CMAM705223GC	LEFT AJUS CORNER TABLE/MOD.	107.6	48,81	6.99	0,2
1	N	CMAM645223GC	LEFT AJUS CORNER TABLE/MOD.	100.07	45,39	6.4	0,18
1	N	CMAM585223GC	LEFT AJUS CORNER TABLE/MOD.	96.02	43,55	5.82	0,16
2	N	CMAM825223GC	LEFT AJUS CORNER TABLE/MOD.	118.66	53,82	8.16	0,23
2	N	CMAM765223GC	LEFT AJUS CORNER TABLE/MOD.	108.8	49,35	7.57	0,21
2	N	CMAM705223GC	LEFT AJUS CORNER TABLE/MOD.	107.6	48,81	6.99	0,2
2	N	CMAM645223GC	LEFT AJUS CORNER TABLE/MOD.	100.07	45,39	6.4	0,18
2	N	CMAM585223GC	LEFT AJUS CORNER TABLE/MOD.	96.02	43,55	5.82	0,16
5	N	CMAM825223GC	LEFT AJUS CORNER TABLE/MOD.	142.58	64,67	9.15	0,26
5	N	CMAM765223GC	LEFT AJUS CORNER TABLE/MOD.	131.44	59,62	8.49	0,24
5	N	CMAM705223GC	LEFT AJUS CORNER TABLE/MOD.	128.96	58,5	7.84	0,22
5	N	CMAM645223GC	LEFT AJUS CORNER TABLE/MOD.	120.14	54,49	7.18	0,2
5	N	CMAM585223GC	LEFT AJUS CORNER TABLE/MOD.	114.81	52,08	6.53	0,18
6	N	CMAM825223GC	LEFT AJUS CORNER TABLE/MOD.	142.58	64,67	9.15	0,26
6	N	CMAM765223GC	LEFT AJUS CORNER TABLE/MOD.	131.44	59,62	8.49	0,24
6	N	CMAM705223GC	LEFT AJUS CORNER TABLE/MOD.	128.96	58,5	7.84	0,22
6	N	CMAM645223GC	LEFT AJUS CORNER TABLE/MOD.	120.14	54,49	7.18	0,2
6	N	CMAM585223GC	LEFT AJUS CORNER TABLE/MOD.	114.81	52,08	6.53	0,18
1	N	CMAM824623GC	LEFT AJUS CORNER TABLE/MOD.	114.61	51,99	7.25	0,21
1	N	CMAM764623GC	LEFT AJUS CORNER TABLE/MOD.	109.4	49,62	6.73	0,19
1	N	CMAM704623GC	LEFT AJUS CORNER TABLE/MOD.	98.9	44,86	6.21	0,18
1	N	CMAM644623GC	LEFT AJUS CORNER TABLE/MOD.	98.34	44,61	5.69	0,16
1	N	CMAM584623GC	LEFT AJUS CORNER TABLE/MOD.	93.13	42,24	5.17	0,15
2	N	CMAM824623GC	LEFT AJUS CORNER TABLE/MOD.	114.61	51,99	7.25	0,21
2	N	CMAM764623GC	LEFT AJUS CORNER TABLE/MOD.	109.4	49,62	6.73	0,19
2	N	CMAM704623GC	LEFT AJUS CORNER TABLE/MOD.	98.9	44,86	6.21	0,18
2	N	CMAM644623GC	LEFT AJUS CORNER TABLE/MOD.	98.34	44,61	5.69	0,16
2	N	CMAM584623GC	LEFT AJUS CORNER TABLE/MOD.	93.13	42,24	5.17	0,15
5	N	CMAM824623GC	LEFT AJUS CORNER TABLE/MOD.	137.25	62,26	8.13	0,23
5	N	CMAM764623GC	LEFT AJUS CORNER TABLE/MOD.	130.76	59,31	7.55	0,21
5	N	CMAM704623GC	LEFT AJUS CORNER TABLE/MOD.	118.98	53,97	6.96	0,2
5	N	CMAM644623GC	LEFT AJUS CORNER TABLE/MOD.	117.13	53,13	6.38	0,18
5	N	CMAM584623GC	LEFT AJUS CORNER TABLE/MOD.	110.64	50,19	5.8	0,16
6	N	CMAM824623GC	LEFT AJUS CORNER TABLE/MOD.	137.25	62,26	8.13	0,23
6	N	CMAM764623GC	LEFT AJUS CORNER TABLE/MOD.	130.76	59,31	7.55	0,21

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N	CMAM704623GC	LEFT AJUS CORNER TABLE/MOD.	118.98	53,97	6.96	0,2
6	N	CMAM644623GC	LEFT AJUS CORNER TABLE/MOD.	117.13	53,13	6.38	0,18
6	N	CMAM584623GC	LEFT AJUS CORNER TABLE/MOD.	110.64	50,19	5.8	0,16
1	N	CMAM824023GC	LEFT AJUS CORNER TABLE/MOD.	110.57	50,15	6.34	0,18
1	N	CMAM764023GC	LEFT AJUS CORNER TABLE/MOD.	105.36	47,79	5.88	0,17
1	N	CMAM704023GC	LEFT AJUS CORNER TABLE/MOD.	99.5	45,13	5.43	0,15
1	N	CMAM644023GC	LEFT AJUS CORNER TABLE/MOD.	94.29	42,77	4.97	0,14
1	N	CMAM584023GC	LEFT AJUS CORNER TABLE/MOD.	89.08	40,41	4.52	0,13
2	N	CMAM824023GC	LEFT AJUS CORNER TABLE/MOD.	110.57	50,15	6.34	0,18
2	N	CMAM764023GC	LEFT AJUS CORNER TABLE/MOD.	105.36	47,79	5.88	0,17
2	N	CMAM704023GC	LEFT AJUS CORNER TABLE/MOD.	99.5	45,13	5.43	0,15
2	N	CMAM644023GC	LEFT AJUS CORNER TABLE/MOD.	94.29	42,77	4.97	0,14
2	N	CMAM584023GC	LEFT AJUS CORNER TABLE/MOD.	89.08	40,41	4.52	0,13
5	N	CMAM824023GC	LEFT AJUS CORNER TABLE/MOD.	131.92	59,84	7.11	0,2
5	N	CMAM764023GC	LEFT AJUS CORNER TABLE/MOD.	125.43	56,89	6.6	0,19
5	N	CMAM704023GC	LEFT AJUS CORNER TABLE/MOD.	118.3	53,66	6.09	0,17
5	N	CMAM644023GC	LEFT AJUS CORNER TABLE/MOD.	111.8	50,71	5.58	0,16
5	N	CMAM584023GC	LEFT AJUS CORNER TABLE/MOD.	105.31	47,77	5.07	0,14
6	N	CMAM824023GC	LEFT AJUS CORNER TABLE/MOD.	131.92	59,84	7.11	0,2
6	N	CMAM764023GC	LEFT AJUS CORNER TABLE/MOD.	125.43	56,89	6.6	0,19
6	N	CMAM704023GC	LEFT AJUS CORNER TABLE/MOD.	118.3	53,66	6.09	0,17
6	N	CMAM644023GC	LEFT AJUS CORNER TABLE/MOD.	111.8	50,71	5.58	0,16
6	N	CMAM584023GC	LEFT AJUS CORNER TABLE/MOD.	105.31	47,77	5.07	0,14
1	N	CMAM588223GC	LEFT RIGHT CORNER TABLE/MOD	122.71	55,66	9.07	0,26
1	N	CMAM587623GC	LEFT RIGHT CORNER TABLE/MOD	117.5	53,3	8.42	0,24
1	N	CMAM587023GC	LEFT RIGHT CORNER TABLE/MOD	111.65	50,64	7.77	0,22
1	N	CMAM586423GC	LEFT RIGHT CORNER TABLE/MOD	106.44	48,28	7.12	0,2
2	N	CMAM588223GC	LEFT RIGHT CORNER TABLE/MOD	122.71	55,66	9.07	0,26
2	N	CMAM587623GC	LEFT RIGHT CORNER TABLE/MOD	117.5	53,3	8.42	0,24
2	N	CMAM587023GC	LEFT RIGHT CORNER TABLE/MOD	111.65	50,64	7.77	0,22
2	N	CMAM586423GC	LEFT RIGHT CORNER TABLE/MOD	106.44	48,28	7.12	0,2
5	N	CMAM588223GC	LEFT RIGHT CORNER TABLE/MOD	147.91	67,09	10.17	0,29
5	N	CMAM587623GC	LEFT RIGHT CORNER TABLE/MOD	141.42	64,15	9.44	0,27
5	N	CMAM587023GC	LEFT RIGHT CORNER TABLE/MOD	134.29	60,91	8.71	0,25
5	N	CMAM586423GC	LEFT RIGHT CORNER TABLE/MOD	127.79	57,96	7.99	0,23
6	N	CMAM588223GC	LEFT RIGHT CORNER TABLE/MOD	147.91	67,09	10.17	0,29
6	N	CMAM587623GC	LEFT RIGHT CORNER TABLE/MOD	141.42	64,15	9.44	0,27
6	N	CMAM587023GC	LEFT RIGHT CORNER TABLE/MOD	134.29	60,91	8.71	0,25
6	N	CMAM586423GC	LEFT RIGHT CORNER TABLE/MOD	127.79	57,96	7.99	0,23
1	N	CMAM528223GC	LEFT RIGHT CORNER TABLE/MOD	118.66	53,82	8.16	0,23
1	N	CMAM527623GC	LEFT RIGHT CORNER TABLE/MOD	108.8	49,35	7.57	0,21
1	N	CMAM527023GC	LEFT RIGHT CORNER TABLE/MOD	107.6	48,81	6.99	0,2
1	N	CMAM526423GC	LEFT RIGHT CORNER TABLE/MOD	100.07	45,39	6.4	0,18
1	N	CMAM525823GC	LEFT RIGHT CORNER TABLE/MOD	96.02	43,55	5.82	0,16
2	N	CMAM528223GC	LEFT RIGHT CORNER TABLE/MOD	118.66	53,82	8.16	0,23
2	N	CMAM527623GC	LEFT RIGHT CORNER TABLE/MOD	108.8	49,35	7.57	0,21
2	N	CMAM527023GC	LEFT RIGHT CORNER TABLE/MOD	107.6	48,81	6.99	0,2
2	N	CMAM526423GC	LEFT RIGHT CORNER TABLE/MOD	100.07	45,39	6.4	0,18
2	N	CMAM525823GC	LEFT RIGHT CORNER TABLE/MOD	96.02	43,55	5.82	0,16
5	N	CMAM528223GC	LEFT RIGHT CORNER TABLE/MOD	142.58	64,67	9.15	0,26
5	N	CMAM527623GC	LEFT RIGHT CORNER TABLE/MOD	131.44	59,62	8.49	0,24
5	N	CMAM527023GC	LEFT RIGHT CORNER TABLE/MOD	128.96	58,5	7.84	0,22
5	N	CMAM526423GC	LEFT RIGHT CORNER TABLE/MOD	120.14	54,49	7.18	0,2
5	N	CMAM525823GC	LEFT RIGHT CORNER TABLE/MOD	114.81	52,08	6.53	0,18
6	N	CMAM528223GC	LEFT RIGHT CORNER TABLE/MOD	142.58	64,67	9.15	0,26

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
6	N	CMAM527623GC	LEFT RIGHT CORNER TABLE/MOD	131.44	59,62	8.49	0,24
6	N	CMAM527023GC	LEFT RIGHT CORNER TABLE/MOD	128.96	58,5	7.84	0,22
6	N	CMAM526423GC	LEFT RIGHT CORNER TABLE/MOD	120.14	54,49	7.18	0,2
6	N	CMAM525823GC	LEFT RIGHT CORNER TABLE/MOD	114.81	52,08	6.53	0,18
1	N	CMAM468223GC	LEFT RIGHT CORNER TABLE/MOD	114.61	51,99	7.25	0,21
1	N	CMAM467623GC	LEFT RIGHT CORNER TABLE/MOD	109.4	49,62	6.73	0,19
1	N	CMAM467023GC	LEFT RIGHT CORNER TABLE/MOD	98.9	44,86	6.21	0,18
1	N	CMAM466423GC	LEFT RIGHT CORNER TABLE/MOD	98.34	44,61	5.69	0,16
1	N	CMAM465823GC	LEFT RIGHT CORNER TABLE/MOD	93.13	42,24	5.17	0,15
2	N	CMAM468223GC	LEFT RIGHT CORNER TABLE/MOD	114.61	51,99	7.25	0,21
2	N	CMAM467623GC	LEFT RIGHT CORNER TABLE/MOD	109.4	49,62	6.73	0,19
2	N	CMAM467023GC	LEFT RIGHT CORNER TABLE/MOD	98.9	44,86	6.21	0,18
2	N	CMAM466423GC	LEFT RIGHT CORNER TABLE/MOD	98.34	44,61	5.69	0,16
2	N	CMAM465823GC	LEFT RIGHT CORNER TABLE/MOD	93.13	42,24	5.17	0,15
5	N	CMAM468223GC	LEFT RIGHT CORNER TABLE/MOD	137.25	62,26	8.13	0,23
5	N	CMAM467623GC	LEFT RIGHT CORNER TABLE/MOD	130.76	59,31	7.55	0,21
5	N	CMAM467023GC	LEFT RIGHT CORNER TABLE/MOD	118.98	53,97	6.96	0,2
5	N	CMAM466423GC	LEFT RIGHT CORNER TABLE/MOD	117.13	53,13	6.38	0,18
5	N	CMAM465823GC	LEFT RIGHT CORNER TABLE/MOD	110.64	50,19	5.8	0,16
6	N	CMAM468223GC	LEFT RIGHT CORNER TABLE/MOD	137.25	62,26	8.13	0,23
6	N	CMAM467623GC	LEFT RIGHT CORNER TABLE/MOD	130.76	59,31	7.55	0,21
6	N	CMAM467023GC	LEFT RIGHT CORNER TABLE/MOD	118.98	53,97	6.96	0,2
6	N	CMAM466423GC	LEFT RIGHT CORNER TABLE/MOD	117.13	53,13	6.38	0,18
6	N	CMAM465823GC	LEFT RIGHT CORNER TABLE/MOD	110.64	50,19	5.8	0,16
1	N	CMAM408223GC	LEFT RIGHT CORNER TABLE/MOD	110.57	50,15	6.34	0,18
1	N	CMAM407623GC	LEFT RIGHT CORNER TABLE/MOD	105.36	47,79	5.88	0,17
1	N	CMAM407023GC	LEFT RIGHT CORNER TABLE/MOD	99.5	45,13	5.43	0,15
1	N	CMAM406423GC	LEFT RIGHT CORNER TABLE/MOD	94.29	42,77	4.97	0,14
1	N	CMAM405823GC	LEFT RIGHT CORNER TABLE/MOD	89.08	40,41	4.52	0,13
2	N	CMAM408223GC	LEFT RIGHT CORNER TABLE/MOD	110.57	50,15	6.34	0,18
2	N	CMAM407623GC	LEFT RIGHT CORNER TABLE/MOD	105.36	47,79	5.88	0,17
2	N	CMAM407023GC	LEFT RIGHT CORNER TABLE/MOD	99.5	45,13	5.43	0,15
2	N	CMAM406423GC	LEFT RIGHT CORNER TABLE/MOD	94.29	42,77	4.97	0,14
2	N	CMAM405823GC	LEFT RIGHT CORNER TABLE/MOD	89.08	40,41	4.52	0,13
5	N	CMAM408223GC	LEFT RIGHT CORNER TABLE/MOD	131.92	59,84	7.11	0,2
5	N	CMAM407623GC	LEFT RIGHT CORNER TABLE/MOD	125.43	56,89	6.6	0,19
5	N	CMAM407023GC	LEFT RIGHT CORNER TABLE/MOD	118.3	53,66	6.09	0,17
5	N	CMAM406423GC	LEFT RIGHT CORNER TABLE/MOD	111.8	50,71	5.58	0,16
5	N	CMAM405823GC	LEFT RIGHT CORNER TABLE/MOD	105.31	47,77	5.07	0,14
6	N	CMAM408223GC	LEFT RIGHT CORNER TABLE/MOD	131.92	59,84	7.11	0,2
6	N	CMAM407623GC	LEFT RIGHT CORNER TABLE/MOD	125.43	56,89	6.6	0,19
6	N	CMAM407023GC	LEFT RIGHT CORNER TABLE/MOD	118.3	53,66	6.09	0,17
6	N	CMAM406423GC	LEFT RIGHT CORNER TABLE/MOD	111.8	50,71	5.58	0,16
6	N	CMAM405823GC	LEFT RIGHT CORNER TABLE/MOD	105.31	47,77	5.07	0,14
N	N	MEMG	DIGITAL CONTROL/MEMORY	2.4	1,09	0.02	0
5	N,S	R3042XB	CAFE HEIGHT TABLE	64.60	29,3	25.17	0,72
5	1,2	R3042XB	CAFE HEIGHT TABLE	64.60	29,3	25.17	0,72
5	N,S	R3042DC	CAFE HEIGHT TABLE, DISC BASE	33.40	15,2	1.15	0,03
5	1,2	R3042DC	CAFE HEIGHT TABLE, DISC BASE	33.40	15,2	1.15	0,03
5	N,S	R3642DC	CAFE HEIGHT TABLE, DISC BASE	47.40	21,5	1.63	0,04
5	1,2	R3642DC	CAFE HEIGHT TABLE, DISC BASE	47.40	21,5	1.63	0,04
1	N,S	B207236B	BOOKCASE CREDENZA	231.22	105,1	32.82	0,93
1	N,S	B207236BT	BOOKCASE CREDENZA	231.22	105,1	32.82	0,93
5	1,2	B207236B	BOOKCASE CREDENZA	231.22	105,1	32.82	0,93
5	1,2	B207236BT	BOOKCASE CREDENZA	231.22	105,1	32.82	0,93

Quorum Multiconference

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft ³	m ³
1	N,S	203636B	BOOKCASE WITH DOORS	118.80	54	16.68	0,47
1	N,S	203636BT	BOOKCASE WITH DOORS	118.80	54	16.68	0,47
5	1,2	203636B	BOOKCASE WITH DOORS	118.80	54	16.68	0,47
5	1,2	203636BT	BOOKCASE WITH DOORS	118.80	54	16.68	0,47
1	N,S	MS203636	MOBILE SERVING CART	126.06	57,3	16.68	0,47
1	N,S	MS203636T	MOBILE SERVING CART	126.06	57,3	16.68	0,47
5	1,2	MS203636	MOBILE SERVING CART	126.06	57,3	16.68	0,47
5	1,2	MS203636T	MOBILE SERVING CART	126.06	57,3	16.68	0,47
1	N,S	203677B	STORAGE UNIT	243.98	110,9	16.68	0,47
1	N,S	203677BT	STORAGE UNIT	243.98	110,9	16.68	0,47
5	1,2	203677B	STORAGE UNIT	243.98	110,9	16.68	0,47
5	1,2	203677BT	STORAGE UNIT	243.98	110,9	16.68	0,47
1	N,S	PH202036	PHONE TABLE	58.96	26,8	1.74	0,05
5	1,2	PH202036	PHONE TABLE	58.96	26,8	1.74	0,05
1	N,S	ST242418	MAGAZINE TABLE	55.00	25	2.06	0,06
5	N,S	ST242418	MAGAZINE TABLE	55.00	25	2.06	0,06
5	1,2	ST242418	MAGAZINE TABLE	55.00	25	2.06	0,06
1	N,S	ST244818	MAGAZINE TABLE	92.84	42,2	3.24	0,09
5	1,2	ST244818	MAGAZINE TABLE	92.84	42,2	3.24	0,09
1	N,S	STB242418	BOAT-SHAPE MAGAZINE TABLE	47.30	21,5	2.06	0,06
5	1,2	STB242418	BOAT-SHAPE MAGAZINE TABLE	47.30	21,5	2.06	0,06
1	N,S	STB244818	BOAT-SHAPE MAGAZINE TABLE	81.62	37,1	3.24	0,09
5	1,2	STB244818	BOAT-SHAPE MAGAZINE TABLE	81.62	37,1	3.24	0,09
N	N	VBX4860C	MARKER BOARD W SLIDING DOORS	105.16	47,8	8.51	0,24
1	N,S	VBX4054	MARKER BOARD	122.50	55,5	8.89	0,25
5	1,2	VBX4054	MARKER BOARD	122.50	55,5	8.89	0,25
N	N	LC241846	LECTERN	81.84	37,2	12.70	0,36
N	N	MWB5465	MOBILE BOARD WITH STORAGE	126.28	57,4	51.96	1,47