

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | RCDT6072 | DBL-SIDE SURFACE,TRANS CHANNEL | 147.5 | 66.90 | 4.75 | 0,13 |
| 2 | N | RCDT6072 | DBL-SIDE SURFACE,TRANS CHANNEL | 147.5 | 66.90 | 4.75 | 0,13 |
| 1 | N | RCDT6060 | DBL-SIDE SURFACE,TRANS CHANNEL | 122.5 | 55.57 | 3.97 | 0,11 |
| 2 | N | RCDT6060 | DBL-SIDE SURFACE,TRANS CHANNEL | 122.5 | 55.57 | 3.97 | 0,11 |
| 1 | N | RCDT6048 | DBL-SIDE SURFACE,TRANS CHANNEL | 97.5 | 44,23 | 3.2 | 0,09 |
| 2 | N | RCDT6048 | DBL-SIDE SURFACE,TRANS CHANNEL | 97.5 | 44,23 | 3.2 | 0,09 |
| 1 | N | RCDT5472 | DBL-SIDE SURFACE,TRANS CHANNEL | 136.00 | 61,69 | 4.24 | 0,12 |
| 2 | N | RCDT5472 | DBL-SIDE SURFACE,TRANS CHANNEL | 136.00 | 61,69 | 4.24 | 0,12 |
| 1 | N | RCDT5460 | DBL-SIDE SURFACE,TRANS CHANNEL | 113.00 | 51,26 | 3.55 | 0,10 |
| 2 | N | RCDT5460 | DBL-SIDE SURFACE,TRANS CHANNEL | 113.00 | 51,26 | 3.55 | 0,10 |
| 1 | N | RCDT5448 | DBL-SIDE SURFACE,TRANS CHANNEL | 90.00 | 40,82 | 2.86 | 0,08 |
| 2 | N | RCDT5448 | DBL-SIDE SURFACE,TRANS CHANNEL | 90.00 | 40,82 | 2.86 | 0,08 |
| 5 | N | RCDT6096 | DBL-SIDE SURFACE,TRANS CHANNEL | 246.00 | 111,58 | 8.13 | 0,23 |
| 6 | N | RCDT6096 | DBL-SIDE SURFACE,TRANS CHANNEL | 246.00 | 111,58 | 8.13 | 0,23 |
| 5 | N | RCDT6084 | DBL-SIDE SURFACE,TRANS CHANNEL | 215.00 | 97,52 | 7.13 | 0,20 |
| 6 | N | RCDT6084 | DBL-SIDE SURFACE,TRANS CHANNEL | 215.00 | 97,52 | 7.13 | 0,20 |
| 5 | N | RCDT6072 | DBL-SIDE SURFACE,TRANS CHANNEL | 184.00 | 83,46 | 6.13 | 0,17 |
| 6 | N | RCDT6072 | DBL-SIDE SURFACE,TRANS CHANNEL | 184.00 | 83,46 | 6.13 | 0,17 |
| 5 | N | RCDT6060 | DBL-SIDE SURFACE,TRANS CHANNEL | 153.5 | 69,63 | 5.13 | 0,15 |
| 6 | N | RCDT6060 | DBL-SIDE SURFACE,TRANS CHANNEL | 153.5 | 69,63 | 5.13 | 0,15 |
| 5 | N | RCDT6048 | DBL-SIDE SURFACE,TRANS CHANNEL | 122.00 | 55,34 | 4.14 | 0,12 |
| 6 | N | RCDT6048 | DBL-SIDE SURFACE,TRANS CHANNEL | 122.00 | 55,34 | 4.14 | 0,12 |
| 5 | N | RCDT5496 | DBL-SIDE SURFACE,TRANS CHANNEL | 226.00 | 102,51 | 7.27 | 0,21 |
| 6 | N | RCDT5496 | DBL-SIDE SURFACE,TRANS CHANNEL | 226.00 | 102,51 | 0.27 | 0,01 |
| 5 | N | RCDT5484 | DBL-SIDE SURFACE,TRANS CHANNEL | 197.5 | 89,58 | 6.38 | 0,18 |
| 6 | N | RCDT5484 | DBL-SIDE SURFACE,TRANS CHANNEL | 197.5 | 89,58 | 6.38 | 0,18 |
| 5 | N | RCDT5472 | DBL-SIDE SURFACE,TRANS CHANNEL | 169.00 | 76,66 | 5.49 | 0,16 |
| 6 | N | RCDT5472 | DBL-SIDE SURFACE,TRANS CHANNEL | 169.00 | 76,66 | 5.49 | 0,16 |
| 5 | N | RCDT5460 | DBL-SIDE SURFACE,TRANS CHANNEL | 140.5 | 63,73 | 4.59 | 0,13 |
| 6 | N | RCDT5460 | DBL-SIDE SURFACE,TRANS CHANNEL | 40.5 | 18,37 | 4.59 | 0,13 |
| 5 | N | RCDT5448 | DBL-SIDE SURFACE,TRANS CHANNEL | 112.5 | 51,03 | 3.7 | 0,10 |
| 6 | N | RCDT5448 | DBL-SIDE SURFACE,TRANS CHANNEL | 112.5 | 51,03 | 3.7 | 0,10 |
| 5 | K | RCDT6096 | DBL-SIDE K SURFACE,TRANS CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 6 | K | RCDT6096 | DBL-SIDE K SURFACE,TRANS CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 5 | K | RCDT6084 | DBL-SIDE K SURFACE,TRANS CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 6 | K | RCDT6084 | DBL-SIDE K SURFACE,TRANS CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 5 | K | RCDT6072 | DBL-SIDE K SURFACE,TRANS CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 6 | K | RCDT6072 | DBL-SIDE K SURFACE,TRANS CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 5 | K | RCDT6060 | DBL-SIDE K SURFACE,TRANS CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 6 | K | RCDT6060 | DBL-SIDE K SURFACE,TRANS CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 5 | K | RCDT6048 | DBL-SIDE K SURFACE,TRANS CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 6 | K | RCDT6048 | DBL-SIDE K SURFACE,TRANS CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 5 | K | RCDT5496 | DBL-SIDE K SURFACE,TRANS CHANL | 226.00 | 102,51 | 7.27 | 0,21 |
| 6 | K | RCDT5496 | DBL-SIDE K SURFACE,TRANS CHANL | 226.00 | 102,51 | 0.27 | 0,01 |
| 5 | K | RCDT5484 | DBL-SIDE K SURFACE,TRANS CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 6 | K | RCDT5484 | DBL-SIDE K SURFACE,TRANS CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 5 | K | RCDT5472 | DBL-SIDE K SURFACE,TRANS CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 6 | K | RCDT5472 | DBL-SIDE K SURFACE,TRANS CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 5 | K | RCDT5460 | DBL-SIDE K SURFACE,TRANS CHANL | 140.5 | 63,73 | 4.59 | 0,13 |
| 6 | K | RCDT5460 | DBL-SIDE K SURFACE,TRANS CHANL | 40.5 | 18,37 | 4.59 | 0,13 |
| 5 | K | RCDT5448 | DBL-SIDE K SURFACE,TRANS CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 6 | K | RCDT5448 | DBL-SIDE K SURFACE,TRANS CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 1 | N | RCDY6072 | DBL-SIDE SURFACE,SKY CHANL | 147.5 | 66.90 | 4.75 | 0,13 |
| 2 | N | RCDY6072 | DBL-SIDE SURFACE,SKY CHANL | 147.5 | 66.90 | 4.75 | 0,13 |
| 1 | N | RCDY6060 | DBL-SIDE SURFACE,SKY CHANL | 122.5 | 55.57 | 3.97 | 0,11 |
| 2 | N | RCDY6060 | DBL-SIDE SURFACE,SKY CHANL | 122.5 | 55.57 | 3.97 | 0,11 |
| 1 | N | RCDY6048 | DBL-SIDE SURFACE,SKY CHANL | 97.5 | 44,23 | 3.2 | 0,09 |
| 2 | N | RCDY6048 | DBL-SIDE SURFACE,SKY CHANL | 97.5 | 44,23 | 3.2 | 0,09 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | RCDY5472 | DBL-SIDE SURFACE,SKY CHANL | 136.00 | 61,69 | 4.24 | 0,12 |
| 2 | N | RCDY5472 | DBL-SIDE SURFACE,SKY CHANL | 136.00 | 61,69 | 4.24 | 0,12 |
| 1 | N | RCDY5460 | DBL-SIDE SURFACE,SKY CHANL | 113.00 | 51,26 | 3.55 | 0,10 |
| 2 | N | RCDY5460 | DBL-SIDE SURFACE,SKY CHANL | 113.00 | 51,26 | 3.55 | 0,10 |
| 1 | N | RCDY5448 | DBL-SIDE SURFACE,SKY CHANL | 90.00 | 40,82 | 2.86 | 0,08 |
| 2 | N | RCDY5448 | DBL-SIDE SURFACE,SKY CHANL | 90.00 | 40,82 | 2.86 | 0,08 |
| 5 | N | RCDY6096 | DBL-SIDE SURFACE,SKY CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 6 | N | RCDY6096 | DBL-SIDE SURFACE,SKY CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 5 | N | RCDY6084 | DBL-SIDE SURFACE,SKY CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 6 | N | RCDY6084 | DBL-SIDE SURFACE,SKY CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 5 | N | RCDY6072 | DBL-SIDE SURFACE,SKY CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 6 | N | RCDY6072 | DBL-SIDE SURFACE,SKY CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 5 | N | RCDY6060 | DBL-SIDE SURFACE,SKY CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 6 | N | RCDY6060 | DBL-SIDE SURFACE,SKY CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 5 | N | RCDY6048 | DBL-SIDE SURFACE,SKY CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 6 | N | RCDY6048 | DBL-SIDE SURFACE,SKY CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 5 | N | RCDY5496 | DBL-SIDE SURFACE,SKY CHANL | 226.00 | 102,51 | 7.27 | 0,21 |
| 6 | N | RCDY5496 | DBL-SIDE SURFACE,SKY CHANL | 226.00 | 102,51 | 0.27 | 0,01 |
| 5 | N | RCDY5484 | DBL-SIDE SURFACE,SKY CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 6 | N | RCDY5484 | DBL-SIDE SURFACE,SKY CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 5 | N | RCDY5472 | DBL-SIDE SURFACE,SKY CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 6 | N | RCDY5472 | DBL-SIDE SURFACE,SKY CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 5 | N | RCDY5460 | DBL-SIDE SURFACE,SKY CHANL | 140.5 | 63,73 | 4.59 | 0,13 |
| 6 | N | RCDY5460 | DBL-SIDE SURFACE,SKY CHANL | 40.5 | 18,37 | 4.59 | 0,13 |
| 5 | N | RCDY5448 | DBL-SIDE SURFACE,SKY CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 6 | N | RCDY5448 | DBL-SIDE SURFACE,SKY CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 5 | K | RCDY6096 | DBL-SIDE K SURFACE,SKY CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 6 | K | RCDY6096 | DBL-SIDE K SURFACE,SKY CHANL | 246.00 | 111,58 | 8.13 | 0,23 |
| 5 | K | RCDY6084 | DBL-SIDE K SURFACE,SKY CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 6 | K | RCDY6084 | DBL-SIDE K SURFACE,SKY CHANL | 215.00 | 97,52 | 7.13 | 0,20 |
| 5 | K | RCDY6072 | DBL-SIDE K SURFACE,SKY CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 6 | K | RCDY6072 | DBL-SIDE K SURFACE,SKY CHANL | 184.00 | 83,46 | 6.13 | 0,17 |
| 5 | K | RCDY6060 | DBL-SIDE K SURFACE,SKY CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 6 | K | RCDY6060 | DBL-SIDE K SURFACE,SKY CHANL | 153.5 | 69,63 | 5.13 | 0,15 |
| 5 | K | RCDY6048 | DBL-SIDE K SURFACE,SKY CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 6 | K | RCDY6048 | DBL-SIDE K SURFACE,SKY CHANL | 122.00 | 55,34 | 4.14 | 0,12 |
| 5 | K | RCDY5496 | DBL-SIDE K SURFACE,SKY CHANL | 226.00 | 102,51 | 7.27 | 0,21 |
| 6 | K | RCDY5496 | DBL-SIDE K SURFACE,SKY CHANL | 226.00 | 102,51 | 0.27 | 0,01 |
| 5 | K | RCDY5484 | DBL-SIDE K SURFACE,SKY CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 6 | K | RCDY5484 | DBL-SIDE K SURFACE,SKY CHANL | 197.5 | 89,58 | 6.38 | 0,18 |
| 5 | K | RCDY5472 | DBL-SIDE K SURFACE,SKY CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 6 | K | RCDY5472 | DBL-SIDE K SURFACE,SKY CHANL | 169.00 | 76,66 | 5.49 | 0,16 |
| 5 | K | RCDY5460 | DBL-SIDE K SURFACE,SKY CHANL | 140.5 | 63,73 | 4.59 | 0,13 |
| 6 | K | RCDY5460 | DBL-SIDE K SURFACE,SKY CHANL | 40.5 | 18,37 | 4.59 | 0,13 |
| 5 | K | RCDY5448 | DBL-SIDE K SURFACE,SKY CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 6 | K | RCDY5448 | DBL-SIDE K SURFACE,SKY CHANL | 112.5 | 51,03 | 3.7 | 0,10 |
| 5 | K | RCDT6096RA | DBL K SURF,TRANS,FULL LEG | 310.5 | 140,84 | 10.9 | 0,31 |
| 6 | K | RCDT6096RA | DBL K SURF,TRANS,FULL LEG | 310.5 | 140,84 | 10.9 | 0,31 |
| 5 | K | RCDT6084RA | DBL K SURF,TRANS,FULL LEG | 279.5 | 126,78 | 9.55 | 0,27 |
| 6 | K | RCDT6084RA | DBL K SURF,TRANS,FULL LEG | 279.5 | 126,78 | 9.55 | 0,27 |
| 5 | K | RCDT6072RA | DBL K SURF,TRANS,FULL LEG | 248.00 | 112,49 | 8.21 | 0,23 |
| 6 | K | RCDT6072RA | DBL K SURF,TRANS,FULL LEG | 248.00 | 112,49 | 8.21 | 0,23 |
| 5 | K | RCDT6060RA | DBL K SURF,TRANS,FULL LEG | 216.5 | 98,20 | 6.87 | 0,19 |
| 6 | K | RCDT6060RA | DBL K SURF,TRANS,FULL LEG | 216.5 | 98,20 | 6.87 | 0,19 |
| 5 | K | RCDT6048RA | DBL K SURF,TRANS,FULL LEG | 185.5 | 84,14 | 6.3 | 0,18 |
| 6 | K | RCDT6048RA | DBL K SURF,TRANS,FULL LEG | 185.5 | 84,14 | 6.3 | 0,18 |
| 5 | K | RCDT5496RA | DBL K SURF,TRANS,FULL LEG | 285.00 | 129,27 | 10.9 | 0,31 |
| 6 | K | RCDT5496RA | DBL K SURF,TRANS,FULL LEG | 285.00 | 129,27 | 10.9 | 0,31 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|-------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCDT5484RA | DBL K SURF,TRANS,FULL LEG | 256.5 | 116,35 | 9.55 | 0,27 |
| 6 | K | RCDT5484RA | DBL K SURF,TRANS,FULL LEG | 256.5 | 116,35 | 9.55 | 0,27 |
| 5 | K | RCDT5472RA | DBL K SURF,TRANS,FULL LEG | 227.5 | 103,19 | 8.21 | 0,23 |
| 6 | K | RCDT5472RA | DBL K SURF,TRANS,FULL LEG | 227.5 | 103,19 | 8.21 | 0,23 |
| 5 | K | RCDT5460RA | DBL K SURF,TRANS,FULL LEG | 198.5 | 90,04 | 6.87 | 0,19 |
| 6 | K | RCDT5460RA | DBL K SURF,TRANS,FULL LEG | 198.5 | 90,04 | 6.87 | 0,19 |
| 5 | K | RCDT5448RA | DBL K SURF,TRANS,FULL LEG | 169.5 | 76,88 | 6.3 | 0,18 |
| 6 | K | RCDT5448RA | DBL K SURF,TRANS,FULL LEG | 169.5 | 76,88 | 6.3 | 0,18 |
| 5 | K | RCDY6096RA | DBL K SURFACE,SKY,FULL LEG | 310.5 | 140,84 | 10.9 | 0,31 |
| 6 | K | RCDY6096RA | DBL K SURFACE,SKY,FULL LEG | 310.5 | 140,84 | 10.9 | 0,31 |
| 5 | K | RCDY6084RA | DBL K SURFACE,SKY,FULL LEG | 279.5 | 126,78 | 9.55 | 0,27 |
| 6 | K | RCDY6084RA | DBL K SURFACE,SKY,FULL LEG | 279.5 | 126,78 | 9.55 | 0,27 |
| 5 | K | RCDY6072RA | DBL K SURFACE,SKY,FULL LEG | 248.00 | 112,49 | 8.21 | 0,23 |
| 6 | K | RCDY6072RA | DBL K SURFACE,SKY,FULL LEG | 248.00 | 112,49 | 8.21 | 0,23 |
| 5 | K | RCDY6060RA | DBL K SURFACE,SKY,FULL LEG | 216.5 | 98,20 | 6.87 | 0,19 |
| 6 | K | RCDY6060RA | DBL K SURFACE,SKY,FULL LEG | 216.5 | 98,20 | 6.87 | 0,19 |
| 5 | K | RCDY6048RA | DBL K SURFACE,SKY,FULL LEG | 185.5 | 84,14 | 6.3 | 0,18 |
| 6 | K | RCDY6048RA | DBL K SURFACE,SKY,FULL LEG | 185.5 | 84,14 | 6.3 | 0,18 |
| 5 | K | RCDY5496RA | DBL K SURFACE,SKY,FULL LEG | 285.00 | 129,27 | 10.9 | 0,31 |
| 6 | K | RCDY5496RA | DBL K SURFACE,SKY,FULL LEG | 285.00 | 129,27 | 10.9 | 0,31 |
| 5 | K | RCDY5484RA | DBL K SURFACE,SKY,FULL LEG | 256.5 | 116,35 | 9.55 | 0,27 |
| 6 | K | RCDY5484RA | DBL K SURFACE,SKY,FULL LEG | 256.5 | 116,35 | 9.55 | 0,27 |
| 5 | K | RCDY5472RA | DBL K SURFACE,SKY,FULL LEG | 227.5 | 103,19 | 8.21 | 0,23 |
| 6 | K | RCDY5472RA | DBL K SURFACE,SKY,FULL LEG | 227.5 | 103,19 | 8.21 | 0,23 |
| 5 | K | RCDY5460RA | DBL K SURFACE,SKY,FULL LEG | 198.5 | 90,04 | 6.87 | 0,19 |
| 6 | K | RCDY5460RA | DBL K SURFACE,SKY,FULL LEG | 198.5 | 90,04 | 6.87 | 0,19 |
| 5 | K | RCDY5448RA | DBL K SURFACE,SKY,FULL LEG | 169.5 | 76,88 | 6.3 | 0,18 |
| 6 | K | RCDY5448RA | DBL K SURFACE,SKY,FULL LEG | 169.5 | 76,88 | 6.3 | 0,18 |
| 5 | K | RCDT6096A | DBL K SURF,TRANS, 2 FULL LEGS | 376.5 | 170,78 | 13.57 | 0,38 |
| 6 | K | RCDT6096A | DBL K SURF,TRANS, 2 FULL LEGS | 376.5 | 170,78 | 13.57 | 0,38 |
| 5 | K | RCDT6084A | DBL K SURF,TRANS, 2 FULL LEGS | 344.5 | 156,26 | 11.9 | 0,34 |
| 6 | K | RCDT6084A | DBL K SURF,TRANS, 2 FULL LEGS | 344.5 | 156,26 | 11.9 | 0,34 |
| 5 | K | RCDT6072A | DBL K SURF,TRANS, 2 FULL LEGS | 312.5 | 141,75 | 10.25 | 0,29 |
| 6 | K | RCDT6072A | DBL K SURF,TRANS, 2 FULL LEGS | 312.5 | 141,75 | 10.25 | 0,29 |
| 5 | K | RCDT6060A | DBL K SURF,TRANS, 2 FULL LEGS | 281.00 | 127,46 | 8.57 | 0,24 |
| 6 | K | RCDT6060A | DBL K SURF,TRANS, 2 FULL LEGS | 281.00 | 127,46 | 8.57 | 0,24 |
| 5 | K | RCDT6048A | DBL K SURF,TRANS, 2 FULL LEGS | 249.00 | 112,94 | 7.65 | 0,22 |
| 6 | K | RCDT6048A | DBL K SURF,TRANS, 2 FULL LEGS | 249.00 | 112,94 | 7.65 | 0,22 |
| 5 | K | RCDT5496A | DBL K SURF,TRANS, 2 FULL LEGS | 345.00 | 156,49 | 13.57 | 0,38 |
| 6 | K | RCDT5496A | DBL K SURF,TRANS, 2 FULL LEGS | 345.00 | 156,49 | 13.57 | 0,38 |
| 5 | K | RCDT5484A | DBL K SURF,TRANS, 2 FULL LEGS | 315.5 | 143,11 | 11.9 | 0,34 |
| 6 | K | RCDT5484A | DBL K SURF,TRANS, 2 FULL LEGS | 315.5 | 143,11 | 11.9 | 0,34 |
| 5 | K | RCDT5472A | DBL K SURF,TRANS, 2 FULL LEGS | 286.00 | 129,73 | 10.25 | 0,29 |
| 6 | K | RCDT5472A | DBL K SURF,TRANS, 2 FULL LEGS | 286.00 | 129,73 | 10.25 | 0,29 |
| 5 | K | RCDT5460A | DBL K SURF,TRANS, 2 FULL LEGS | 256.5 | 116,35 | 8.57 | 0,24 |
| 6 | K | RCDT5460A | DBL K SURF,TRANS, 2 FULL LEGS | 256.5 | 116,35 | 8.57 | 0,24 |
| 5 | K | RCDT5448A | DBL K SURF,TRANS, 2 FULL LEGS | 227.00 | 102,97 | 7.65 | 0,22 |
| 6 | K | RCDT5448A | DBL K SURF,TRANS, 2 FULL LEGS | 227.00 | 102,97 | 7.65 | 0,22 |
| 5 | K | RCDY6096A | DBL K SURF,SKY, 2 FULL LEGS | 376.5 | 170,78 | 13.57 | 0,38 |
| 6 | K | RCDY6096A | DBL K SURF,SKY, 2 FULL LEGS | 376.5 | 170,78 | 13.57 | 0,38 |
| 5 | K | RCDY6084A | DBL K SURF,SKY, 2 FULL LEGS | 344.5 | 156,26 | 11.9 | 0,34 |
| 6 | K | RCDY6084A | DBL K SURF,SKY, 2 FULL LEGS | 344.5 | 156,26 | 11.9 | 0,34 |
| 5 | K | RCDY6072A | DBL K SURF,SKY, 2 FULL LEGS | 312.5 | 141,75 | 10.25 | 0,29 |
| 6 | K | RCDY6072A | DBL K SURF,SKY, 2 FULL LEGS | 312.5 | 141,75 | 10.25 | 0,29 |
| 5 | K | RCDY6060A | DBL K SURF,SKY, 2 FULL LEGS | 281.00 | 127,46 | 8.57 | 0,24 |
| 6 | K | RCDY6060A | DBL K SURF,SKY, 2 FULL LEGS | 281.00 | 127,46 | 8.57 | 0,24 |
| 5 | K | RCDY6048A | DBL K SURF,SKY, 2 FULL LEGS | 249.00 | 112,94 | 7.65 | 0,22 |
| 6 | K | RCDY6048A | DBL K SURF,SKY, 2 FULL LEGS | 249.00 | 112,94 | 7.65 | 0,22 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCDY5496A | DBL K SURF,SKY, 2 FULL LEGS | 345.00 | 156,49 | 13.57 | 0,38 |
| 6 | K | RCDY5496A | DBL K SURF,SKY, 2 FULL LEGS | 345.00 | 156,49 | 13.57 | 0,38 |
| 5 | K | RCDY5484A | DBL K SURF,SKY, 2 FULL LEGS | 315.5 | 143,11 | 11.9 | 0,34 |
| 6 | K | RCDY5484A | DBL K SURF,SKY, 2 FULL LEGS | 315.5 | 143,11 | 11.9 | 0,34 |
| 5 | K | RCDY5472A | DBL K SURF,SKY, 2 FULL LEGS | 286.00 | 129,73 | 10.25 | 0,29 |
| 6 | K | RCDY5472A | DBL K SURF,SKY, 2 FULL LEGS | 286.00 | 129,73 | 10.25 | 0,29 |
| 5 | K | RCDY5460A | DBL K SURF,SKY, 2 FULL LEGS | 256.5 | 116,35 | 8.57 | 0,24 |
| 6 | K | RCDY5460A | DBL K SURF,SKY, 2 FULL LEGS | 256.5 | 116,35 | 8.57 | 0,24 |
| 5 | K | RCDY5448A | DBL K SURF,SKY, 2 FULL LEGS | 227.00 | 102,97 | 7.65 | 0,22 |
| 6 | K | RCDY5448A | DBL K SURF,SKY, 2 FULL LEGS | 227.00 | 102,97 | 7.65 | 0,22 |
| 5 | K | RCDT6096RC | DBL K SURFACE,TRANS,SHORT LEGS | 265.5 | 120,43 | 9.97 | 0,28 |
| 6 | K | RCDT6096RC | DBL K SURFACE,TRANS,SHORT LEGS | 265.5 | 120,43 | 9.97 | 0,28 |
| 5 | K | RCDT6084RC | DBL K SURFACE,TRANS,SHORT LEGS | 234.5 | 106,37 | 8.75 | 0,25 |
| 6 | K | RCDT6084RC | DBL K SURFACE,TRANS,SHORT LEGS | 234.5 | 106,37 | 8.75 | 0,25 |
| 5 | K | RCDT6072RC | DBL K SURFACE,TRANS,SHORT LEGS | 203.00 | 92,08 | 7.52 | 0,21 |
| 6 | K | RCDT6072RC | DBL K SURFACE,TRANS,SHORT LEGS | 203.00 | 92,08 | 7.52 | 0,21 |
| 5 | K | RCDT6060RC | DBL K SURFACE,TRANS,SHORT LEGS | 171.5 | 77,79 | 6.3 | 0,18 |
| 6 | K | RCDT6060RC | DBL K SURFACE,TRANS,SHORT LEGS | 171.5 | 77,79 | 6.3 | 0,18 |
| 5 | K | RCDT6048RC | DBL K SURFACE,TRANS,SHORT LEGS | 140.5 | 63,73 | 5.82 | 0,16 |
| 6 | K | RCDT6048RC | DBL K SURFACE,TRANS,SHORT LEGS | 140.5 | 63,73 | 5.82 | 0,16 |
| 5 | K | RCDT5496RC | DBL K SURFACE,TRANS,SHORT LEGS | 244.00 | 110,68 | 8.93 | 0,25 |
| 6 | K | RCDT5496RC | DBL K SURFACE,TRANS,SHORT LEGS | 244.00 | 110,68 | 8.93 | 0,25 |
| 5 | K | RCDT5484RC | DBL K SURFACE,TRANS,SHORT LEGS | 215.00 | 97,52 | 7.83 | 0,22 |
| 6 | K | RCDT5484RC | DBL K SURFACE,TRANS,SHORT LEGS | 215.00 | 97,52 | 7.83 | 0,22 |
| 5 | K | RCDT5472RC | DBL K SURFACE,TRANS,SHORT LEGS | 186.5 | 84,59 | 6.73 | 0,19 |
| 6 | K | RCDT5472RC | DBL K SURFACE,TRANS,SHORT LEGS | 186.5 | 84,59 | 6.73 | 0,19 |
| 5 | K | RCDT5460RC | DBL K SURFACE,TRANS,SHORT LEGS | 157.5 | 71,44 | 5.64 | 0,16 |
| 6 | K | RCDT5460RC | DBL K SURFACE,TRANS,SHORT LEGS | 157.5 | 71,44 | 5.64 | 0,16 |
| 5 | K | RCDT5448RC | DBL K SURFACE,TRANS,SHORT LEGS | 128.5 | 58,29 | 5.3 | 0,15 |
| 6 | K | RCDT5448RC | DBL K SURFACE,TRANS,SHORT LEGS | 128.5 | 58,29 | 5.3 | 0,15 |
| 5 | K | RCDY6096RC | DBL K SURFACE,SKY,SHORT LEGS | 265.5 | 120,43 | 9.97 | 0,28 |
| 6 | K | RCDY6096RC | DBL K SURFACE,SKY,SHORT LEGS | 265.5 | 120,43 | 9.97 | 0,28 |
| 5 | K | RCDY6084RC | DBL K SURFACE,SKY,SHORT LEGS | 234.5 | 106,37 | 8.75 | 0,25 |
| 6 | K | RCDY6084RC | DBL K SURFACE,SKY,SHORT LEGS | 234.5 | 106,37 | 8.75 | 0,25 |
| 5 | K | RCDY6072RC | DBL K SURFACE,SKY,SHORT LEGS | 203.00 | 92,08 | 7.52 | 0,21 |
| 6 | K | RCDY6072RC | DBL K SURFACE,SKY,SHORT LEGS | 203.00 | 92,08 | 7.52 | 0,21 |
| 5 | K | RCDY6060RC | DBL K SURFACE,SKY,SHORT LEGS | 171.5 | 77,79 | 6.3 | 0,18 |
| 6 | K | RCDY6060RC | DBL K SURFACE,SKY,SHORT LEGS | 171.5 | 77,79 | 6.3 | 0,18 |
| 5 | K | RCDY6048RC | DBL K SURFACE,SKY,SHORT LEGS | 140.5 | 63,73 | 5.82 | 0,16 |
| 6 | K | RCDY6048RC | DBL K SURFACE,SKY,SHORT LEGS | 140.5 | 63,73 | 5.82 | 0,16 |
| 5 | K | RCDY5496RC | DBL K SURFACE,SKY,SHORT LEGS | 244.00 | 110,68 | 8.93 | 0,25 |
| 6 | K | RCDY5496RC | DBL K SURFACE,SKY,SHORT LEGS | 244.00 | 110,68 | 8.93 | 0,25 |
| 5 | K | RCDY5484RC | DBL K SURFACE,SKY,SHORT LEGS | 215.00 | 97,52 | 7.83 | 0,22 |
| 6 | K | RCDY5484RC | DBL K SURFACE,SKY,SHORT LEGS | 215.00 | 97,52 | 7.83 | 0,22 |
| 5 | K | RCDY5472RC | DBL K SURFACE,SKY,SHORT LEGS | 186.5 | 84,59 | 6.73 | 0,19 |
| 6 | K | RCDY5472RC | DBL K SURFACE,SKY,SHORT LEGS | 186.5 | 84,59 | 6.73 | 0,19 |
| 5 | K | RCDY5460RC | DBL K SURFACE,SKY,SHORT LEGS | 157.5 | 71,44 | 5.64 | 0,16 |
| 6 | K | RCDY5460RC | DBL K SURFACE,SKY,SHORT LEGS | 157.5 | 71,44 | 5.64 | 0,16 |
| 5 | K | RCDY5448RC | DBL K SURFACE,SKY,SHORT LEGS | 128.5 | 58,29 | 5.3 | 0,15 |
| 6 | K | RCDY5448RC | DBL K SURFACE,SKY,SHORT LEGS | 128.5 | 58,29 | 5.3 | 0,15 |
| 5 | K | RCDT6096C | DBL K SURF,TRANS,2 SHORT LEGS | 280.5 | 127,23 | 9.97 | 0,28 |
| 6 | K | RCDT6096C | DBL K SURF,TRANS,2 SHORT LEGS | 280.5 | 127,23 | 9.97 | 0,28 |
| 5 | K | RCDT6084C | DBL K SURF,TRANS,2 SHORT LEGS | 249.5 | 113,17 | 8.75 | 0,25 |
| 6 | K | RCDT6084C | DBL K SURF,TRANS,2 SHORT LEGS | 249.5 | 113,17 | 8.75 | 0,25 |
| 5 | K | RCDT6072C | DBL K SURF,TRANS,2 SHORT LEGS | 218.00 | 98,88 | 7.52 | 0,21 |
| 6 | K | RCDT6072C | DBL K SURF,TRANS,2 SHORT LEGS | 218.00 | 98,88 | 7.52 | 0,21 |
| 5 | K | RCDT6060C | DBL K SURF,TRANS,2 SHORT LEGS | 186.5 | 84,59 | 6.3 | 0,18 |
| 6 | K | RCDT6060C | DBL K SURF,TRANS,2 SHORT LEGS | 186.5 | 84,59 | 3.2 | 0,09 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCDT6048C | DBL K SURF,TRANS,2 SHORT LEGS | 155.5 | 70,53 | 5.82 | 0,16 |
| 6 | K | RCDT6048C | DBL K SURF,TRANS,2 SHORT LEGS | 155.5 | 70,53 | 5.82 | 0,16 |
| 5 | K | RCDT5496C | DBL K SURF,TRANS,2 SHORT LEGS | 257.5 | 116,80 | 8.93 | 0,25 |
| 6 | K | RCDT5496C | DBL K SURF,TRANS,2 SHORT LEGS | 257.5 | 116,80 | 8.93 | 0,25 |
| 5 | K | RCDT5484C | DBL K SURF,TRANS,2 SHORT LEGS | 229.00 | 103,87 | 7.83 | 0,22 |
| 6 | K | RCDT5484C | DBL K SURF,TRANS,2 SHORT LEGS | 229.00 | 103,87 | 7.83 | 0,22 |
| 5 | K | RCDT5472C | DBL K SURF,TRANS,2 SHORT LEGS | 200.00 | 90,72 | 6.73 | 0,19 |
| 6 | K | RCDT5472C | DBL K SURF,TRANS,2 SHORT LEGS | 200.00 | 90,72 | 6.73 | 0,19 |
| 5 | K | RCDT5460C | DBL K SURF,TRANS,2 SHORT LEGS | 171.00 | 77,56 | 5.64 | 0,16 |
| 6 | K | RCDT5460C | DBL K SURF,TRANS,2 SHORT LEGS | 171.00 | 77,56 | 5.64 | 0,16 |
| 5 | K | RCDT5448C | DBL K SURF,TRANS,2 SHORT LEGS | 142.5 | 64,64 | 5.3 | 0,15 |
| 6 | K | RCDT5448C | DBL K SURF,TRANS,2 SHORT LEGS | 142.5 | 64,64 | 5.3 | 0,15 |
| 5 | K | RCDY6096C | DBL K SURF,SKY,2 SHORT LEGS | 280.5 | 127,23 | 9.97 | 0,28 |
| 6 | K | RCDY6096C | DBL K SURF,SKY,2 SHORT LEGS | 280.5 | 127,23 | 9.97 | 0,28 |
| 5 | K | RCDY6084C | DBL K SURF,SKY,2 SHORT LEGS | 249.5 | 113,17 | 8.75 | 0,25 |
| 6 | K | RCDY6084C | DBL K SURF,SKY,2 SHORT LEGS | 249.5 | 113,17 | 8.75 | 0,25 |
| 5 | K | RCDY6072C | DBL K SURF,SKY,2 SHORT LEGS | 218.00 | 98,88 | 7.52 | 0,21 |
| 6 | K | RCDY6072C | DBL K SURF,SKY,2 SHORT LEGS | 218.00 | 98,88 | 7.52 | 0,21 |
| 5 | K | RCDY6060C | DBL K SURF,SKY,2 SHORT LEGS | 186.5 | 84,59 | 6.3 | 0,18 |
| 6 | K | RCDY6060C | DBL K SURF,SKY,2 SHORT LEGS | 186.5 | 84,59 | 3.2 | 0,09 |
| 5 | K | RCDY6048C | DBL K SURF,SKY,2 SHORT LEGS | 155.5 | 70,53 | 5.82 | 0,16 |
| 6 | K | RCDY6048C | DBL K SURF,SKY,2 SHORT LEGS | 155.5 | 70,53 | 5.82 | 0,16 |
| 5 | K | RCDY5496C | DBL K SURF,SKY,2 SHORT LEGS | 257.5 | 116,80 | 8.93 | 0,25 |
| 6 | K | RCDY5496C | DBL K SURF,SKY,2 SHORT LEGS | 257.5 | 116,80 | 8.93 | 0,25 |
| 5 | K | RCDY5484C | DBL K SURF,SKY,2 SHORT LEGS | 229.00 | 103,87 | 7.83 | 0,22 |
| 6 | K | RCDY5484C | DBL K SURF,SKY,2 SHORT LEGS | 229.00 | 103,87 | 7.83 | 0,22 |
| 5 | K | RCDY5472C | DBL K SURF,SKY,2 SHORT LEGS | 200.00 | 90,72 | 6.73 | 0,19 |
| 6 | K | RCDY5472C | DBL K SURF,SKY,2 SHORT LEGS | 200.00 | 90,72 | 6.73 | 0,19 |
| 5 | K | RCDY5460C | DBL K SURF,SKY,2 SHORT LEGS | 171.00 | 77,56 | 5.64 | 0,16 |
| 6 | K | RCDY5460C | DBL K SURF,SKY,2 SHORT LEGS | 171.00 | 77,56 | 5.64 | 0,16 |
| 5 | K | RCDY5448C | DBL K SURF,SKY,2 SHORT LEGS | 142.5 | 64,64 | 5.3 | 0,15 |
| 6 | K | RCDY5448C | DBL K SURF,SKY,2 SHORT LEGS | 142.5 | 64,64 | 5.3 | 0,15 |
| 5 | K | RCDT6096B | DBL K SURF,TRANS,FUL&SHORT LEG | 327.5 | 148,55 | 11.43 | 0,32 |
| 6 | K | RCDT6096B | DBL K SURF,TRANS,FUL&SHORT LEG | 327.5 | 148,55 | 11.43 | 0,32 |
| 5 | K | RCDT6084B | DBL K SURF,TRANS,FUL&SHORT LEG | 296.00 | 134,26 | 10.03 | 0,28 |
| 6 | K | RCDT6084B | DBL K SURF,TRANS,FUL&SHORT LEG | 296.00 | 134,26 | 10.03 | 0,28 |
| 5 | K | RCDT6072B | DBL K SURF,TRANS,FUL&SHORT LEG | 264.5 | 119,98 | 8.62 | 0,24 |
| 6 | K | RCDT6072B | DBL K SURF,TRANS,FUL&SHORT LEG | 264.5 | 119,98 | 8.62 | 0,24 |
| 5 | K | RCDT6060B | DBL K SURF,TRANS,FUL&SHORT LEG | 233.00 | 105,69 | 7.22 | 0,20 |
| 6 | K | RCDT6060B | DBL K SURF,TRANS,FUL&SHORT LEG | 233.00 | 105,69 | 7.22 | 0,20 |
| 5 | K | RCDT6048B | DBL K SURF,TRANS,FUL&SHORT LEG | 201.5 | 91,40 | 6.57 | 0,19 |
| 6 | K | RCDT6048B | DBL K SURF,TRANS,FUL&SHORT LEG | 201.5 | 91,40 | 6.57 | 0,19 |
| 5 | K | RCDT5496B | DBL K SURF,TRANS,FUL&SHORT LEG | 320.00 | 145,15 | 11.05 | 0,31 |
| 6 | K | RCDT5496B | DBL K SURF,TRANS,FUL&SHORT LEG | 320.00 | 145,15 | 11.05 | 0,31 |
| 5 | K | RCDT5484B | DBL K SURF,TRANS,FUL&SHORT LEG | 288.5 | 130,86 | 9.69 | 0,27 |
| 6 | K | RCDT5484B | DBL K SURF,TRANS,FUL&SHORT LEG | 288.5 | 130,86 | 9.69 | 0,27 |
| 5 | K | RCDT5472B | DBL K SURF,TRANS,FUL&SHORT LEG | 257.00 | 116,57 | 8.34 | 0,24 |
| 6 | K | RCDT5472B | DBL K SURF,TRANS,FUL&SHORT LEG | 257.00 | 116,57 | 8.34 | 0,24 |
| 5 | K | RCDT5460B | DBL K SURF,TRANS,FUL&SHORT LEG | 225.5 | 102,29 | 6.98 | 0,20 |
| 6 | K | RCDT5460B | DBL K SURF,TRANS,FUL&SHORT LEG | 225.5 | 102,29 | 6.98 | 0,20 |
| 5 | K | RCDT5448B | DBL K SURF,TRANS,FUL&SHORT LEG | 194.00 | 88,00 | 5.62 | 0,16 |
| 6 | K | RCDT5448B | DBL K SURF,TRANS,FUL&SHORT LEG | 194.00 | 88,00 | 5.62 | 0,16 |
| 5 | K | RCDY6096B | DBL K SURF,SKY,FUL&SHORT LEG | 327.5 | 148,55 | 11.43 | 0,32 |
| 6 | K | RCDY6096B | DBL K SURF,SKY,FUL&SHORT LEG | 327.5 | 148,55 | 11.43 | 0,32 |
| 5 | K | RCDY6084B | DBL K SURF,SKY,FUL&SHORT LEG | 296.00 | 134,26 | 10.03 | 0,28 |
| 6 | K | RCDY6084B | DBL K SURF,SKY,FUL&SHORT LEG | 296.00 | 134,26 | 10.03 | 0,28 |
| 5 | K | RCDY6072B | DBL K SURF,SKY,FUL&SHORT LEG | 264.5 | 119,98 | 8.62 | 0,24 |
| 6 | K | RCDY6072B | DBL K SURF,SKY,FUL&SHORT LEG | 264.5 | 119,98 | 8.62 | 0,24 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCDY6060B | DBL K SURF,SKY,FUL&SHORT LEG | 233.00 | 105,69 | 7.22 | 0,20 |
| 6 | K | RCDY6060B | DBL K SURF,SKY,FUL&SHORT LEG | 233.00 | 105,69 | 7.22 | 0,20 |
| 5 | K | RCDY6048B | DBL K SURF,SKY,FUL&SHORT LEG | 201.5 | 91,40 | 6.57 | 0,19 |
| 6 | K | RCDY6048B | DBL K SURF,SKY,FUL&SHORT LEG | 201.5 | 91,40 | 6.57 | 0,19 |
| 5 | K | RCDY5496B | DBL K SURF,SKY,FUL&SHORT LEG | 320.00 | 145,15 | 11.05 | 0,31 |
| 6 | K | RCDY5496B | DBL K SURF,SKY,FUL&SHORT LEG | 320.00 | 145,15 | 11.05 | 0,31 |
| 5 | K | RCDY5484B | DBL K SURF,SKY,FUL&SHORT LEG | 288.5 | 130,86 | 9.69 | 0,27 |
| 6 | K | RCDY5484B | DBL K SURF,SKY,FUL&SHORT LEG | 288.5 | 130,86 | 9.69 | 0,27 |
| 5 | K | RCDY5472B | DBL K SURF,SKY,FUL&SHORT LEG | 257.00 | 116,57 | 8.34 | 0,24 |
| 6 | K | RCDY5472B | DBL K SURF,SKY,FUL&SHORT LEG | 257.00 | 116,57 | 8.34 | 0,24 |
| 5 | K | RCDY5460B | DBL K SURF,SKY,FUL&SHORT LEG | 225.5 | 102,29 | 6.98 | 0,20 |
| 6 | K | RCDY5460B | DBL K SURF,SKY,FUL&SHORT LEG | 225.5 | 102,29 | 6.98 | 0,20 |
| 5 | K | RCDY5448B | DBL K SURF,SKY,FUL&SHORT LEG | 194.00 | 88,00 | 5.62 | 0,16 |
| 6 | K | RCDY5448B | DBL K SURF,SKY,FUL&SHORT LEG | 194.00 | 88,00 | 5.62 | 0,16 |
| 1 | N | RCD6072 | DBL-SIDED SURF NO CHANNEL | 140.00 | 63,50 | 5.27 | 0,15 |
| 2 | N | RCD6072 | DBL-SIDED SURF NO CHANNEL | 140.00 | 63,50 | 5.27 | 0,15 |
| 1 | N | RCD6060 | DBL-SIDED SURF NO CHANNEL | 117.00 | 53,07 | 4.41 | 0,12 |
| 2 | N | RCD6060 | DBL-SIDED SURF NO CHANNEL | 117.00 | 53,07 | 4.41 | 0,12 |
| 1 | N | RCD6048 | DBL-SIDED SURF NO CHANNEL | 93.52 | 42,42 | 3.56 | 0,10 |
| 2 | N | RCD6048 | DBL-SIDED SURF NO CHANNEL | 93.52 | 42,42 | 3.56 | 0,10 |
| 1 | N | RCD5472 | DBL-SIDED SURF NO CHANNEL | 128.5 | 58,29 | 4.77 | 0,14 |
| 2 | N | RCD5472 | DBL-SIDED SURF NO CHANNEL | 128.5 | 58,29 | 4.77 | 0,14 |
| 1 | N | RCD5460 | DBL-SIDED SURF NO CHANNEL | 107.21 | 48,63 | 4.00 | 0,11 |
| 2 | N | RCD5460 | DBL-SIDED SURF NO CHANNEL | 107.21 | 48,63 | 4.00 | 0,11 |
| 1 | N | RCD5448 | DBL-SIDED SURF NO CHANNEL | 85.93 | 38,98 | 3.22 | 0,09 |
| 2 | N | RCD5448 | DBL-SIDED SURF NO CHANNEL | 85.93 | 38,98 | 3.22 | 0,09 |
| 5 | N | RCD6096 | DBL-SIDED SURF NO CHANNEL | 238.5 | 108,18 | 8.36 | 0,24 |
| 6 | N | RCD6096 | DBL-SIDED SURF NO CHANNEL | 238.5 | 108,18 | 8.36 | 0,24 |
| 5 | N | RCD6084 | DBL-SIDED SURF NO CHANNEL | 209.00 | 94,80 | 7.33 | 0,21 |
| 6 | N | RCD6084 | DBL-SIDED SURF NO CHANNEL | 209.00 | 94,80 | 7.33 | 0,21 |
| 5 | N | RCD6072 | DBL-SIDED SURF NO CHANNEL | 179.5 | 81,42 | 6.31 | 0,18 |
| 6 | N | RCD6072 | DBL-SIDED SURF NO CHANNEL | 179.5 | 81,42 | 6.31 | 0,18 |
| 5 | N | RCD6060 | DBL-SIDED SURF NO CHANNEL | 150.00 | 68,04 | 5.28 | 0,15 |
| 6 | N | RCD6060 | DBL-SIDED SURF NO CHANNEL | 150.00 | 68,04 | 5.28 | 0,15 |
| 5 | N | RCD6048 | DBL-SIDED SURF NO CHANNEL | 120.5 | 54,66 | 4.25 | 0,12 |
| 6 | N | RCD6048 | DBL-SIDED SURF NO CHANNEL | 120.5 | 54,66 | 4.25 | 0,12 |
| 5 | N | RCD5496 | DBL-SIDED SURF NO CHANNEL | 219.00 | 99,34 | 7.57 | 0,21 |
| 6 | N | RCD5496 | DBL-SIDED SURF NO CHANNEL | 219.00 | 99,34 | 7.57 | 0,21 |
| 5 | N | RCD5484 | DBL-SIDED SURF NO CHANNEL | 191.5 | 86,86 | 6.64 | 0,19 |
| 6 | N | RCD5484 | DBL-SIDED SURF NO CHANNEL | 191.5 | 86,86 | 6.64 | 0,19 |
| 5 | N | RCD5472 | DBL-SIDED SURF NO CHANNEL | 167.00 | 75,75 | 5.71 | 0,16 |
| 6 | N | RCD5472 | DBL-SIDED SURF NO CHANNEL | 167.00 | 75,75 | 5.71 | 0,16 |
| 5 | N | RCD5460 | DBL-SIDED SURF NO CHANNEL | 137.5 | 62,37 | 4.78 | 0,14 |
| 6 | N | RCD5460 | DBL-SIDED SURF NO CHANNEL | 137.5 | 62,37 | 4.78 | 0,14 |
| 5 | N | RCD5448 | DBL-SIDED SURF NO CHANNEL | 110.00 | 49,90 | 3.85 | 0,11 |
| 6 | N | RCD5448 | DBL-SIDED SURF NO CHANNEL | 110.00 | 49,90 | 3.85 | 0,11 |
| 5 | K | RCD6096 | DBL-SIDED K SURF NO CHANNEL | 238.5 | 108,18 | 8.36 | 0,24 |
| 6 | K | RCD6096 | DBL-SIDED K SURF NO CHANNEL | 238.5 | 108,18 | 8.36 | 0,24 |
| 5 | K | RCD6084 | DBL-SIDED K SURF NO CHANNEL | 209.00 | 94,80 | 7.33 | 0,21 |
| 6 | K | RCD6084 | DBL-SIDED K SURF NO CHANNEL | 209.00 | 94,80 | 7.33 | 0,21 |
| 5 | K | RCD6072 | DBL-SIDED K SURF NO CHANNEL | 179.5 | 81,42 | 6.31 | 0,18 |
| 6 | K | RCD6072 | DBL-SIDED K SURF NO CHANNEL | 179.5 | 81,42 | 6.31 | 0,18 |
| 5 | K | RCD6060 | DBL-SIDED K SURF NO CHANNEL | 150.00 | 68,04 | 5.28 | 0,15 |
| 6 | K | RCD6060 | DBL-SIDED K SURF NO CHANNEL | 150.00 | 68,04 | 5.28 | 0,15 |
| 5 | K | RCD6048 | DBL-SIDED K SURF NO CHANNEL | 120.5 | 54,66 | 4.25 | 0,12 |
| 6 | K | RCD6048 | DBL-SIDED K SURF NO CHANNEL | 120.5 | 54,66 | 4.25 | 0,12 |
| 5 | K | RCD5496 | DBL-SIDED K SURF NO CHANNEL | 219.00 | 99,34 | 7.57 | 0,21 |
| 6 | K | RCD5496 | DBL-SIDED K SURF NO CHANNEL | 219.00 | 99,34 | 7.57 | 0,21 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCD5484 | DBL-SIDED K SURF NO CHANNEL | 191.5 | 86,86 | 6.64 | 0,19 |
| 6 | K | RCD5484 | DBL-SIDED K SURF NO CHANNEL | 191.5 | 86,86 | 6.64 | 0,19 |
| 5 | K | RCD5472 | DBL-SIDED K SURF NO CHANNEL | 167.00 | 75,75 | 5.71 | 0,16 |
| 6 | K | RCD5472 | DBL-SIDED K SURF NO CHANNEL | 167.00 | 75,75 | 5.71 | 0,16 |
| 5 | K | RCD5460 | DBL-SIDED K SURF NO CHANNEL | 137.5 | 62,37 | 4.78 | 0,14 |
| 6 | K | RCD5460 | DBL-SIDED K SURF NO CHANNEL | 137.5 | 62,37 | 4.78 | 0,14 |
| 5 | K | RCD5448 | DBL-SIDED K SURF NO CHANNEL | 110.00 | 49,90 | 3.85 | 0,11 |
| 6 | K | RCD5448 | DBL-SIDED K SURF NO CHANNEL | 110.00 | 49,90 | 3.85 | 0,11 |
| 5 | K | RCD6096RA | DBL K SURF,NO CHANL,FULL LEG | 300.5 | 136,30 | 11.09 | 0,31 |
| 6 | K | RCD6096RA | DBL K SURF,NO CHANL,FULL LEG | 300.5 | 136,30 | 11.09 | 0,31 |
| 5 | K | RCD6084RA | DBL K SURF,NO CHANL,FULL LEG | 271.00 | 122,92 | 9.73 | 0,28 |
| 6 | K | RCD6084RA | DBL K SURF,NO CHANL,FULL LEG | 271.00 | 122,92 | 9.73 | 0,28 |
| 5 | K | RCD6072RA | DBL K SURF,NO CHANL,FULL LEG | 241.00 | 109,32 | 8.37 | 0,24 |
| 6 | K | RCD6072RA | DBL K SURF,NO CHANL,FULL LEG | 241.00 | 109,32 | 8.37 | 0,24 |
| 5 | K | RCD6060RA | DBL K SURF,NO CHANL,FULL LEG | 211.00 | 95,71 | 7.01 | 0,20 |
| 6 | K | RCD6060RA | DBL K SURF,NO CHANL,FULL LEG | 211.00 | 95,71 | 7.01 | 0,20 |
| 5 | K | RCD6048RA | DBL K SURF,NO CHANL,FULL LEG | 181.5 | 82,33 | 6.33 | 0,18 |
| 6 | K | RCD6048RA | DBL K SURF,NO CHANL,FULL LEG | 181.5 | 82,33 | 6.33 | 0,18 |
| 5 | K | RCD5496RA | DBL K SURF,NO CHANL,FULL LEG | 274.5 | 124,51 | 10.46 | 0,30 |
| 6 | K | RCD5496RA | DBL K SURF,NO CHANL,FULL LEG | 274.5 | 124,51 | 10.46 | 0,30 |
| 5 | K | RCD5484RA | DBL K SURF,NO CHANL,FULL LEG | 247.5 | 112,26 | 9.18 | 0,26 |
| 6 | K | RCD5484RA | DBL K SURF,NO CHANL,FULL LEG | 247.5 | 112,26 | 9.18 | 0,26 |
| 5 | K | RCD5472RA | DBL K SURF,NO CHANL,FULL LEG | 220.00 | 99,79 | 7.89 | 0,22 |
| 6 | K | RCD5472RA | DBL K SURF,NO CHANL,FULL LEG | 220.00 | 99,79 | 7.89 | 0,22 |
| 5 | K | RCD5460RA | DBL K SURF,NO CHANL,FULL LEG | 192.5 | 87,32 | 6.61 | 0,19 |
| 6 | K | RCD5460RA | DBL K SURF,NO CHANL,FULL LEG | 192.5 | 87,32 | 6.61 | 0,19 |
| 5 | K | RCD5448RA | DBL K SURF,NO CHANL,FULL LEG | 165.00 | 74,84 | 5.97 | 0,17 |
| 6 | K | RCD5448RA | DBL K SURF,NO CHANL,FULL LEG | 165.00 | 74,84 | 5.97 | 0,17 |
| 5 | K | RCD6096A | DBLK SURF,NO CHANNEL,2 LEGS | 360.00 | 163,29 | 13.83 | 0,39 |
| 6 | K | RCD6096A | DBLK SURF,NO CHANNEL,2 LEGS | 360.00 | 163,29 | 13.83 | 0,39 |
| 5 | K | RCD6084A | DBLK SURF,NO CHANNEL,2 LEGS | 330.5 | 149,91 | 12.13 | 0,34 |
| 6 | K | RCD6084A | DBLK SURF,NO CHANNEL,2 LEGS | 330.5 | 149,91 | 12.13 | 0,34 |
| 5 | K | RCD6072A | DBLK SURF,NO CHANNEL,2 LEGS | 300.5 | 136,30 | 10.43 | 0,30 |
| 6 | K | RCD6072A | DBLK SURF,NO CHANNEL,2 LEGS | 300.5 | 136,30 | 10.43 | 0,30 |
| 5 | K | RCD6060A | DBLK SURF,NO CHANNEL,2 LEGS | 270.5 | 122,70 | 8.73 | 0,25 |
| 6 | K | RCD6060A | DBLK SURF,NO CHANNEL,2 LEGS | 270.5 | 122,70 | 8.73 | 0,25 |
| 5 | K | RCD6048A | DBLK SURF,NO CHANNEL,2 LEGS | 241.00 | 109,32 | 7.89 | 0,22 |
| 6 | K | RCD6048A | DBLK SURF,NO CHANNEL,2 LEGS | 241.00 | 109,32 | 7.89 | 0,22 |
| 5 | K | RCD5496A | DBLK SURF,NO CHANNEL,2 LEGS | 329.00 | 149,23 | 13.05 | 0,37 |
| 6 | K | RCD5496A | DBLK SURF,NO CHANNEL,2 LEGS | 329.00 | 149,23 | 13.05 | 0,37 |
| 5 | K | RCD5484A | DBLK SURF,NO CHANNEL,2 LEGS | 301.5 | 136,76 | 11.44 | 0,32 |
| 6 | K | RCD5484A | DBLK SURF,NO CHANNEL,2 LEGS | 301.5 | 136,76 | 11.44 | 0,32 |
| 5 | K | RCD5472A | DBLK SURF,NO CHANNEL,2 LEGS | 274.00 | 124,28 | 9.84 | 0,28 |
| 6 | K | RCD5472A | DBLK SURF,NO CHANNEL,2 LEGS | 274.00 | 124,28 | 9.84 | 0,28 |
| 5 | K | RCD5460A | DBLK SURF,NO CHANNEL,2 LEGS | 246.5 | 111,81 | 8.24 | 0,23 |
| 6 | K | RCD5460A | DBLK SURF,NO CHANNEL,2 LEGS | 246.5 | 111,81 | 8.24 | 0,23 |
| 5 | K | RCD5448A | DBLK SURF,NO CHANNEL,2 LEGS | 219.5 | 99,56 | 7.44 | 0,21 |
| 6 | K | RCD5448A | DBLK SURF,NO CHANNEL,2 LEGS | 219.5 | 99,56 | 7.44 | 0,21 |
| 5 | K | RCD6096RC | DBL K SURF,NO CHANEL,SHORT LEG | 260.00 | 117,93 | 11.09 | 0,31 |
| 6 | K | RCD6096RC | DBL K SURF,NO CHANEL,SHORT LEG | 260.00 | 117,93 | 11.09 | 0,31 |
| 5 | K | RCD6084RC | DBL K SURF,NO CHANEL,SHORT LEG | 230.00 | 104,33 | 9.73 | 0,28 |
| 6 | K | RCD6084RC | DBL K SURF,NO CHANEL,SHORT LEG | 230.00 | 104,33 | 9.73 | 0,28 |
| 5 | K | RCD6072RC | DBL K SURF,NO CHANEL,SHORT LEG | 199.5 | 90,49 | 8.37 | 0,24 |
| 6 | K | RCD6072RC | DBL K SURF,NO CHANEL,SHORT LEG | 199.5 | 90,49 | 8.37 | 0,24 |
| 5 | K | RCD6060RC | DBL K SURF,NO CHANEL,SHORT LEG | 169.5 | 76,88 | 7.01 | 0,20 |
| 6 | K | RCD6060RC | DBL K SURF,NO CHANEL,SHORT LEG | 169.5 | 76,88 | 7.01 | 0,20 |
| 5 | K | RCD6048RC | DBL K SURF,NO CHANEL,SHORT LEG | 140.5 | 63,73 | 6.33 | 0,18 |
| 6 | K | RCD6048RC | DBL K SURF,NO CHANEL,SHORT LEG | 140.5 | 63,73 | 6.33 | 0,18 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCD5496RC | DBL K SURF,NO CHANEL,SHORT LEG | 238.5 | 108,18 | 10.46 | 0,30 |
| 6 | K | RCD5496RC | DBL K SURF,NO CHANEL,SHORT LEG | 238.5 | 108,18 | 10.46 | 0,30 |
| 5 | K | RCD5484RC | DBL K SURF,NO CHANEL,SHORT LEG | 211.00 | 95,71 | 9.18 | 0,26 |
| 6 | K | RCD5484RC | DBL K SURF,NO CHANEL,SHORT LEG | 211.00 | 95,71 | 9.18 | 0,26 |
| 5 | K | RCD5472RC | DBL K SURF,NO CHANEL,SHORT LEG | 183.5 | 83,23 | 7.9 | 0,22 |
| 6 | K | RCD5472RC | DBL K SURF,NO CHANEL,SHORT LEG | 183.5 | 83,23 | 7.9 | 0,22 |
| 5 | K | RCD5460RC | DBL K SURF,NO CHANEL,SHORT LEG | 155.5 | 70,53 | 6.61 | 0,19 |
| 6 | K | RCD5460RC | DBL K SURF,NO CHANEL,SHORT LEG | 155.5 | 70,53 | 6.61 | 0,19 |
| 5 | K | RCD5448RC | DBL K SURF,NO CHANEL,SHORT LEG | 128.5 | 58,29 | 5.97 | 0,17 |
| 6 | K | RCD5448RC | DBL K SURF,NO CHANEL,SHORT LEG | 128.5 | 58,29 | 5.97 | 0,17 |
| 5 | K | RCD6096C | DBL K SURF,NO CHNL,2 SHORT LEG | 275.5 | 124,96 | 11.09 | 0,31 |
| 6 | K | RCD6096C | DBL K SURF,NO CHNL,2 SHORT LEG | 275.5 | 124,96 | 11.09 | 0,31 |
| 5 | K | RCD6084C | DBL K SURF,NO CHNL,2 SHORT LEG | 245.5 | 111,36 | 9.73 | 0,28 |
| 6 | K | RCD6084C | DBL K SURF,NO CHNL,2 SHORT LEG | 245.5 | 111,36 | 9.73 | 0,28 |
| 5 | K | RCD6072C | DBL K SURF,NO CHNL,2 SHORT LEG | 215.00 | 97,52 | 8.37 | 0,24 |
| 6 | K | RCD6072C | DBL K SURF,NO CHNL,2 SHORT LEG | 215.00 | 97,52 | 8.37 | 0,24 |
| 5 | K | RCD6060C | DBL K SURF,NO CHNL,2 SHORT LEG | 185.00 | 83,91 | 7.01 | 0,20 |
| 6 | K | RCD6060C | DBL K SURF,NO CHNL,2 SHORT LEG | 185.00 | 83,91 | 7.01 | 0,20 |
| 5 | K | RCD6048C | DBL K SURF,NO CHNL,2 SHORT LEG | 156.00 | 70,76 | 6.33 | 0,18 |
| 6 | K | RCD6048C | DBL K SURF,NO CHNL,2 SHORT LEG | 156.00 | 70,76 | 6.33 | 0,18 |
| 5 | K | RCD5496C | DBL K SURF,NO CHNL,2 SHORT LEG | 252.00 | 114,31 | 10.46 | 0,30 |
| 6 | K | RCD5496C | DBL K SURF,NO CHNL,2 SHORT LEG | 252.00 | 114,31 | 10.46 | 0,30 |
| 5 | K | RCD5484C | DBL K SURF,NO CHNL,2 SHORT LEG | 224.5 | 101,83 | 9.18 | 0,26 |
| 6 | K | RCD5484C | DBL K SURF,NO CHNL,2 SHORT LEG | 224.5 | 101,83 | 9.18 | 0,26 |
| 5 | K | RCD5472C | DBL K SURF,NO CHNL,2 SHORT LEG | 197.5 | 89,58 | 7.9 | 0,22 |
| 6 | K | RCD5472C | DBL K SURF,NO CHNL,2 SHORT LEG | 197.5 | 89,58 | 7.9 | 0,22 |
| 5 | K | RCD5460C | DBL K SURF,NO CHNL,2 SHORT LEG | 169.5 | 76,88 | 6.61 | 0,19 |
| 6 | K | RCD5460C | DBL K SURF,NO CHNL,2 SHORT LEG | 169.5 | 76,88 | 6.61 | 0,19 |
| 5 | K | RCD5448C | DBL K SURF,NO CHNL,2 SHORT LEG | 142.5 | 64,64 | 5.97 | 0,17 |
| 6 | K | RCD5448C | DBL K SURF,NO CHNL,2 SHORT LEG | 142.5 | 64,64 | 5.97 | 0,17 |
| 5 | K | RCD6096B | DBL K SURF,NO CHNL,FUL&SHRT LG | 321.75 | 145,94 | 12.12 | 0,34 |
| 6 | K | RCD6096B | DBL K SURF,NO CHNL,FUL&SHRT LG | 321.75 | 145,94 | 12.12 | 0,34 |
| 5 | K | RCD6084B | DBL K SURF,NO CHNL,FUL&SHRT LG | 291.5 | 132,22 | 10.63 | 0,30 |
| 6 | K | RCD6084B | DBL K SURF,NO CHNL,FUL&SHRT LG | 291.5 | 132,22 | 10.63 | 0,30 |
| 5 | K | RCD6072B | DBL K SURF,NO CHNL,FUL&SHRT LG | 261.00 | 118,39 | 9.14 | 0,26 |
| 6 | K | RCD6072B | DBL K SURF,NO CHNL,FUL&SHRT LG | 261.00 | 118,39 | 9.14 | 0,26 |
| 5 | K | RCD6060B | DBL K SURF,NO CHNL,FUL&SHRT LG | 230.5 | 104,55 | 7.65 | 0,22 |
| 6 | K | RCD6060B | DBL K SURF,NO CHNL,FUL&SHRT LG | 230.5 | 104,55 | 7.65 | 0,22 |
| 5 | K | RCD6048B | DBL K SURF,NO CHNL,FUL&SHRT LG | 201.4 | 91,35 | 6.91 | 0,20 |
| 6 | K | RCD6048B | DBL K SURF,NO CHNL,FUL&SHRT LG | 201.4 | 91,35 | 6.91 | 0,20 |
| 5 | K | RCD5496B | DBL K SURF,NO CHNL,FUL&SHRT LG | 294.5 | 133,58 | 11.45 | 0,32 |
| 6 | K | RCD5496B | DBL K SURF,NO CHNL,FUL&SHRT LG | 294.5 | 133,58 | 11.45 | 0,32 |
| 5 | K | RCD5484B | DBL K SURF,NO CHNL,FUL&SHRT LG | 266.5 | 120,88 | 10.03 | 0,28 |
| 6 | K | RCD5484B | DBL K SURF,NO CHNL,FUL&SHRT LG | 266.5 | 120,88 | 10.03 | 0,28 |
| 5 | K | RCD5472B | DBL K SURF,NO CHNL,FUL&SHRT LG | 238.5 | 108,18 | 8.62 | 0,24 |
| 6 | K | RCD5472B | DBL K SURF,NO CHNL,FUL&SHRT LG | 238.5 | 108,18 | 8.62 | 0,24 |
| 5 | K | RCD5460B | DBL K SURF,NO CHNL,FUL&SHRT LG | 210.5 | 95,48 | 7.22 | 0,20 |
| 6 | K | RCD5460B | DBL K SURF,NO CHNL,FUL&SHRT LG | 210.5 | 95,48 | 7.22 | 0,20 |
| 5 | K | RCD5448B | DBL K SURF,NO CHNL,FUL&SHRT LG | 184.00 | 83,46 | 6.52 | 0,18 |
| 6 | K | RCD5448B | DBL K SURF,NO CHNL,FUL&SHRT LG | 184.00 | 83,46 | 6.52 | 0,18 |
| 1 | N | TCADT5460 | DBL 120 SURFACE,TRANS CHANNEL | 336.00 | 152,41 | 20.44 | 0,58 |
| 2 | N | TCADT5460 | DBL 120 SURFACE,TRANS CHANNEL | 336.00 | 152,41 | 20.44 | 0,58 |
| 1 | N | TCADT5454 | DBL 120 SURFACE,TRANS CHANNEL | 314.5 | 142,65 | 19.42 | 0,55 |
| 2 | N | TCADT5454 | DBL 120 SURFACE,TRANS CHANNEL | 314.5 | 142,65 | 19.42 | 0,55 |
| 5 | N | TCADT5460 | DBL 120 SURFACE,TRANS CHANNEL | 407.00 | 184,61 | 24.27 | 0,69 |
| 6 | N | TCADT5460 | DBL 120 SURFACE,TRANS CHANNEL | 407.00 | 184,61 | 24.27 | 0,69 |
| 5 | N | TCADT5454 | DBL 120 SURFACE,TRANS CHANNEL | 378.00 | 171,46 | 23.05 | 0,65 |
| 6 | N | TCADT5454 | DBL 120 SURFACE,TRANS CHANNEL | 378.00 | 171,46 | 23.05 | 0,65 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|-------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | TCADY5460 | DBL 120 SURFACE,TRANS CHANNEL | 336.00 | 152,41 | 20.44 | 0,58 |
| 2 | N | TCADY5460 | DBL 120 SURFACE,TRANS CHANNEL | 336.00 | 152,41 | 20.44 | 0,58 |
| 1 | N | TCADY5454 | DBL 120 SURFACE,TRANS CHANNEL | 314.5 | 142,65 | 19.42 | 0,55 |
| 2 | N | TCADY5454 | DBL 120 SURFACE,TRANS CHANNEL | 314.5 | 142,65 | 19.42 | 0,55 |
| 5 | N | TCADY5460 | DBL 120 SURFACE,TRANS CHANNEL | 407.00 | 184,61 | 24.27 | 0,69 |
| 6 | N | TCADY5460 | DBL 120 SURFACE,TRANS CHANNEL | 407.00 | 184,61 | 24.27 | 0,69 |
| 5 | N | TCADY5454 | DBL 120 SURFACE,TRANS CHANNEL | 378.00 | 171,46 | 23.05 | 0,65 |
| 6 | N | TCADY5454 | DBL 120 SURFACE,TRANS CHANNEL | 378.00 | 171,46 | 23.05 | 0,65 |
| 1 | N | TCAD5460 | DBL 120 SURFACE,TRANS CHANNEL | 326.00 | 147,87 | 23.95 | 0,68 |
| 2 | N | TCAD5460 | DBL 120 SURFACE,TRANS CHANNEL | 326.00 | 147,87 | 23.95 | 0,68 |
| 1 | N | TCAD5454 | DBL 120 SURFACE,TRANS CHANNEL | 303.5 | 137,67 | 22.82 | 0,65 |
| 2 | N | TCAD5454 | DBL 120 SURFACE,TRANS CHANNEL | 303.5 | 137,67 | 22.82 | 0,65 |
| 5 | N | TCAD5460 | DBL 120 SURFACE,TRANS CHANNEL | 404.5 | 183,48 | 26.97 | 0,76 |
| 6 | N | TCAD5460 | DBL 120 SURFACE,TRANS CHANNEL | 404.5 | 183,48 | 26.97 | 0,76 |
| 5 | N | TCAD5454 | DBL 120 SURFACE,TRANS CHANNEL | 375.5 | 170,32 | 25.71 | 0,73 |
| 6 | N | TCAD5454 | DBL 120 SURFACE,TRANS CHANNEL | 375.5 | 170,32 | 25.71 | 0,73 |
| 1 | N | RCST3172 | SINGLE SURFACE,TRANSLUCENT | 157.5 | 71,44 | 5.93 | 0,17 |
| 2 | N | RCST3172 | SINGLE SURFACE,TRANSLUCENT | 157.5 | 71,44 | 5.93 | 0,17 |
| 1 | N | RCST3160 | SINGLE SURFACE,TRANSLUCENT | 131.5 | 59,65 | 4.97 | 0,14 |
| 2 | N | RCST3160 | SINGLE SURFACE,TRANSLUCENT | 131.5 | 59,65 | 4.97 | 0,14 |
| 1 | N | RCST3148 | SINGLE SURFACE,TRANSLUCENT | 105.5 | 47,85 | 4.00 | 0,11 |
| 2 | N | RCST3148 | SINGLE SURFACE,TRANSLUCENT | 105.5 | 47,85 | 4.00 | 0,11 |
| 5 | N | RCST3196 | SINGLE SURFACE,TRANSLUCENT | 231.00 | 104,78 | 8.13 | 0,23 |
| 6 | N | RCST3196 | SINGLE SURFACE,TRANSLUCENT | 231.00 | 104,78 | 8.13 | 0,23 |
| 5 | N | RCST3184 | SINGLE SURFACE,TRANSLUCENT | 202.5 | 91,85 | 7.13 | 0,20 |
| 6 | N | RCST3184 | SINGLE SURFACE,TRANSLUCENT | 202.5 | 91,85 | 7.13 | 0,20 |
| 5 | N | RCST3172 | SINGLE SURFACE,TRANSLUCENT | 172.00 | 78,02 | 6.01 | 0,17 |
| 6 | N | RCST3172 | SINGLE SURFACE,TRANSLUCENT | 172.00 | 78,02 | 6.01 | 0,17 |
| 5 | N | RCST3160 | SINGLE SURFACE,TRANSLUCENT | 143.5 | 65,09 | 8.03 | 0,23 |
| 6 | N | RCST3160 | SINGLE SURFACE,TRANSLUCENT | 143.5 | 65,09 | 8.03 | 0,23 |
| 5 | N | RCST3148 | SINGLE SURFACE,TRANSLUCENT | 115.00 | 52,16 | 4.05 | 0,11 |
| 6 | N | RCST3148 | SINGLE SURFACE,TRANSLUCENT | 115.00 | 52,16 | 4.05 | 0,11 |
| 5 | K | RCST3196 | SINGLE K SURFACE,TRANSLUCENT | 231.00 | 104,78 | 8.13 | 0,23 |
| 6 | K | RCST3196 | SINGLE K SURFACE,TRANSLUCENT | 231.00 | 104,78 | 8.13 | 0,23 |
| 5 | K | RCST3184 | SINGLE K SURFACE,TRANSLUCENT | 202.5 | 91,85 | 7.13 | 0,20 |
| 6 | K | RCST3184 | SINGLE K SURFACE,TRANSLUCENT | 202.5 | 91,85 | 7.13 | 0,20 |
| 5 | K | RCST3172 | SINGLE K SURFACE,TRANSLUCENT | 172.00 | 78,02 | 6.01 | 0,17 |
| 6 | K | RCST3172 | SINGLE K SURFACE,TRANSLUCENT | 172.00 | 78,02 | 6.01 | 0,17 |
| 5 | K | RCST3160 | SINGLE K SURFACE,TRANSLUCENT | 143.5 | 65,09 | 8.03 | 0,23 |
| 6 | K | RCST3160 | SINGLE K SURFACE,TRANSLUCENT | 143.5 | 65,09 | 8.03 | 0,23 |
| 5 | K | RCST3148 | SINGLE K SURFACE,TRANSLUCENT | 115.00 | 52,16 | 4.05 | 0,11 |
| 6 | K | RCST3148 | SINGLE K SURFACE,TRANSLUCENT | 115.00 | 52,16 | 4.05 | 0,11 |
| 1 | N | RCSY3172 | SINGLE SURFACE,SKY | 157.5 | 71,44 | 5.93 | 0,17 |
| 2 | N | RCSY3172 | SINGLE SURFACE,SKY | 157.5 | 71,44 | 5.93 | 0,17 |
| 1 | N | RCSY3160 | SINGLE SURFACE,SKY | 131.5 | 59,65 | 4.97 | 0,14 |
| 2 | N | RCSY3160 | SINGLE SURFACE,SKY | 131.5 | 59,65 | 4.97 | 0,14 |
| 1 | N | RCSY3148 | SINGLE SURFACE,SKY | 105.5 | 47,85 | 4.00 | 0,11 |
| 2 | N | RCSY3148 | SINGLE SURFACE,SKY | 105.5 | 47,85 | 4.00 | 0,11 |
| 5 | N | RCSY3196 | SINGLE SURFACE,SKY | 231.00 | 104,78 | 8.13 | 0,23 |
| 6 | N | RCSY3196 | SINGLE SURFACE,SKY | 231.00 | 104,78 | 8.13 | 0,23 |
| 5 | N | RCSY3184 | SINGLE SURFACE,SKY | 202.5 | 91,85 | 7.13 | 0,20 |
| 6 | N | RCSY3184 | SINGLE SURFACE,SKY | 202.5 | 91,85 | 7.13 | 0,20 |
| 5 | N | RCSY3172 | SINGLE SURFACE,SKY | 172.00 | 78,02 | 6.01 | 0,17 |
| 6 | N | RCSY3172 | SINGLE SURFACE,SKY | 172.00 | 78,02 | 6.01 | 0,17 |
| 5 | N | RCSY3160 | SINGLE SURFACE,SKY | 143.5 | 65,09 | 8.03 | 0,23 |
| 6 | N | RCSY3160 | SINGLE SURFACE,SKY | 143.5 | 65,09 | 8.03 | 0,23 |
| 5 | N | RCSY3148 | SINGLE SURFACE,SKY | 115.00 | 52,16 | 4.05 | 0,11 |
| 6 | N | RCSY3148 | SINGLE SURFACE,SKY | 115.00 | 52,16 | 4.05 | 0,11 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|-------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | RCSY3196 | SINGLE K SURFACE,SKY | 231.00 | 104,78 | 8.13 | 0,23 |
| 6 | K | RCSY3196 | SINGLE K SURFACE,SKY | 231.00 | 104,78 | 8.13 | 0,23 |
| 5 | K | RCSY3184 | SINGLE K SURFACE,SKY | 202.5 | 91,85 | 7.13 | 0,20 |
| 6 | K | RCSY3184 | SINGLE K SURFACE,SKY | 202.5 | 91,85 | 7.13 | 0,20 |
| 5 | K | RCSY3172 | SINGLE K SURFACE,SKY | 172.00 | 78,02 | 6.01 | 0,17 |
| 6 | K | RCSY3172 | SINGLE K SURFACE,SKY | 172.00 | 78,02 | 6.01 | 0,17 |
| 5 | K | RCSY3160 | SINGLE K SURFACE,SKY | 143.5 | 65,09 | 8.03 | 0,23 |
| 6 | K | RCSY3160 | SINGLE K SURFACE,SKY | 143.5 | 65,09 | 8.03 | 0,23 |
| 5 | K | RCSY3148 | SINGLE K SURFACE,SKY | 115.00 | 52,16 | 4.05 | 0,11 |
| 6 | K | RCSY3148 | SINGLE K SURFACE,SKY | 115.00 | 52,16 | 4.05 | 0,11 |
| 5 | K | RCST3196RA | SGL K SURF,TRANS,FULL LEG | 266.00 | 120,66 | 10.6 | 0,30 |
| 6 | K | RCST3196RA | SGL K SURF,TRANS,FULL LEG | 266.00 | 120,66 | 10.6 | 0,30 |
| 5 | K | RCST3184RA | SGL K SURF,TRANS,FULL LEG | 237.00 | 107,50 | 9.3 | 0,26 |
| 6 | K | RCST3184RA | SGL K SURF,TRANS,FULL LEG | 237.00 | 107,50 | 9.3 | 0,26 |
| 5 | K | RCST3172RA | SGL K SURF,TRANS,FULL LEG | 208.00 | 94,35 | 8.00 | 0,23 |
| 6 | K | RCST3172RA | SGL K SURF,TRANS,FULL LEG | 208.00 | 94,35 | 8.00 | 0,23 |
| 5 | K | RCST3160RA | SGL K SURF,TRANS,FULL LEG | 177.5 | 80,51 | 6.53 | 0,18 |
| 6 | K | RCST3160RA | SGL K SURF,TRANS,FULL LEG | 177.5 | 80,51 | 6.53 | 0,18 |
| 5 | K | RCST3148RA | SGL K SURF,TRANS,FULL LEG | 148.5 | 67,36 | 5.26 | 0,15 |
| 6 | K | RCST3148RA | SGL K SURF,TRANS,FULL LEG | 148.5 | 67,36 | 5.26 | 0,15 |
| 5 | K | RCSY3196RA | SGL K SURFACE,SKY,FULL LEG | 266.00 | 120,66 | 10.6 | 0,30 |
| 6 | K | RCSY3196RA | SGL K SURFACE,SKY,FULL LEG | 266.00 | 120,66 | 10.6 | 0,30 |
| 5 | K | RCSY3184RA | SGL K SURFACE,SKY,FULL LEG | 237.00 | 107,50 | 9.3 | 0,26 |
| 6 | K | RCSY3184RA | SGL K SURFACE,SKY,FULL LEG | 237.00 | 107,50 | 9.3 | 0,26 |
| 5 | K | RCSY3172RA | SGL K SURFACE,SKY,FULL LEG | 208.00 | 94,35 | 8.00 | 0,23 |
| 6 | K | RCSY3172RA | SGL K SURFACE,SKY,FULL LEG | 208.00 | 94,35 | 8.00 | 0,23 |
| 5 | K | RCSY3160RA | SGL K SURFACE,SKY,FULL LEG | 177.5 | 80,51 | 6.53 | 0,18 |
| 6 | K | RCSY3160RA | SGL K SURFACE,SKY,FULL LEG | 177.5 | 80,51 | 6.53 | 0,18 |
| 5 | K | RCSY3148RA | SGL K SURFACE,SKY,FULL LEG | 148.5 | 67,36 | 5.26 | 0,15 |
| 6 | K | RCSY3148RA | SGL K SURFACE,SKY,FULL LEG | 148.5 | 67,36 | 5.26 | 0,15 |
| 5 | K | RCST3196A | SGL K SURF,TRANS,2 FULL LEGS | 295.00 | 133,81 | 10.34 | 0,29 |
| 6 | K | RCST3196A | SGL K SURF,TRANS,2 FULL LEGS | 295.00 | 133,81 | 10.34 | 0,29 |
| 5 | K | RCST3184A | SGL K SURF,TRANS,2 FULL LEGS | 266.00 | 120,66 | 9.07 | 0,26 |
| 6 | K | RCST3184A | SGL K SURF,TRANS,2 FULL LEGS | 266.00 | 120,66 | 9.07 | 0,26 |
| 5 | K | RCST3172A | SGL K SURF,TRANS,2 FULL LEGS | 237.00 | 107,50 | 7.8 | 0,22 |
| 6 | K | RCST3172A | SGL K SURF,TRANS,2 FULL LEGS | 237.00 | 107,50 | 7.8 | 0,22 |
| 5 | K | RCST3160A | SGL K SURF,TRANS,2 FULL LEGS | 208.00 | 94,35 | 6.53 | 0,18 |
| 6 | K | RCST3160A | SGL K SURF,TRANS,2 FULL LEGS | 208.00 | 94,35 | 6.53 | 0,18 |
| 5 | K | RCST3148A | SGL K SURF,TRANS,2 FULL LEGS | 181.00 | 82,10 | 6.43 | 0,18 |
| 6 | K | RCST3148A | SGL K SURF,TRANS,2 FULL LEGS | 181.00 | 82,10 | 6.43 | 0,18 |
| 5 | K | RCSY3196A | SGL K SURFACE,SKY,2 FULL LEGS | 295.00 | 133,81 | 10.34 | 0,29 |
| 6 | K | RCSY3196A | SGL K SURFACE,SKY,2 FULL LEGS | 295.00 | 133,81 | 10.34 | 0,29 |
| 5 | K | RCSY3184A | SGL K SURFACE,SKY,2 FULL LEGS | 266.00 | 120,66 | 9.07 | 0,26 |
| 6 | K | RCSY3184A | SGL K SURFACE,SKY,2 FULL LEGS | 266.00 | 120,66 | 9.07 | 0,26 |
| 5 | K | RCSY3172A | SGL K SURFACE,SKY,2 FULL LEGS | 237.00 | 107,50 | 7.8 | 0,22 |
| 6 | K | RCSY3172A | SGL K SURFACE,SKY,2 FULL LEGS | 237.00 | 107,50 | 7.8 | 0,22 |
| 5 | K | RCSY3160A | SGL K SURFACE,SKY,2 FULL LEGS | 208.00 | 94,35 | 6.53 | 0,18 |
| 6 | K | RCSY3160A | SGL K SURFACE,SKY,2 FULL LEGS | 208.00 | 94,35 | 6.53 | 0,18 |
| 5 | K | RCSY3148A | SGL K SURFACE,SKY,2 FULL LEGS | 181.00 | 82,10 | 6.43 | 0,18 |
| 6 | K | RCSY3148A | SGL K SURFACE,SKY,2 FULL LEGS | 181.00 | 82,10 | 6.43 | 0,18 |
| 1 | N | RCS3172 | SINGLE SURFACE,NO CHANNEL | 160.00 | 72,57 | 5.17 | 0,15 |
| 2 | N | RCS3172 | SINGLE SURFACE,NO CHANNEL | 160.00 | 72,57 | 5.17 | 0,15 |
| 1 | N | RCS3160 | SINGLE SURFACE,NO CHANNEL | 133.00 | 60,33 | 4.33 | 0,12 |
| 2 | N | RCS3160 | SINGLE SURFACE,NO CHANNEL | 133.00 | 60,33 | 4.33 | 0,12 |
| 1 | N | RCS3148 | SINGLE SURFACE,NO CHANNEL | 106.5 | 48,31 | 3.49 | 0,10 |
| 2 | N | RCS3148 | SINGLE SURFACE,NO CHANNEL | 106.5 | 48,31 | 3.49 | 0,10 |
| 5 | N | RCS3196 | SINGLE SURFACE,NO CHANNEL | 246.00 | 111,58 | 8.65 | 0,24 |
| 6 | N | RCS3196 | SINGLE SURFACE,NO CHANNEL | 246.00 | 111,58 | 8.65 | 0,24 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|---------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | RCS3184 | SINGLE SURFACE,NO CHANNEL | 215.5 | 97,75 | 7.58 | 0,21 |
| 6 | N | RCS3184 | SINGLE SURFACE,NO CHANNEL | 215.5 | 97,75 | 7.58 | 0,21 |
| 5 | N | RCS3172 | SINGLE SURFACE,NO CHANNEL | 184.00 | 83,46 | 6.01 | 0,17 |
| 6 | N | RCS3172 | SINGLE SURFACE,NO CHANNEL | 184.00 | 83,46 | 6.01 | 0,17 |
| 5 | N | RCS3160 | SINGLE SURFACE,NO CHANNEL | 153.5 | 69,63 | 5.03 | 0,14 |
| 6 | N | RCS3160 | SINGLE SURFACE,NO CHANNEL | 153.5 | 69,63 | 5.03 | 0,14 |
| 5 | N | RCS3148 | SINGLE SURFACE,NO CHANNEL | 123.00 | 55,79 | 4.05 | 0,11 |
| 6 | N | RCS3148 | SINGLE SURFACE,NO CHANNEL | 123.00 | 55,79 | 4.05 | 0,11 |
| 5 | K | RCS3196 | SINGLE K SURFACE,NO CHANNEL | 246.00 | 111,58 | 8.65 | 0,24 |
| 6 | K | RCS3196 | SINGLE K SURFACE,NO CHANNEL | 246.00 | 111,58 | 8.65 | 0,24 |
| 5 | K | RCS3184 | SINGLE K SURFACE,NO CHANNEL | 215.5 | 97,75 | 7.58 | 0,21 |
| 6 | K | RCS3184 | SINGLE K SURFACE,NO CHANNEL | 215.5 | 97,75 | 7.58 | 0,21 |
| 5 | K | RCS3172 | SINGLE K SURFACE,NO CHANNEL | 184.00 | 83,46 | 6.01 | 0,17 |
| 6 | K | RCS3172 | SINGLE K SURFACE,NO CHANNEL | 184.00 | 83,46 | 6.01 | 0,17 |
| 5 | K | RCS3160 | SINGLE K SURFACE,NO CHANNEL | 153.5 | 69,63 | 5.03 | 0,14 |
| 6 | K | RCS3160 | SINGLE K SURFACE,NO CHANNEL | 153.5 | 69,63 | 5.03 | 0,14 |
| 5 | K | RCS3148 | SINGLE K SURFACE,NO CHANNEL | 123.00 | 55,79 | 4.05 | 0,11 |
| 6 | K | RCS3148 | SINGLE K SURFACE,NO CHANNEL | 123.00 | 55,79 | 4.05 | 0,11 |
| 5 | K | RCS3196RA | SGL K SURF,NO RACEW,FULL LEG | 282.5 | 128,14 | 11.47 | 0,32 |
| 6 | K | RCS3196RA | SGL K SURF,NO RACEW,FULL LEG | 282.5 | 128,14 | 11.47 | 0,32 |
| 5 | K | RCS3184RA | SGL K SURF,NO RACEW,FULL LEG | 251.5 | 114,08 | 10.06 | 0,28 |
| 6 | K | RCS3184RA | SGL K SURF,NO RACEW,FULL LEG | 251.5 | 114,08 | 10.06 | 0,28 |
| 5 | K | RCS3172RA | SGL K SURF,NO RACEW,FULL LEG | 220.5 | 100,02 | 8.65 | 0,24 |
| 6 | K | RCS3172RA | SGL K SURF,NO RACEW,FULL LEG | 220.5 | 100,02 | 8.65 | 0,24 |
| 5 | K | RCS3160RA | SGL K SURF,NO RACEW,FULL LEG | 187.5 | 85,05 | 6.66 | 0,19 |
| 6 | K | RCS3160RA | SGL K SURF,NO RACEW,FULL LEG | 187.5 | 85,05 | 6.66 | 0,19 |
| 5 | K | RCS3148RA | SGL K SURF,NO RACEW,FULL LEG | 156.5 | 70,99 | 5.36 | 0,15 |
| 6 | K | RCS3148RA | SGL K SURF,NO RACEW,FULL LEG | 156.5 | 70,99 | 5.36 | 0,15 |
| 5 | K | RCS3196A | SGL K SURF,NO RACEW,2 FULL LEGS | 313.00 | 141,97 | 11.47 | 0,32 |
| 6 | K | RCS3196A | SGL K SURF,NO RACEW,2 FULL LEGS | 313.00 | 141,97 | 11.47 | 0,32 |
| 5 | K | RCS3184A | SGL K SURF,NO RACEW,2 FULL LEGS | 281.5 | 127,69 | 10.06 | 0,28 |
| 6 | K | RCS3184A | SGL K SURF,NO RACEW,2 FULL LEGS | 281.5 | 127,69 | 10.06 | 0,28 |
| 5 | K | RCS3172A | SGL K SURF,NO RACEW,2 FULL LEGS | 250.5 | 113,62 | 8.65 | 0,24 |
| 6 | K | RCS3172A | SGL K SURF,NO RACEW,2 FULL LEGS | 250.5 | 113,62 | 8.65 | 0,24 |
| 5 | K | RCS3160A | SGL K SURF,NO RACEW,2 FULL LEGS | 219.5 | 99,56 | 6.66 | 0,19 |
| 6 | K | RCS3160A | SGL K SURF,NO RACEW,2 FULL LEGS | 219.5 | 99,56 | 6.66 | 0,19 |
| 5 | K | RCS3148A | SGL K SURF,NO RACEW,2 FULL LEGS | 191.5 | 86,86 | 5.36 | 0,15 |
| 6 | K | RCS3148A | SGL K SURF,NO RACEW,2 FULL LEGS | 191.5 | 86,86 | 5.36 | 0,15 |
| 1 | N | R3672A | RETURN SURFACE | 69.14 | 31,36 | 2.69 | 1,22 |
| 2 | N | R3672A | RETURN SURFACE | 39.14 | 17,75 | 2.69 | 1,22 |
| 1 | N | R3660A | RETURN SURFACE | 57.88 | 26,25 | 2.3 | 1,04 |
| 2 | N | R3660A | RETURN SURFACE | 57.88 | 26,25 | 2.3 | 1,04 |
| 1 | N | R3648A | RETURN SURFACE | 46.57 | 21,12 | 1.86 | 0,84 |
| 2 | N | R3648A | RETURN SURFACE | 46.57 | 21,12 | 1.86 | 0,84 |
| 1 | N | R3072A | RETURN SURFACE | 58.04 | 26,33 | 2.3 | 1,04 |
| 2 | N | R3072A | RETURN SURFACE | 58.04 | 26,33 | 2.3 | 1,04 |
| 1 | N | R3060A | RETURN SURFACE | 48.6 | 22,04 | 1.96 | 0,89 |
| 2 | N | R3060A | RETURN SURFACE | 48.6 | 22,04 | 1.96 | 0,89 |
| 1 | N | R3048A | RETURN SURFACE | 39.11 | 17,74 | 1.59 | 0,72 |
| 2 | N | R3048A | RETURN SURFACE | 39.11 | 17,74 | 1.59 | 0,72 |
| 1 | N | R3036A | RETURN SURFACE | 29.63 | 13,44 | 1.22 | 0,55 |
| 2 | N | R3036A | RETURN SURFACE | 29.63 | 13,44 | 1.22 | 0,55 |
| 1 | N | R2472A | RETURN SURFACE | 47.95 | 21,75 | 1.9 | 0,86 |
| 2 | N | R2472A | RETURN SURFACE | 47.95 | 21,75 | 1.9 | 0,86 |
| 1 | N | R2460A | RETURN SURFACE | 39.32 | 17,84 | 1.62 | 0,73 |
| 2 | N | R2460A | RETURN SURFACE | 39.32 | 17,84 | 1.62 | 0,73 |
| 1 | N | R2448A | RETURN SURFACE | 31.65 | 14,36 | 1.31 | 0,59 |
| 2 | N | R2448A | RETURN SURFACE | 31.65 | 14,36 | 1.31 | 0,59 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|--------|----------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | R2436A | RETURN SURFACE | 23.99 | 10,88 | 1.01 | 0,46 |
| 2 | N | R2436A | RETURN SURFACE | 23.99 | 10,88 | 1.01 | 0,46 |
| 5 | N | R3672A | RETURN SURFACE | 93.68 | 42,49 | 3.79 | 1,72 |
| 6 | N | R3672A | RETURN SURFACE | 93.68 | 42,49 | 3.79 | 1,72 |
| 5 | N | R3660A | RETURN SURFACE | 78.48 | 35,60 | 3.24 | 1,47 |
| 6 | N | R3660A | RETURN SURFACE | 78.48 | 35,60 | 3.24 | 1,47 |
| 5 | N | R3648A | RETURN SURFACE | 63.22 | 28,68 | 2.62 | 1,19 |
| 6 | N | R3648A | RETURN SURFACE | 63.22 | 28,68 | 2.62 | 1,19 |
| 5 | N | R3072A | RETURN SURFACE | 78.75 | 35,72 | 3.24 | 1,47 |
| 6 | N | R3072A | RETURN SURFACE | 78.75 | 3,24 | 3.24 | 1,47 |
| 5 | N | R3060A | RETURN SURFACE | 65.99 | 29,93 | 2.76 | 1,25 |
| 6 | N | R3060A | RETURN SURFACE | 65.99 | 29,93 | 2.76 | 1,25 |
| 5 | N | R3048A | RETURN SURFACE | 53.16 | 24,11 | 2.24 | 1,02 |
| 6 | N | R3048A | RETURN SURFACE | 53.16 | 24,11 | 2.24 | 1,02 |
| 5 | N | R3036A | RETURN SURFACE | 40.35 | 18,30 | 1.72 | 0,78 |
| 6 | N | R3036A | RETURN SURFACE | 40.35 | 18,30 | 1.72 | 0,78 |
| 5 | N | R2472A | RETURN SURFACE | 63.82 | 63,82 | 2.68 | 1,22 |
| 6 | N | R2472A | RETURN SURFACE | 63.82 | 28,95 | 2.68 | 1,22 |
| 5 | N | R2460A | RETURN SURFACE | 53.49 | 24,26 | 2.28 | 1,03 |
| 6 | N | R2460A | RETURN SURFACE | 53.49 | 24,26 | 2.28 | 1,03 |
| 5 | N | R2448A | RETURN SURFACE | 43.1 | 19,55 | 1.85 | 0,84 |
| 6 | N | R2448A | RETURN SURFACE | 43.1 | 19,55 | 1.85 | 0,84 |
| 5 | N | R2436A | RETURN SURFACE | 32.72 | 14,84 | 1.42 | 0,64 |
| 6 | N | R2436A | RETURN SURFACE | 32.73 | 14,85 | 1.42 | 0,64 |
| 5 | K | R3672A | RETURN SURFACE, KNIFE-EDGE | 93.68 | 42,49 | 3.79 | 1,72 |
| 6 | K | R3672A | RETURN SURFACE, KNIFE-EDGE | 93.68 | 42,49 | 3.79 | 1,72 |
| 5 | K | R3660A | RETURN SURFACE, KNIFE-EDGE | 78.48 | 35,60 | 3.24 | 1,47 |
| 6 | K | R3660A | RETURN SURFACE, KNIFE-EDGE | 78.48 | 35,60 | 3.24 | 1,47 |
| 5 | K | R3648A | RETURN SURFACE, KNIFE-EDGE | 63.22 | 28,68 | 2.62 | 1,19 |
| 6 | K | R3648A | RETURN SURFACE, KNIFE-EDGE | 63.22 | 28,68 | 2.62 | 1,19 |
| 5 | K | R3072A | RETURN SURFACE, KNIFE-EDGE | 78.75 | 35,72 | 3.24 | 1,47 |
| 6 | K | R3072A | RETURN SURFACE, KNIFE-EDGE | 78.75 | 3,24 | 3.24 | 1,47 |
| 5 | K | R3060A | RETURN SURFACE, KNIFE-EDGE | 65.99 | 29,93 | 2.76 | 1,25 |
| 6 | K | R3060A | RETURN SURFACE, KNIFE-EDGE | 65.99 | 29,93 | 2.76 | 1,25 |
| 5 | K | R3048A | RETURN SURFACE, KNIFE-EDGE | 53.16 | 24,11 | 2.24 | 1,02 |
| 6 | K | R3048A | RETURN SURFACE, KNIFE-EDGE | 53.16 | 24,11 | 2.24 | 1,02 |
| 5 | K | R3036A | RETURN SURFACE, KNIFE-EDGE | 40.35 | 18,30 | 1.72 | 0,78 |
| 6 | K | R3036A | RETURN SURFACE, KNIFE-EDGE | 40.35 | 18,30 | 1.72 | 0,78 |
| 5 | K | R2472A | RETURN SURFACE, KNIFE-EDGE | 63.82 | 63,82 | 2.68 | 1,22 |
| 6 | K | R2472A | RETURN SURFACE, KNIFE-EDGE | 63.82 | 28,95 | 2.68 | 1,22 |
| 5 | K | R2460A | RETURN SURFACE, KNIFE-EDGE | 53.49 | 24,26 | 2.28 | 1,03 |
| 6 | K | R2460A | RETURN SURFACE, KNIFE-EDGE | 53.49 | 24,26 | 2.28 | 1,03 |
| 5 | K | R2448A | RETURN SURFACE, KNIFE-EDGE | 43.1 | 19,55 | 1.85 | 0,84 |
| 6 | K | R2448A | RETURN SURFACE, KNIFE-EDGE | 43.1 | 19,55 | 1.85 | 0,84 |
| 5 | K | R2436A | RETURN SURFACE, KNIFE-EDGE | 32.72 | 14,84 | 1.42 | 0,64 |
| 6 | K | R2436A | RETURN SURFACE, KNIFE-EDGE | 32.73 | 14,85 | 1.42 | 0,64 |
| 1 | N | R3672S | RETURN SURFACE, 6"H BACK | 128.78 | 58,41 | 7.19 | 3,26 |
| 2 | N | R3672S | RETURN SURFACE, 6"H BACK | 128.78 | 58,41 | 7.19 | 3,26 |
| 1 | N | R3660S | RETURN SURFACE, 6"H BACK | 113.92 | 51,67 | 6.02 | 2,73 |
| 2 | N | R3660S | RETURN SURFACE, 6"H BACK | 113.92 | 51,67 | 6.02 | 2,73 |
| 1 | N | R3648S | RETURN SURFACE, 6"H BACK | 99.07 | 44,94 | 4.85 | 2,20 |
| 2 | N | R3648S | RETURN SURFACE, 6"H BACK | 99.07 | 44,94 | 4.85 | 2,20 |
| 1 | N | R3072S | RETURN SURFACE, 6"H BACK | 111.45 | 50,55 | 6.05 | 2,74 |
| 2 | N | R3072S | RETURN SURFACE, 6"H BACK | 111.45 | 50,55 | 6.05 | 2,74 |
| 1 | N | R3060S | RETURN SURFACE, 6"H BACK | 98.41 | 44,64 | 5.06 | 2,30 |
| 2 | N | R3060S | RETURN SURFACE, 6"H BACK | 98.41 | 44,64 | 5.06 | 2,30 |
| 1 | N | R3048S | RETURN SURFACE, 6"H BACK | 85.37 | 38,72 | 4.08 | 1,85 |
| 2 | N | R3048S | RETURN SURFACE, 6"H BACK | 85.37 | 38,72 | 4.08 | 1,85 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|---------|---------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | R3036S | RETURN SURFACE, 6"H BACK | 74.77 | 33.92 | 3.09 | 1,40 |
| 2 | N | R3036S | RETURN SURFACE, 6"H BACK | 74.77 | 33.92 | 3.09 | 1,40 |
| 1 | N | R2472S | RETURN SURFACE, 6"H BACK | 94.12 | 42.69 | 4.9 | 2,22 |
| 2 | N | R2472S | RETURN SURFACE, 6"H BACK | 94.12 | 42.69 | 4.9 | 2,22 |
| 1 | N | R2460S | RETURN SURFACE, 6"H BACK | 82.9 | 37.60 | 4.1 | 1,86 |
| 2 | N | R2460S | RETURN SURFACE, 6"H BACK | 82.9 | 37.60 | 4.1 | 1,86 |
| 1 | N | R2448S | RETURN SURFACE, 6"H BACK | 71.68 | 32.51 | 3.31 | 1,50 |
| 2 | N | R2448S | RETURN SURFACE, 6"H BACK | 71.68 | 32.51 | 3.31 | 1,50 |
| 1 | N | R2436S | RETURN SURFACE, 6"H BACK | 60.46 | 27.42 | 2.51 | 1,14 |
| 2 | N | R2436S | RETURN SURFACE, 6"H BACK | 60.46 | 27.42 | 2.51 | 1,14 |
| 5 | N | R3672S | RETURN SURFACE, 6"H BACK | 147.46 | 66.89 | 7.19 | 3,26 |
| 6 | N | R3672S | RETURN SURFACE, 6"H BACK | 147.46 | 66.89 | 7.19 | 3,26 |
| 5 | N | R3660S | RETURN SURFACE, 6"H BACK | 129.5 | 58.74 | 6.02 | 2,73 |
| 6 | N | R3660S | RETURN SURFACE, 6"H BACK | 129.5 | 58.74 | 6.02 | 2,73 |
| 5 | N | R3648S | RETURN SURFACE, 6"H BACK | 111.55 | 50.60 | 4.85 | 2,20 |
| 6 | N | R3648S | RETURN SURFACE, 6"H BACK | 111.55 | 50.60 | 4.85 | 2,20 |
| 5 | N | R3072S | RETURN SURFACE, 6"H BACK | 126.41 | 57.34 | 6.05 | 2,74 |
| 6 | N | R3072S | RETURN SURFACE, 6"H BACK | 126.41 | 57.34 | 6.05 | 2,74 |
| 5 | N | R3060S | RETURN SURFACE, 6"H BACK | 110.89 | 50.30 | 5.06 | 2,30 |
| 6 | N | R3060S | RETURN SURFACE, 6"H BACK | 110.89 | 50.30 | 5.06 | 2,30 |
| 5 | N | R3048S | RETURN SURFACE, 6"H BACK | 95.38 | 43.26 | 4.08 | 1,85 |
| 6 | N | R3048S | RETURN SURFACE, 6"H BACK | 95.38 | 43.26 | 4.08 | 1,85 |
| 5 | N | R3036S | RETURN SURFACE, 6"H BACK | 79.86 | 36.22 | 3.09 | 1,40 |
| 6 | N | R3036S | RETURN SURFACE, 6"H BACK | 79.86 | 36.22 | 3.09 | 1,40 |
| 5 | N | R2472S | RETURN SURFACE, 6"H BACK | 105.37 | 47.80 | 4.9 | 2,22 |
| 6 | N | R2472S | RETURN SURFACE, 6"H BACK | 105.37 | 47.80 | 4.9 | 2,22 |
| 5 | N | R2460S | RETURN SURFACE, 6"H BACK | 92.28 | 41.86 | 4.1 | 1,86 |
| 6 | N | R2460S | RETURN SURFACE, 6"H BACK | 92.28 | 41.86 | 4.1 | 1,86 |
| 5 | N | R2448S | RETURN SURFACE, 6"H BACK | 79.2 | 35.92 | 3.31 | 1,50 |
| 6 | N | R2448S | RETURN SURFACE, 6"H BACK | 79.2 | 35.92 | 3.31 | 1,50 |
| 5 | N | R2436S | RETURN SURFACE, 6"H BACK | 66.12 | 29.99 | 2.51 | 1,14 |
| 6 | N | R2436S | RETURN SURFACE, 6"H BACK | 66.12 | 29.99 | 2.51 | 1,14 |
| 5 | K | R3672S | RETURN SURFACE, 6"H BACK | 147.46 | 66.89 | 7.19 | 3,26 |
| 6 | K | R3672S | RETURN SURFACE, 6"H BACK | 147.46 | 66.89 | 7.19 | 3,26 |
| 5 | K | R3660S | RETURN SURFACE, 6"H BACK | 129.5 | 58.74 | 6.02 | 2,73 |
| 6 | K | R3660S | RETURN SURFACE, 6"H BACK | 129.5 | 58.74 | 6.02 | 2,73 |
| 5 | K | R3648S | RETURN SURFACE, 6"H BACK | 111.55 | 50.60 | 4.85 | 2,20 |
| 6 | K | R3648S | RETURN SURFACE, 6"H BACK | 111.55 | 50.60 | 4.85 | 2,20 |
| 5 | K | R3072S | RETURN SURFACE, 6"H BACK | 126.41 | 57.34 | 6.05 | 2,74 |
| 6 | K | R3072S | RETURN SURFACE, 6"H BACK | 126.41 | 57.34 | 6.05 | 2,74 |
| 5 | K | R3060S | RETURN SURFACE, 6"H BACK | 110.89 | 50.30 | 5.06 | 2,30 |
| 6 | K | R3060S | RETURN SURFACE, 6"H BACK | 110.89 | 50.30 | 5.06 | 2,30 |
| 5 | K | R3048S | RETURN SURFACE, 6"H BACK | 95.38 | 43.26 | 4.08 | 1,85 |
| 6 | K | R3048S | RETURN SURFACE, 6"H BACK | 95.38 | 43.26 | 4.08 | 1,85 |
| 5 | K | R3036S | RETURN SURFACE, 6"H BACK | 79.86 | 36.22 | 3.09 | 1,40 |
| 6 | K | R3036S | RETURN SURFACE, 6"H BACK | 79.86 | 36.22 | 3.09 | 1,40 |
| 5 | K | R2472S | RETURN SURFACE, 6"H BACK | 105.37 | 47.80 | 4.9 | 2,22 |
| 6 | K | R2472S | RETURN SURFACE, 6"H BACK | 105.37 | 47.80 | 4.9 | 2,22 |
| 5 | K | R2460S | RETURN SURFACE, 6"H BACK | 92.28 | 41.86 | 4.1 | 1,86 |
| 6 | K | R2460S | RETURN SURFACE, 6"H BACK | 92.28 | 41.86 | 4.1 | 1,86 |
| 5 | K | R2448S | RETURN SURFACE, 6"H BACK | 79.2 | 35.92 | 3.31 | 1,50 |
| 6 | K | R2448S | RETURN SURFACE, 6"H BACK | 79.2 | 35.92 | 3.31 | 1,50 |
| 5 | K | R2436S | RETURN SURFACE, 6"H BACK | 66.12 | 29.99 | 2.51 | 1,14 |
| 6 | K | R2436S | RETURN SURFACE, 6"H BACK | 66.12 | 29.99 | 2.51 | 1,14 |
| 1 | N | CEA6054 | ANGLED EXTENSION SURFACES | 86.81 | 39.38 | 3.29 | 1,49 |
| 2 | N | CEA6054 | ANGLED EXTENSION SURFACES | 86.81 | 39.38 | 3.29 | 1,49 |
| 1 | N | CEA6036 | ANGLED EXTENSION SURFACES | 59.00 | 26.76 | 2.3 | 1,04 |
| 2 | N | CEA6036 | ANGLED EXTENSION SURFACES | 59.00 | 26.76 | 2.3 | 1,04 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|---------|-----------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | CEA6030 | ANGLED EXTENSION SURFACES | 49.72 | 22,55 | 1.96 | 0,89 |
| 2 | N | CEA6030 | ANGLED EXTENSION SURFACES | 49.72 | 22,55 | 1.96 | 0,89 |
| 1 | N | CEA6024 | ANGLED EXTENSION SURFACES | 40.44 | 18,34 | 1.62 | 0,73 |
| 2 | N | CEA6024 | ANGLED EXTENSION SURFACES | 40.44 | 18,34 | 1.62 | 0,73 |
| 1 | N | CEA5454 | ANGLED EXTENSION SURFACES | 78.41 | 35,57 | 2.94 | 1,33 |
| 2 | N | CEA5454 | ANGLED EXTENSION SURFACES | 78.41 | 35,57 | 2.94 | 1,33 |
| 1 | N | CEA5436 | ANGLED EXTENSION SURFACES | 53.32 | 24,19 | 2.05 | 0,93 |
| 2 | N | CEA5436 | ANGLED EXTENSION SURFACES | 53.32 | 24,19 | 2.05 | 0,93 |
| 1 | N | CEA5430 | ANGLED EXTENSION SURFACES | 44.95 | 20,39 | 1.75 | 0,79 |
| 2 | N | CEA5430 | ANGLED EXTENSION SURFACES | 44.95 | 20,39 | 1.75 | 0,79 |
| 1 | N | CEA5424 | ANGLED EXTENSION SURFACES | 36.58 | 16,59 | 1.45 | 0,66 |
| 2 | N | CEA5424 | ANGLED EXTENSION SURFACES | 36.58 | 16,59 | 1.45 | 0,66 |
| 5 | N | CEA6054 | ANGLED EXTENSION SURFACES | 117.06 | 53,10 | 4.64 | 2,10 |
| 6 | N | CEA6054 | ANGLED EXTENSION SURFACES | 117.06 | 53,10 | 4.64 | 2,10 |
| 5 | N | CEA6036 | ANGLED EXTENSION SURFACES | 79.6 | 36,11 | 3.24 | 1,47 |
| 6 | N | CEA6036 | ANGLED EXTENSION SURFACES | 79.6 | 36,11 | 3.24 | 1,47 |
| 5 | N | CEA6030 | ANGLED EXTENSION SURFACES | 67.11 | 30,44 | 2.76 | 1,25 |
| 6 | N | CEA6030 | ANGLED EXTENSION SURFACES | 67.11 | 30,44 | 2.76 | 1,25 |
| 5 | N | CEA6024 | ANGLED EXTENSION SURFACES | 54.61 | 24,77 | 2.28 | 1,03 |
| 6 | N | CEA6024 | ANGLED EXTENSION SURFACES | 54.61 | 24,77 | 2.28 | 1,03 |
| 5 | N | CEA5454 | ANGLED EXTENSION SURFACES | 105.73 | 47,96 | 4.14 | 1,88 |
| 6 | N | CEA5454 | ANGLED EXTENSION SURFACES | 105.73 | 47,96 | 4.14 | 1,88 |
| 5 | N | CEA5436 | ANGLED EXTENSION SURFACES | 71.93 | 32,63 | 2.89 | 1,31 |
| 6 | N | CEA5436 | ANGLED EXTENSION SURFACES | 71.93 | 32,63 | 2.89 | 1,31 |
| 5 | N | CEA5430 | ANGLED EXTENSION SURFACES | 60.65 | 27,51 | 2.47 | 1,12 |
| 6 | N | CEA5430 | ANGLED EXTENSION SURFACES | 60.65 | 27,51 | 2.47 | 1,12 |
| 5 | N | CEA5424 | ANGLED EXTENSION SURFACES | 49.38 | 22,40 | 2.04 | 0,93 |
| 6 | N | CEA5424 | ANGLED EXTENSION SURFACES | 49.38 | 22,40 | 2.04 | 0,93 |
| 5 | K | CEA6054 | ANGLED EXTENSION K SURFACES | 117.06 | 53,10 | 4.64 | 2,10 |
| 6 | K | CEA6054 | ANGLED EXTENSION K SURFACES | 117.06 | 53,10 | 4.64 | 2,10 |
| 5 | K | CEA6036 | ANGLED EXTENSION K SURFACES | 79.6 | 36,11 | 3.24 | 1,47 |
| 6 | K | CEA6036 | ANGLED EXTENSION K SURFACES | 79.6 | 36,11 | 3.24 | 1,47 |
| 5 | K | CEA6030 | ANGLED EXTENSION K SURFACES | 67.11 | 30,44 | 2.76 | 1,25 |
| 6 | K | CEA6030 | ANGLED EXTENSION K SURFACES | 67.11 | 30,44 | 2.76 | 1,25 |
| 5 | K | CEA6024 | ANGLED EXTENSION K SURFACES | 54.61 | 24,77 | 2.28 | 1,03 |
| 6 | K | CEA6024 | ANGLED EXTENSION K SURFACES | 54.61 | 24,77 | 2.28 | 1,03 |
| 5 | K | CEA5454 | ANGLED EXTENSION K SURFACES | 105.73 | 47,96 | 4.14 | 1,88 |
| 6 | K | CEA5454 | ANGLED EXTENSION K SURFACES | 105.73 | 47,96 | 4.14 | 1,88 |
| 5 | K | CEA5436 | ANGLED EXTENSION K SURFACES | 71.93 | 32,63 | 2.89 | 1,31 |
| 6 | K | CEA5436 | ANGLED EXTENSION K SURFACES | 71.93 | 32,63 | 2.89 | 1,31 |
| 5 | K | CEA5430 | ANGLED EXTENSION K SURFACES | 60.65 | 27,51 | 2.47 | 1,12 |
| 6 | K | CEA5430 | ANGLED EXTENSION K SURFACES | 60.65 | 27,51 | 2.47 | 1,12 |
| 5 | K | CEA5424 | ANGLED EXTENSION K SURFACES | 49.38 | 22,40 | 2.04 | 0,93 |
| 6 | K | CEA5424 | ANGLED EXTENSION K SURFACES | 49.38 | 22,40 | 2.04 | 0,93 |
| 1 | N | CE6036 | RECT. EXTENSION SURFACE | 89.94 | 40,80 | 3.97 | 1,80 |
| 2 | N | CE6036 | RECT. EXTENSION SURFACE | 89.94 | 40,80 | 3.97 | 1,80 |
| 1 | N | CE6030 | RECT. EXTENSION SURFACE | 80.38 | 36,46 | 3.33 | 1,51 |
| 2 | N | CE6030 | RECT. EXTENSION SURFACE | 80.38 | 36,46 | 3.33 | 1,51 |
| 1 | N | CE6024 | RECT. EXTENSION SURFACE | 70.83 | 32,13 | 2.7 | 1,22 |
| 2 | N | CE6024 | RECT. EXTENSION SURFACE | 70.83 | 32,13 | 2.7 | 1,22 |
| 1 | N | CE5436 | RECT. EXTENSION SURFACE | 84.02 | 38,11 | 3.58 | 1,62 |
| 2 | N | CE5436 | RECT. EXTENSION SURFACE | 84.02 | 38,11 | 3.58 | 1,62 |
| 1 | N | CE5430 | RECT. EXTENSION SURFACE | 75.37 | 34,19 | 3.01 | 1,37 |
| 2 | N | CE5430 | RECT. EXTENSION SURFACE | 75.37 | 34,19 | 3.01 | 1,37 |
| 1 | N | CE5424 | RECT. EXTENSION SURFACE | 66.73 | 30,27 | 2.44 | 1,11 |
| 2 | N | CE5424 | RECT. EXTENSION SURFACE | 66.73 | 30,27 | 2.44 | 1,11 |
| 5 | N | CE6036 | RECT. EXTENSION SURFACE | 110.3 | 50,03 | 4.74 | 2,15 |
| 6 | N | CE6036 | RECT. EXTENSION SURFACE | 110.3 | 50,03 | 4.74 | 2,15 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | CE6030 | RECT. EXTENSION SURFACE | 97.53 | 44,24 | 3.08 | 1,40 |
| 6 | N | CE6030 | RECT. EXTENSION SURFACE | 97.53 | 44,24 | 3.08 | 1,40 |
| 5 | N | CE6024 | RECT. EXTENSION SURFACE | 84.77 | 38,45 | 3.23 | 1,47 |
| 6 | N | CE6024 | RECT. EXTENSION SURFACE | 84.77 | 38,45 | 3.23 | 1,47 |
| 5 | N | CE5436 | RECT. EXTENSION SURFACE | 102.41 | 46,45 | 4.28 | 1,94 |
| 6 | N | CE5436 | RECT. EXTENSION SURFACE | 102.41 | 46,45 | 4.28 | 1,94 |
| 5 | N | CE5430 | RECT. EXTENSION SURFACE | 90.86 | 41,21 | 3.6 | 1,63 |
| 6 | N | CE5430 | RECT. EXTENSION SURFACE | 90.86 | 41,21 | 3.6 | 1,63 |
| 5 | N | CE5424 | RECT. EXTENSION SURFACE | 79.32 | 35,98 | 2.92 | 1,32 |
| 6 | N | CE5424 | RECT. EXTENSION SURFACE | 79.32 | 35,98 | 2.92 | 1,32 |
| 5 | K | CE6036 | RECT. EXTENSION K SURFACE | 110.3 | 50,03 | 4.74 | 2,15 |
| 6 | K | CE6036 | RECT. EXTENSION K SURFACE | 110.3 | 50,03 | 4.74 | 2,15 |
| 5 | K | CE6030 | RECT. EXTENSION K SURFACE | 97.53 | 44,24 | 3.08 | 1,40 |
| 6 | K | CE6030 | RECT. EXTENSION K SURFACE | 97.53 | 44,24 | 3.08 | 1,40 |
| 5 | K | CE6024 | RECT. EXTENSION K SURFACE | 84.77 | 38,45 | 3.23 | 1,47 |
| 6 | K | CE6024 | RECT. EXTENSION K SURFACE | 84.77 | 38,45 | 3.23 | 1,47 |
| 5 | K | CE5436 | RECT. EXTENSION K SURFACE | 102.41 | 46,45 | 4.28 | 1,94 |
| 6 | K | CE5436 | RECT. EXTENSION K SURFACE | 102.41 | 46,45 | 4.28 | 1,94 |
| 5 | K | CE5430 | RECT. EXTENSION K SURFACE | 90.86 | 41,21 | 3.6 | 1,63 |
| 6 | K | CE5430 | RECT. EXTENSION K SURFACE | 90.86 | 41,21 | 3.6 | 1,63 |
| 5 | K | CE5424 | RECT. EXTENSION K SURFACE | 79.32 | 35,98 | 2.92 | 1,32 |
| 6 | K | CE5424 | RECT. EXTENSION K SURFACE | 79.32 | 35,98 | 2.92 | 1,32 |
| 1 | N | R3672ELUF | RETURN SURFACE & STORAGE BBF | 206.65 | 93,73 | 16.58 | 7,52 |
| 2 | N | R3672ELUF | RETURN SURFACE & STORAGE BBF | 206.65 | 93,73 | 16.58 | 7,52 |
| 1 | N | R3660ELUF | RETURN SURFACE & STORAGE BBF | 195.39 | 88,63 | 16.19 | 7,34 |
| 2 | N | R3660ELUF | RETURN SURFACE & STORAGE BBF | 195.39 | 88,63 | 16.19 | 7,34 |
| 1 | N | R3648ELUF | RETURN SURFACE & STORAGE BBF | 184.09 | 83,50 | 15.75 | 7,14 |
| 2 | N | R3648ELUF | RETURN SURFACE & STORAGE BBF | 184.09 | 83,50 | 15.75 | 7,14 |
| 1 | N | R3072ELUF | RETURN SURFACE & STORAGE BBF | 180.13 | 81,71 | 13.99 | 6,35 |
| 2 | N | R3072ELUF | RETURN SURFACE & STORAGE BBF | 180.13 | 81,71 | 13.99 | 6,35 |
| 1 | N | R3060ELUF | RETURN SURFACE & STORAGE BBF | 170.69 | 77,42 | 13.65 | 6,19 |
| 2 | N | R3060ELUF | RETURN SURFACE & STORAGE BBF | 170.69 | 77,42 | 13.65 | 6,19 |
| 1 | N | R3048ELUF | RETURN SURFACE & STORAGE BBF | 161.2 | 73,12 | 13.28 | 6,02 |
| 2 | N | R3048ELUF | RETURN SURFACE & STORAGE BBF | 161.2 | 73,12 | 13.28 | 6,02 |
| 1 | N | R2472ELUF | RETURN SURFACE & STORAGE BBF | 161.15 | 73,10 | 11.3 | 5,13 |
| 2 | N | R2472ELUF | RETURN SURFACE & STORAGE BBF | 161.15 | 73,10 | 11.3 | 5,13 |
| 1 | N | R2460ELUF | RETURN SURFACE & STORAGE BBF | 153.54 | 69,64 | 11.03 | 5,00 |
| 2 | N | R2460ELUF | RETURN SURFACE & STORAGE BBF | 153.54 | 69,64 | 11.03 | 5,00 |
| 1 | N | R2448ELUF | RETURN SURFACE & STORAGE BBF | 145.9 | 66,18 | 10.74 | 4,87 |
| 2 | N | R2448ELUF | RETURN SURFACE & STORAGE BBF | 145.9 | 66,18 | 10.74 | 4,87 |
| 5 | N | R3672ELUF | RETURN SURFACE & STORAGE BBF | 231.19 | 104,87 | 17.68 | 8,02 |
| 6 | N | R3672ELUF | RETURN SURFACE & STORAGE BBF | 231.19 | 104,87 | 17.68 | 8,02 |
| 5 | N | R3660ELUF | RETURN SURFACE & STORAGE BBF | 215.99 | 97,97 | 17.13 | 7,77 |
| 6 | N | R3660ELUF | RETURN SURFACE & STORAGE BBF | 215.99 | 97,97 | 17.13 | 7,77 |
| 5 | N | R3648ELUF | RETURN SURFACE & STORAGE BBF | 200.73 | 91,05 | 16.51 | 7,49 |
| 6 | N | R3648ELUF | RETURN SURFACE & STORAGE BBF | 200.73 | 91,05 | 16.51 | 7,49 |
| 5 | N | R3072ELUF | RETURN SURFACE & STORAGE BBF | 200.84 | 91,10 | 14.92 | 6,77 |
| 6 | N | R3072ELUF | RETURN SURFACE & STORAGE BBF | 200.84 | 91,10 | 14.92 | 6,77 |
| 5 | N | R3060ELUF | RETURN SURFACE & STORAGE BBF | 188.08 | 85,31 | 14.45 | 6,55 |
| 6 | N | R3060ELUF | RETURN SURFACE & STORAGE BBF | 188.08 | 85,31 | 14.45 | 6,55 |
| 5 | N | R3048ELUF | RETURN SURFACE & STORAGE BBF | 175.25 | 79,49 | 13.93 | 6,32 |
| 6 | N | R3048ELUF | RETURN SURFACE & STORAGE BBF | 175.25 | 79,49 | 13.93 | 6,32 |
| 5 | N | R2472ELUF | RETURN SURFACE & STORAGE BBF | 178.26 | 80,86 | 12.17 | 5,52 |
| 6 | N | R2472ELUF | RETURN SURFACE & STORAGE BBF | 178.29 | 80,87 | 12.17 | 5,52 |
| 5 | N | R2460ELUF | RETURN SURFACE & STORAGE BBF | 167.94 | 76,18 | 11.78 | 5,34 |
| 6 | N | R2460ELUF | RETURN SURFACE & STORAGE BBF | 167.94 | 76,18 | 11.78 | 5,34 |
| 5 | N | R2448ELUF | RETURN SURFACE & STORAGE BBF | 157.55 | 71,46 | 11.34 | 5,14 |
| 6 | N | R2448ELUF | RETURN SURFACE & STORAGE BBF | 157.55 | 71,46 | 11.34 | 5,14 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | R3472ELUF | RETURN K SURFACE & STORAGE BBF | 210.05 | 95.28 | 15.26 | 6.92 |
| 6 | K | R3472ELUF | RETURN K SURFACE & STORAGE BBF | 210.05 | 95.28 | 15.26 | 6.92 |
| 5 | K | R3460ELUF | RETURN K SURFACE & STORAGE BBF | 195.91 | 88.86 | 14.74 | 6.69 |
| 6 | K | R3460ELUF | RETURN K SURFACE & STORAGE BBF | 195.91 | 88.86 | 14.74 | 6.69 |
| 5 | K | R3448ELUF | RETURN K SURFACE & STORAGE BBF | 181.73 | 82.43 | 14.16 | 6.42 |
| 6 | K | R3448ELUF | RETURN K SURFACE & STORAGE BBF | 181.73 | 82.43 | 14.16 | 6.42 |
| 5 | K | R2872ELUF | RETURN K SURFACE & STORAGE BBF | 188.21 | 85.37 | 12.52 | 5.68 |
| 6 | K | R2872ELUF | RETURN K SURFACE & STORAGE BBF | 188.21 | 85.37 | 12.52 | 5.68 |
| 5 | K | R2860ELUF | RETURN K SURFACE & STORAGE BBF | 176.26 | 79.95 | 12.08 | 5.48 |
| 6 | K | R2860ELUF | RETURN K SURFACE & STORAGE BBF | 176.26 | 79.95 | 12.08 | 5.48 |
| 5 | K | R2848ELUF | RETURN K SURFACE & STORAGE BBF | 164.24 | 74.50 | 11.59 | 5.26 |
| 6 | K | R2848ELUF | RETURN K SURFACE & STORAGE BBF | 164.24 | 74.50 | 11.59 | 5.26 |
| 1 | N | R3672ELF | RETURN SURFACE & STORAGE FF | 200.63 | 91.00 | 16.58 | 7.52 |
| 2 | N | R3672ELF | RETURN SURFACE & STORAGE FF | 200.6 | 90.99 | 16.58 | 7.52 |
| 1 | N | R3660ELF | RETURN SURFACE & STORAGE FF | 189.37 | 85.90 | 16.19 | 7.34 |
| 2 | N | R3660ELF | RETURN SURFACE & STORAGE FF | 189.37 | 85.90 | 16.19 | 7.34 |
| 1 | N | R3648ELF | RETURN SURFACE & STORAGE FF | 178.07 | 80.77 | 15.75 | 7.14 |
| 2 | N | R3648ELF | RETURN SURFACE & STORAGE FF | 178.07 | 80.77 | 15.75 | 7.14 |
| 1 | N | R3072ELF | RETURN SURFACE & STORAGE FF | 171.31 | 77.70 | 13.99 | 6.35 |
| 2 | N | R3072ELF | RETURN SURFACE & STORAGE FF | 171.31 | 77.70 | 13.99 | 6.35 |
| 1 | N | R3060ELF | RETURN SURFACE & STORAGE FF | 161.87 | 73.42 | 13.65 | 6.19 |
| 2 | N | R3060ELF | RETURN SURFACE & STORAGE FF | 161.87 | 73.42 | 13.65 | 6.19 |
| 1 | N | R3048ELF | RETURN SURFACE & STORAGE FF | 152.38 | 69.12 | 13.28 | 6.02 |
| 2 | N | R3048ELF | RETURN SURFACE & STORAGE FF | 152.38 | 69.12 | 13.28 | 6.02 |
| 1 | N | R2472ELF | RETURN SURFACE & STORAGE FF | 150.86 | 68.43 | 11.3 | 5.13 |
| 2 | N | R2472ELF | RETURN SURFACE & STORAGE FF | 150.86 | 68.43 | 11.3 | 5.13 |
| 1 | N | R2460ELF | RETURN SURFACE & STORAGE FF | 143.22 | 64.96 | 11.03 | 5.00 |
| 2 | N | R2460ELF | RETURN SURFACE & STORAGE FF | 143.22 | 64.96 | 11.03 | 5.00 |
| 1 | N | R2448ELF | RETURN SURFACE & STORAGE FF | 135.56 | 61.49 | 10.74 | 4.87 |
| 2 | N | R2448ELF | RETURN SURFACE & STORAGE FF | 135.56 | 61.49 | 10.74 | 4.87 |
| 5 | N | R3672ELF | RETURN SURFACE & STORAGE FF | 225.17 | 102.14 | 17.68 | 8.02 |
| 6 | N | R3672ELF | RETURN SURFACE & STORAGE FF | 225.17 | 102.14 | 17.68 | 8.02 |
| 5 | N | R3660ELF | RETURN SURFACE & STORAGE FF | 209.97 | 95.24 | 17.13 | 7.77 |
| 6 | N | R3660ELF | RETURN SURFACE & STORAGE FF | 200.97 | 91.16 | 17.13 | 7.77 |
| 5 | N | R3648ELF | RETURN SURFACE & STORAGE FF | 194.71 | 88.32 | 16.51 | 7.49 |
| 6 | N | R3648ELF | RETURN SURFACE & STORAGE FF | 197.71 | 89.68 | 16.51 | 7.49 |
| 5 | N | R3072ELF | RETURN SURFACE & STORAGE FF | 192.02 | 87.10 | 14.92 | 6.77 |
| 6 | N | R3072ELF | RETURN SURFACE & STORAGE FF | 192.02 | 87.10 | 14.92 | 6.77 |
| 5 | N | R3060ELF | RETURN SURFACE & STORAGE FF | 179.26 | 81.31 | 14.45 | 6.55 |
| 6 | N | R3060ELF | RETURN SURFACE & STORAGE FF | 179.26 | 81.31 | 14.45 | 6.55 |
| 5 | N | R3048ELF | RETURN SURFACE & STORAGE FF | 166.43 | 75.49 | 13.93 | 6.32 |
| 6 | N | R3048ELF | RETURN SURFACE & STORAGE FF | 166.43 | 75.49 | 13.93 | 6.32 |
| 5 | N | R2472ELF | RETURN SURFACE & STORAGE FF | 167.72 | 76.08 | 12.17 | 5.52 |
| 6 | N | R2472ELF | RETURN SURFACE & STORAGE FF | 167.72 | 76.08 | 12.17 | 5.52 |
| 5 | N | R2460ELF | RETURN SURFACE & STORAGE FF | 157.4 | 71.40 | 11.78 | 5.34 |
| 6 | N | R2460ELF | RETURN SURFACE & STORAGE FF | 157.4 | 71.40 | 11.78 | 5.34 |
| 5 | N | R2448ELF | RETURN SURFACE & STORAGE FF | 147.01 | 66.68 | 11.34 | 5.14 |
| 6 | N | R2448ELF | RETURN SURFACE & STORAGE FF | 147.01 | 66.68 | 11.34 | 5.14 |
| 5 | K | R3472ELF | RETURN K SURFACE & STORAGE FF | 201.95 | 91.60 | 15.26 | 6.92 |
| 6 | K | R3472ELF | RETURN K SURFACE & STORAGE FF | 201.95 | 91.60 | 15.26 | 6.92 |
| 5 | K | R3460ELF | RETURN K SURFACE & STORAGE FF | 187.56 | 85.08 | 14.74 | 6.69 |
| 6 | K | R3460ELF | RETURN K SURFACE & STORAGE FF | 187.56 | 85.08 | 14.74 | 6.69 |
| 5 | K | R3448ELF | RETURN K SURFACE & STORAGE FF | 173.11 | 78.52 | 14.16 | 6.42 |
| 6 | K | R3448ELF | RETURN K SURFACE & STORAGE FF | 173.11 | 78.52 | 14.16 | 6.42 |
| 5 | K | R2872ELF | RETURN K SURFACE & STORAGE FF | 177.67 | 80.59 | 12.52 | 5.68 |
| 6 | K | R2872ELF | RETURN K SURFACE & STORAGE FF | 177.67 | 80.59 | 12.52 | 5.68 |
| 5 | K | R2860ELF | RETURN K SURFACE & STORAGE FF | 165.72 | 75.17 | 12.08 | 5.48 |
| 6 | K | R2860ELF | RETURN K SURFACE & STORAGE FF | 165.72 | 75.17 | 12.08 | 5.48 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | R2848ELF | RETURN K SURFACE & STORAGE FF | 153.7 | 69.72 | 11.59 | 5.26 |
| 6 | K | R2848ELF | RETURN K SURFACE & STORAGE FF | 153.7 | 69.72 | 11.59 | 5.26 |
| 1 | N | R3672UF | RETURN SURFACE & STORAGE BBF | 185.53 | 84.15 | 14.3 | 6.49 |
| 2 | N | R3672UF | RETURN SURFACE & STORAGE BBF | 185.53 | 84.15 | 14.3 | 6.49 |
| 1 | N | R3660UF | RETURN SURFACE & STORAGE BBF | 174.26 | 79.04 | 13.91 | 6.31 |
| 2 | N | R3660UF | RETURN SURFACE & STORAGE BBF | 174.26 | 79.04 | 13.91 | 6.31 |
| 1 | N | R3648UF | RETURN SURFACE & STORAGE BBF | 162.96 | 73.92 | 13.47 | 6.11 |
| 2 | N | R3648UF | RETURN SURFACE & STORAGE BBF | 162.96 | 73.92 | 13.47 | 6.11 |
| 1 | N | R3072UF | RETURN SURFACE & STORAGE BBF | 162.65 | 73.78 | 12.07 | 5.47 |
| 2 | N | R3072UF | RETURN SURFACE & STORAGE BBF | 162.65 | 73.78 | 12.07 | 5.47 |
| 1 | N | R3060UF | RETURN SURFACE & STORAGE BBF | 153.2 | 69.49 | 11.73 | 5.32 |
| 2 | N | R3060UF | RETURN SURFACE & STORAGE BBF | 153.2 | 69.49 | 11.73 | 5.32 |
| 1 | N | R3048UF | RETURN SURFACE & STORAGE BBF | 143.72 | 65.19 | 11.36 | 5.15 |
| 2 | N | R3048UF | RETURN SURFACE & STORAGE BBF | 143.72 | 65.19 | 11.36 | 5.15 |
| 1 | N | R2472UF | RETURN SURFACE & STORAGE BBF | 139.77 | 63.40 | 9.83 | 4.46 |
| 2 | N | R2472UF | RETURN SURFACE & STORAGE BBF | 139.77 | 63.40 | 9.83 | 4.46 |
| 1 | N | R2460UF | RETURN SURFACE & STORAGE BBF | 132.14 | 59.94 | 9.55 | 4.33 |
| 2 | N | R2460UF | RETURN SURFACE & STORAGE BBF | 132.14 | 59.94 | 9.55 | 4.33 |
| 1 | N | R2448UF | RETURN SURFACE & STORAGE BBF | 124.47 | 56.46 | 9.25 | 4.20 |
| 2 | N | R2448UF | RETURN SURFACE & STORAGE BBF | 124.47 | 56.46 | 9.25 | 4.20 |
| 5 | N | R3672UF | RETURN SURFACE & STORAGE BBF | 210.07 | 95.29 | 15.4 | 6.99 |
| 6 | N | R3672UF | RETURN SURFACE & STORAGE BBF | 210.07 | 95.29 | 15.4 | 6.99 |
| 5 | N | R3660UF | RETURN SURFACE & STORAGE BBF | 194.87 | 88.39 | 14.84 | 6.73 |
| 6 | N | R3660UF | RETURN SURFACE & STORAGE BBF | 194.87 | 88.39 | 14.84 | 6.73 |
| 5 | N | R3648UF | RETURN SURFACE & STORAGE BBF | 179.61 | 81.47 | 14.23 | 6.45 |
| 6 | N | R3648UF | RETURN SURFACE & STORAGE BBF | 179.61 | 81.47 | 14.23 | 6.45 |
| 5 | N | R3072UF | RETURN SURFACE & STORAGE BBF | 183.35 | 83.17 | 13.00 | 5.90 |
| 6 | N | R3072UF | RETURN SURFACE & STORAGE BBF | 183.35 | 83.17 | 13.00 | 5.90 |
| 5 | N | R3060UF | RETURN SURFACE & STORAGE BBF | 170.59 | 77.38 | 12.53 | 5.68 |
| 6 | N | R3060UF | RETURN SURFACE & STORAGE BBF | 170.59 | 77.38 | 12.53 | 5.68 |
| 5 | N | R3048UF | RETURN SURFACE & STORAGE BBF | 157.8 | 71.58 | 12.01 | 5.45 |
| 6 | N | R3048UF | RETURN SURFACE & STORAGE BBF | 157.77 | 71.56 | 12.01 | 5.45 |
| 5 | N | R2472UF | RETURN SURFACE & STORAGE BBF | 156.64 | 71.05 | 10.61 | 4.81 |
| 6 | N | R2472UF | RETURN SURFACE & STORAGE BBF | 156.64 | 71.05 | 10.61 | 4.81 |
| 5 | N | R2460UF | RETURN SURFACE & STORAGE BBF | 146.31 | 66.37 | 10.22 | 4.64 |
| 6 | N | R2460UF | RETURN SURFACE & STORAGE BBF | 146.31 | 66.37 | 10.22 | 4.64 |
| 5 | N | R2448UF | RETURN SURFACE & STORAGE BBF | 135.93 | 61.66 | 9.78 | 4.44 |
| 6 | N | R2448UF | RETURN SURFACE & STORAGE BBF | 135.93 | 61.66 | 9.78 | 4.44 |
| 5 | K | R3472UF | RETURN K SURFACE & STORAGE BBF | 193.3 | 87.68 | 13.56 | 6.15 |
| 6 | K | R3472UF | RETURN K SURFACE & STORAGE BBF | 193.3 | 87.68 | 13.56 | 6.15 |
| 5 | K | R3460UF | RETURN K SURFACE & STORAGE BBF | 178.91 | 81.15 | 12.83 | 5.82 |
| 6 | K | R3460UF | RETURN K SURFACE & STORAGE BBF | 178.91 | 81.15 | 12.83 | 5.82 |
| 5 | K | R3448UF | RETURN K SURFACE & STORAGE BBF | 164.46 | 74.60 | 12.25 | 5.56 |
| 6 | K | R3448UF | RETURN K SURFACE & STORAGE BBF | 164.46 | 74.60 | 12.25 | 5.56 |
| 5 | K | R2872UF | RETURN K SURFACE & STORAGE BBF | 166.58 | 75.56 | 10.96 | 4.97 |
| 6 | K | R2872UF | RETURN K SURFACE & STORAGE BBF | 166.58 | 75.56 | 10.96 | 4.97 |
| 5 | K | R2860UF | RETURN K SURFACE & STORAGE BBF | 154.63 | 70.14 | 10.52 | 4.77 |
| 6 | K | R2860UF | RETURN K SURFACE & STORAGE BBF | 154.63 | 70.14 | 10.52 | 4.77 |
| 5 | K | R2848UF | RETURN K SURFACE & STORAGE BBF | 142.62 | 64.69 | 10.03 | 4.55 |
| 6 | K | R2848UF | RETURN K SURFACE & STORAGE BBF | 142.62 | 64.69 | 10.03 | 4.55 |
| 1 | N | R367248ELUF | RETURN SURFACE & STOR BBF,48"H | 233.58 | 105.95 | 26.08 | 11.83 |
| 2 | N | R367248ELUF | RETURN SURFACE & STOR BBF,48"H | 233.58 | 105.95 | 26.08 | 11.83 |
| 1 | N | R366048ELUF | RETURN SURFACE & STOR BBF,48"H | 228.00 | 103.42 | 25.94 | 11.77 |
| 2 | N | R366048ELUF | RETURN SURFACE & STOR BBF,48"H | 228.00 | 103.42 | 25.94 | 11.77 |
| 1 | N | R307248ELUF | RETURN SURFACE & STOR BBF,48"H | 209.85 | 95.19 | 21.98 | 9.97 |
| 2 | N | R307248ELUF | RETURN SURFACE & STOR BBF,48"H | 209.85 | 95.19 | 21.98 | 9.97 |
| 1 | N | R306048ELUF | RETURN SURFACE & STOR BBF,48"H | 205.17 | 93.06 | 21.85 | 9.91 |
| 2 | N | R306048ELUF | RETURN SURFACE & STOR BBF,48"H | 205.17 | 93.06 | 21.85 | 9.91 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | R247248ELUF | RETURN SURFACE & STOR BBF,48"H | 185.21 | 84,01 | 17.87 | 8,11 |
| 2 | N | R247248ELUF | RETURN SURFACE & STOR BBF,48"H | 185.21 | 84,01 | 17.87 | 8,11 |
| 1 | N | R246048ELUF | RETURN SURFACE & STOR BBF,48"H | 181.44 | 82,30 | 17.77 | 8,06 |
| 2 | N | R246048ELUF | RETURN SURFACE & STOR BBF,48"H | 181.44 | 82,30 | 17.77 | 8,06 |
| 5 | N | R367248ELUF | RETURN SURFACE & STOR BBF,48"H | 257.24 | 116,68 | 26.9 | 12,20 |
| 6 | N | R367248ELUF | RETURN SURFACE & STOR BBF,48"H | 257.24 | 116,68 | 26.9 | 12,20 |
| 5 | N | R366048ELUF | RETURN SURFACE & STOR BBF,48"H | 249.72 | 113,27 | 26.7 | 12,11 |
| 6 | N | R366048ELUF | RETURN SURFACE & STOR BBF,48"H | 249.72 | 113,27 | 26.7 | 12,11 |
| 5 | N | R307248ELUF | RETURN SURFACE & STOR BBF,48"H | 229.7 | 104,19 | 22.68 | 10,29 |
| 6 | N | R307248ELUF | RETURN SURFACE & STOR BBF,48"H | 229.7 | 104,19 | 22.68 | 10,29 |
| 5 | N | R306048ELUF | RETURN SURFACE & STOR BBF,48"H | 223.4 | 101,33 | 22.5 | 10,21 |
| 6 | N | R306048ELUF | RETURN SURFACE & STOR BBF,48"H | 223.4 | 101,33 | 22.5 | 10,21 |
| 5 | N | R247248ELUF | RETURN SURFACE & STOR BBF,48"H | 201.25 | 91,29 | 18.45 | 8,37 |
| 6 | N | R247248ELUF | RETURN SURFACE & STOR BBF,48"H | 201.25 | 91,29 | 18.45 | 8,37 |
| 5 | N | R246048ELUF | RETURN SURFACE & STOR BBF,48"H | 196.17 | 88,98 | 18.3 | 8,30 |
| 6 | N | R246048ELUF | RETURN SURFACE & STOR BBF,48"H | 196.17 | 88,98 | 18.3 | 8,30 |
| 5 | K | R367248ELUF | RETURN K SURF & STOR BBF, 48"H | 257.24 | 116,68 | 26.9 | 12,20 |
| 6 | K | R367248ELUF | RETURN K SURF & STOR BBF, 48"H | 257.24 | 116,68 | 26.9 | 12,20 |
| 5 | K | R366048ELUF | RETURN K SURF & STOR BBF, 48"H | 249.72 | 113,27 | 26.7 | 12,11 |
| 6 | K | R366048ELUF | RETURN K SURF & STOR BBF, 48"H | 249.72 | 113,27 | 26.7 | 12,11 |
| 5 | K | R307248ELUF | RETURN K SURF & STOR BBF, 48"H | 229.7 | 104,19 | 22.68 | 10,29 |
| 6 | K | R307248ELUF | RETURN K SURF & STOR BBF, 48"H | 229.7 | 104,19 | 22.68 | 10,29 |
| 5 | K | R306048ELUF | RETURN K SURF & STOR BBF, 48"H | 223.4 | 101,33 | 22.5 | 10,21 |
| 6 | K | R306048ELUF | RETURN K SURF & STOR BBF, 48"H | 223.4 | 101,33 | 22.5 | 10,21 |
| 5 | K | R247248ELUF | RETURN K SURF & STOR BBF, 48"H | 201.25 | 91,29 | 18.45 | 8,37 |
| 6 | K | R247248ELUF | RETURN K SURF & STOR BBF, 48"H | 201.25 | 91,29 | 18.45 | 8,37 |
| 5 | K | R246048ELUF | RETURN K SURF & STOR BBF, 48"H | 196.17 | 88,98 | 18.3 | 8,30 |
| 6 | K | R246048ELUF | RETURN K SURF & STOR BBF, 48"H | 196.17 | 88,98 | 18.3 | 8,30 |
| 1 | N | R367248ELF | RETURN SURFACE & STOR FF,48"H | 192.52 | 87,33 | 26.08 | 11,83 |
| 2 | N | R367248ELF | RETURN SURFACE & STOR FF,48"H | 192.52 | 87,33 | 26.08 | 11,83 |
| 1 | N | R366048ELF | RETURN SURFACE & STOR FF,48"H | 222.38 | 100,87 | 25.94 | 11,77 |
| 2 | N | R366048ELF | RETURN SURFACE & STOR FF,48"H | 222.38 | 100,87 | 25.94 | 11,77 |
| 1 | N | R307248ELF | RETURN SURFACE & STOR FF,48"H | 204.23 | 92,64 | 21.98 | 9,97 |
| 2 | N | R307248ELF | RETURN SURFACE & STOR FF,48"H | 204.23 | 92,64 | 21.98 | 9,97 |
| 1 | N | R306048ELF | RETURN SURFACE & STOR FF,48"H | 199.55 | 90,51 | 21.85 | 9,91 |
| 2 | N | R306048ELF | RETURN SURFACE & STOR FF,48"H | 199.55 | 90,51 | 21.85 | 9,91 |
| 1 | N | R247248ELF | RETURN SURFACE & STOR FF,48"H | 179.59 | 81,46 | 17.87 | 8,11 |
| 2 | N | R247248ELF | RETURN SURFACE & STOR FF,48"H | 179.59 | 81,46 | 17.87 | 8,11 |
| 1 | N | R246048ELF | RETURN SURFACE & STOR FF,48"H | 175.82 | 79,75 | 17.77 | 8,06 |
| 2 | N | R246048ELF | RETURN SURFACE & STOR FF,48"H | 175.82 | 79,75 | 17.77 | 8,06 |
| 5 | N | R367248ELF | RETURN SURFACE & STOR FF,48"H | 251.62 | 114,13 | 26.9 | 12,20 |
| 6 | N | R367248ELF | RETURN SURFACE & STOR FF,48"H | 251.62 | 114,13 | 26.9 | 12,20 |
| 5 | N | R366048ELF | RETURN SURFACE & STOR FF,48"H | 244.1 | 110,72 | 26.7 | 12,11 |
| 6 | N | R366048ELF | RETURN SURFACE & STOR FF,48"H | 244.1 | 110,72 | 26.7 | 12,11 |
| 5 | N | R307248ELF | RETURN SURFACE & STOR FF,48"H | 224.08 | 101,64 | 22.68 | 10,29 |
| 6 | N | R307248ELF | RETURN SURFACE & STOR FF,48"H | 224.08 | 101,64 | 22.68 | 10,29 |
| 5 | N | R306048ELF | RETURN SURFACE & STOR FF,48"H | 217.78 | 98,78 | 22.5 | 10,21 |
| 6 | N | R306048ELF | RETURN SURFACE & STOR FF,48"H | 217.78 | 98,78 | 22.5 | 10,21 |
| 5 | N | R247248ELF | RETURN SURFACE & STOR FF,48"H | 195.63 | 88,74 | 18.45 | 8,37 |
| 6 | N | R247248ELF | RETURN SURFACE & STOR FF,48"H | 195.63 | 88,74 | 18.45 | 8,37 |
| 5 | N | R246048ELF | RETURN SURFACE & STOR FF,48"H | 190.55 | 86,43 | 18.3 | 8,30 |
| 6 | N | R246048ELF | RETURN SURFACE & STOR FF,48"H | 190.55 | 86,43 | 18.3 | 8,30 |
| 5 | K | R367248ELF | RETURN K SURF & STOR FF, 48"H | 251.62 | 114,13 | 26.9 | 12,20 |
| 6 | K | R367248ELF | RETURN K SURF & STOR FF, 48"H | 251.62 | 114,13 | 26.9 | 12,20 |
| 5 | K | R366048ELF | RETURN K SURF & STOR FF, 48"H | 244.1 | 110,72 | 26.7 | 12,11 |
| 6 | K | R366048ELF | RETURN K SURF & STOR FF, 48"H | 244.1 | 110,72 | 26.7 | 12,11 |
| 5 | K | R307248ELF | RETURN K SURF & STOR FF, 48"H | 224.08 | 101,64 | 22.68 | 10,29 |
| 6 | K | R307248ELF | RETURN K SURF & STOR FF, 48"H | 224.08 | 101,64 | 22.68 | 10,29 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | K | R306048ELF | RETURN K SURF & STOR FF, 48"H | 217.78 | 98,78 | 22.5 | 10,21 |
| 6 | K | R306048ELF | RETURN K SURF & STOR FF, 48"H | 217.78 | 98,78 | 22.5 | 10,21 |
| 5 | K | R247248ELF | RETURN K SURF & STOR FF, 48"H | 195.63 | 88,74 | 18.45 | 8,37 |
| 6 | K | R247248ELF | RETURN K SURF & STOR FF, 48"H | 195.63 | 88,74 | 18.45 | 8,37 |
| 5 | K | R246048ELF | RETURN K SURF & STOR FF, 48"H | 190.55 | 86,43 | 18.3 | 8,30 |
| 6 | K | R246048ELF | RETURN K SURF & STOR FF, 48"H | 190.55 | 86,43 | 18.3 | 8,30 |
| 1 | N | R367248UF | RET SURF & STOR OPEN&BBF,48"H | 220.95 | 100,22 | 21.84 | 9,91 |
| 2 | N | R367248UF | RET SURF & STOR OPEN&BBF,48"H | 220.95 | 100,22 | 21.84 | 9,91 |
| 1 | N | R366048UF | RET SURF & STOR OPEN&BBF,48"H | 215.3 | 97,66 | 21.63 | 9,81 |
| 2 | N | R366048UF | RET SURF & STOR OPEN&BBF,48"H | 215.3 | 97,66 | 21.63 | 9,81 |
| 1 | N | R307248UF | RET SURF & STOR OPEN&BBF,48"H | 194.12 | 88,05 | 18.41 | 8,35 |
| 2 | N | R307248UF | RET SURF & STOR OPEN&BBF,48"H | 194.12 | 88,05 | 18.41 | 8,35 |
| 1 | N | R306048UF | RET SURF & STOR OPEN&BBF,48"H | 189.38 | 85,90 | 18.23 | 8,27 |
| 2 | N | R306048UF | RET SURF & STOR OPEN&BBF,48"H | 189.38 | 85,90 | 18.23 | 8,27 |
| 1 | N | R247248UF | RET SURF & STOR OPEN&BBF,48"H | 167.29 | 75,88 | 14.97 | 6,79 |
| 2 | N | R247248UF | RET SURF & STOR OPEN&BBF,48"H | 167.29 | 75,88 | 14.97 | 6,79 |
| 1 | N | R246048UF | RET SURF & STOR OPEN&BBF,48"H | 163.46 | 74,14 | 14.83 | 6,73 |
| 2 | N | R246048UF | RET SURF & STOR OPEN&BBF,48"H | 163.46 | 74,14 | 14.83 | 6,73 |
| 5 | N | R367248UF | RET SURF & STOR OPEN&BBF,48"H | 244.7 | 110,99 | 22.71 | 10,30 |
| 6 | N | R367248UF | RET SURF & STOR OPEN&BBF,48"H | 244.7 | 110,99 | 22.71 | 10,30 |
| 5 | N | R366048UF | RET SURF & STOR OPEN&BBF,48"H | 237.08 | 107,54 | 22.41 | 10,17 |
| 6 | N | R366048UF | RET SURF & STOR OPEN&BBF,48"H | 237.08 | 107,54 | 22.41 | 10,17 |
| 5 | N | R307248UF | RET SURF & STOR OPEN&BBF,48"H | 214.09 | 97,11 | 19.14 | 8,68 |
| 6 | N | R307248UF | RET SURF & STOR OPEN&BBF,48"H | 214.09 | 97,11 | 19.14 | 8,68 |
| 5 | N | R306048UF | RET SURF & STOR OPEN&BBF,48"H | 207.69 | 94,21 | 18.89 | 8,57 |
| 6 | N | R306048UF | RET SURF & STOR OPEN&BBF,48"H | 207.69 | 94,21 | 18.89 | 8,57 |
| 5 | N | R247248UF | RET SURF & STOR OPEN&BBF,48"H | 183.48 | 83,23 | 15.58 | 7,07 |
| 6 | N | R247248UF | RET SURF & STOR OPEN&BBF,48"H | 183.48 | 83,23 | 15.58 | 7,07 |
| 5 | N | R246048UF | RET SURF & STOR OPEN&BBF,48"H | 178.29 | 80,87 | 15.37 | 6,97 |
| 6 | N | R246048UF | RET SURF & STOR OPEN&BBF,48"H | 178.29 | 80,87 | 15.37 | 6,97 |
| 5 | K | R367248UF | RET SURF K& STOR OPEN&BBF,48"H | 244.7 | 110,99 | 22.71 | 10,30 |
| 6 | K | R367248UF | RET SURF K& STOR OPEN&BBF,48"H | 244.7 | 110,99 | 22.71 | 10,30 |
| 5 | K | R366048UF | RET SURF K& STOR OPEN&BBF,48"H | 237.08 | 107,54 | 22.41 | 10,17 |
| 6 | K | R366048UF | RET SURF K& STOR OPEN&BBF,48"H | 237.08 | 107,54 | 22.41 | 10,17 |
| 5 | K | R307248UF | RET SURF K& STOR OPEN&BBF,48"H | 214.09 | 97,11 | 19.14 | 8,68 |
| 6 | K | R307248UF | RET SURF K& STOR OPEN&BBF,48"H | 214.09 | 97,11 | 19.14 | 8,68 |
| 5 | K | R306048UF | RET SURF K& STOR OPEN&BBF,48"H | 207.69 | 94,21 | 18.89 | 8,57 |
| 6 | K | R306048UF | RET SURF K& STOR OPEN&BBF,48"H | 207.69 | 94,21 | 18.89 | 8,57 |
| 5 | K | R247248UF | RET SURF K& STOR OPEN&BBF,48"H | 183.48 | 83,23 | 15.58 | 7,07 |
| 6 | K | R247248UF | RET SURF K& STOR OPEN&BBF,48"H | 183.48 | 83,23 | 15.58 | 7,07 |
| 5 | K | R246048UF | RET SURF K& STOR OPEN&BBF,48"H | 178.29 | 80,87 | 15.37 | 6,97 |
| 6 | K | R246048UF | RET SURF K& STOR OPEN&BBF,48"H | 178.29 | 80,87 | 15.37 | 6,97 |
| 1 | N | R367261ELUF | RETURN SURFACE & STOR BBF,61"H | 264.15 | 119,82 | 29.97 | 13,59 |
| 2 | N | R367261ELUF | RETURN SURFACE & STOR BBF,61"H | 264.15 | 119,82 | 29.97 | 13,59 |
| 1 | N | R366061ELUF | RETURN SURFACE & STOR BBF,61"H | 258.57 | 117,29 | 29.83 | 13,53 |
| 2 | N | R366061ELUF | RETURN SURFACE & STOR BBF,61"H | 258.57 | 117,29 | 29.83 | 13,53 |
| 1 | N | R307261ELUF | RETURN SURFACE & STOR BBF,61"H | 240.42 | 109,05 | 25.87 | 11,73 |
| 2 | N | R307261ELUF | RETURN SURFACE & STOR BBF,61"H | 240.42 | 109,05 | 25.87 | 11,73 |
| 1 | N | R306061ELUF | RETURN SURFACE & STOR BBF,61"H | 235.74 | 106,93 | 25.74 | 11,68 |
| 2 | N | R306061ELUF | RETURN SURFACE & STOR BBF,61"H | 235.74 | 106,93 | 25.74 | 11,68 |
| 1 | N | R247261ELUF | RETURN SURFACE & STOR BBF,61"H | 215.78 | 97,88 | 21.76 | 9,87 |
| 2 | N | R247261ELUF | RETURN SURFACE & STOR BBF,61"H | 215.78 | 97,88 | 21.76 | 9,87 |
| 1 | N | R246061ELUF | RETURN SURFACE & STOR BBF,61"H | 212.01 | 96,17 | 21.66 | 9,82 |
| 2 | N | R246061ELUF | RETURN SURFACE & STOR BBF,61"H | 212.01 | 96,17 | 21.66 | 9,82 |
| 5 | N | R367261ELUF | RETURN SURFACE & STOR BBF,61"H | 287.81 | 130,55 | 30.79 | 13,97 |
| 6 | N | R367261ELUF | RETURN SURFACE & STOR BBF,61"H | 287.81 | 130,55 | 30.79 | 13,97 |
| 5 | N | R366061ELUF | RETURN SURFACE & STOR BBF,61"H | 280.29 | 127,14 | 30.59 | 13,88 |
| 6 | N | R366061ELUF | RETURN SURFACE & STOR BBF,61"H | 280.29 | 127,14 | 30.59 | 13,88 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | R307261ELUF | RETURN SURFACE & STOR BBF,61"H | 260.27 | 118,06 | 26.57 | 12,05 |
| 6 | N | R307261ELUF | RETURN SURFACE & STOR BBF,61"H | 260.27 | 118,06 | 26.57 | 12,05 |
| 5 | N | R306061ELUF | RETURN SURFACE & STOR BBF,61"H | 253.97 | 115,20 | 26.39 | 11,97 |
| 6 | N | R306061ELUF | RETURN SURFACE & STOR BBF,61"H | 253.97 | 115,20 | 26.39 | 11,97 |
| 5 | N | R247261ELUF | RETURN SURFACE & STOR BBF,61"H | 231.82 | 105,15 | 22.34 | 10,13 |
| 6 | N | R247261ELUF | RETURN SURFACE & STOR BBF,61"H | 231.82 | 105,15 | 22.34 | 10,13 |
| 5 | N | R246061ELUF | RETURN SURFACE & STOR BBF,61"H | 226.74 | 102,85 | 22.19 | 10,07 |
| 6 | N | R246061ELUF | RETURN SURFACE & STOR BBF,61"H | 226.74 | 102,85 | 22.19 | 10,07 |
| 5 | K | R367261ELUF | RETURN K SURF & STOR BBF, 61"H | 287.81 | 130,55 | 30.79 | 13,97 |
| 6 | K | R367261ELUF | RETURN K SURF & STOR BBF, 61"H | 287.81 | 130,55 | 30.79 | 13,97 |
| 5 | K | R366061ELUF | RETURN K SURF & STOR BBF, 61"H | 280.29 | 127,14 | 30.59 | 13,88 |
| 6 | K | R366061ELUF | RETURN K SURF & STOR BBF, 61"H | 280.29 | 127,14 | 30.59 | 13,88 |
| 5 | K | R307261ELUF | RETURN K SURF & STOR BBF, 61"H | 260.27 | 118,06 | 26.57 | 12,05 |
| 6 | K | R307261ELUF | RETURN K SURF & STOR BBF, 61"H | 260.27 | 118,06 | 26.57 | 12,05 |
| 5 | K | R306061ELUF | RETURN K SURF & STOR BBF, 61"H | 253.97 | 115,20 | 26.39 | 11,97 |
| 6 | K | R306061ELUF | RETURN K SURF & STOR BBF, 61"H | 253.97 | 115,20 | 26.39 | 11,97 |
| 5 | K | R247261ELUF | RETURN K SURF & STOR BBF, 61"H | 231.82 | 105,15 | 22.34 | 10,13 |
| 6 | K | R247261ELUF | RETURN K SURF & STOR BBF, 61"H | 231.82 | 105,15 | 22.34 | 10,13 |
| 5 | K | R246061ELUF | RETURN K SURF & STOR BBF, 61"H | 226.74 | 102,85 | 22.19 | 10,07 |
| 6 | K | R246061ELUF | RETURN K SURF & STOR BBF, 61"H | 226.74 | 102,85 | 22.19 | 10,07 |
| 1 | N | R367261ELF | RETURN SURFACE & STOR FF,61"H | 223.07 | 101,18 | 29.97 | 13,59 |
| 2 | N | R367261ELF | RETURN SURFACE & STOR FF,61"H | 223.07 | 101,18 | 29.97 | 13,59 |
| 1 | N | R366061ELF | RETURN SURFACE & STOR FF,61"H | 252.95 | 114,74 | 29.83 | 13,53 |
| 2 | N | R366061ELF | RETURN SURFACE & STOR FF,61"H | 252.95 | 114,74 | 29.83 | 13,53 |
| 1 | N | R307261ELF | RETURN SURFACE & STOR FF,61"H | 234.8 | 106,50 | 25.87 | 11,73 |
| 2 | N | R307261ELF | RETURN SURFACE & STOR FF,61"H | 234.8 | 106,50 | 25.87 | 11,73 |
| 1 | N | R306061ELF | RETURN SURFACE & STOR FF,61"H | 230.12 | 104,38 | 25.74 | 11,68 |
| 2 | N | R306061ELF | RETURN SURFACE & STOR FF,61"H | 230.12 | 104,38 | 25.74 | 11,68 |
| 1 | N | R247261ELF | RETURN SURFACE & STOR FF,61"H | 210.16 | 95,33 | 21.76 | 9,87 |
| 2 | N | R247261ELF | RETURN SURFACE & STOR FF,61"H | 210.16 | 95,33 | 21.76 | 9,87 |
| 1 | N | R246061ELF | RETURN SURFACE & STOR FF,61"H | 206.39 | 93,62 | 21.66 | 9,82 |
| 2 | N | R246061ELF | RETURN SURFACE & STOR FF,61"H | 206.39 | 93,62 | 21.66 | 9,82 |
| 5 | N | R367261ELF | RETURN SURFACE & STOR FF,61"H | 282.19 | 128,00 | 30.79 | 13,97 |
| 6 | N | R367261ELF | RETURN SURFACE & STOR FF,61"H | 282.19 | 128,00 | 30.79 | 13,97 |
| 5 | N | R366061ELF | RETURN SURFACE & STOR FF,61"H | 274.67 | 124,59 | 30.59 | 13,88 |
| 6 | N | R366061ELF | RETURN SURFACE & STOR FF,61"H | 274.67 | 124,59 | 30.59 | 13,88 |
| 5 | N | R307261ELF | RETURN SURFACE & STOR FF,61"H | 254.65 | 115,51 | 26.57 | 12,05 |
| 6 | N | R307261ELF | RETURN SURFACE & STOR FF,61"H | 254.65 | 115,51 | 26.57 | 12,05 |
| 5 | N | R306061ELF | RETURN SURFACE & STOR FF,61"H | 248.35 | 112,65 | 26.39 | 11,97 |
| 6 | N | R306061ELF | RETURN SURFACE & STOR FF,61"H | 248.35 | 112,65 | 26.39 | 11,97 |
| 5 | N | R247261ELF | RETURN SURFACE & STOR FF,61"H | 226.2 | 102,60 | 22.34 | 10,13 |
| 6 | N | R247261ELF | RETURN SURFACE & STOR FF,61"H | 226.2 | 102,60 | 22.34 | 10,13 |
| 5 | N | R246061ELF | RETURN SURFACE & STOR FF,61"H | 221.12 | 100,30 | 22.19 | 10,07 |
| 6 | N | R246061ELF | RETURN SURFACE & STOR FF,61"H | 221.12 | 100,30 | 22.19 | 10,07 |
| 5 | K | R367261ELF | RETURN K SURF & STOR FF, 61"H | 282.19 | 128,00 | 30.79 | 13,97 |
| 6 | K | R367261ELF | RETURN K SURF & STOR FF, 61"H | 282.19 | 128,00 | 30.79 | 13,97 |
| 5 | K | R366061ELF | RETURN K SURF & STOR FF, 61"H | 274.67 | 124,59 | 30.59 | 13,88 |
| 6 | K | R366061ELF | RETURN K SURF & STOR FF, 61"H | 274.67 | 124,59 | 30.59 | 13,88 |
| 5 | K | R307261ELF | RETURN K SURF & STOR FF, 61"H | 254.65 | 115,51 | 26.57 | 12,05 |
| 6 | K | R307261ELF | RETURN K SURF & STOR FF, 61"H | 254.65 | 115,51 | 26.57 | 12,05 |
| 5 | K | R306061ELF | RETURN K SURF & STOR FF, 61"H | 248.35 | 112,65 | 26.39 | 11,97 |
| 6 | K | R306061ELF | RETURN K SURF & STOR FF, 61"H | 248.35 | 112,65 | 26.39 | 11,97 |
| 5 | K | R247261ELF | RETURN K SURF & STOR FF, 61"H | 226.2 | 102,60 | 22.34 | 10,13 |
| 6 | K | R247261ELF | RETURN K SURF & STOR FF, 61"H | 226.2 | 102,60 | 22.34 | 10,13 |
| 5 | K | R246061ELF | RETURN K SURF & STOR FF, 61"H | 221.12 | 100,30 | 22.19 | 10,07 |
| 6 | K | R246061ELF | RETURN K SURF & STOR FF, 61"H | 221.12 | 100,30 | 22.19 | 10,07 |
| 1 | N | R367261UUF | RET SURF & STOR OPEN&BBF,61"H | 251.52 | 114,09 | 25.73 | 11,67 |
| 2 | N | R367261UUF | RET SURF & STOR OPEN&BBF,61"H | 251.52 | 114,09 | 25.73 | 11,67 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | R366061UF | RET SURF & STOR OPEN&BBF,61"H | 245.87 | 111,52 | 25.52 | 11,58 |
| 2 | N | R366061UF | RET SURF & STOR OPEN&BBF,61"H | 245.87 | 111,52 | 25.52 | 11,58 |
| 1 | N | R307261UF | RET SURF & STOR OPEN&BBF,61"H | 224.69 | 101,92 | 22.3 | 10,12 |
| 2 | N | R307261UF | RET SURF & STOR OPEN&BBF,61"H | 224.69 | 101,92 | 22.3 | 10,12 |
| 1 | N | R306061UF | RET SURF & STOR OPEN&BBF,61"H | 219.95 | 99,77 | 22.12 | 10,03 |
| 2 | N | R306061UF | RET SURF & STOR OPEN&BBF,61"H | 219.95 | 99,77 | 22.12 | 10,03 |
| 1 | N | R247261UF | RET SURF & STOR OPEN&BBF,61"H | 197.86 | 89,75 | 18.86 | 8,55 |
| 2 | N | R247261UF | RET SURF & STOR OPEN&BBF,61"H | 197.86 | 89,75 | 18.86 | 8,55 |
| 1 | N | R246061UF | RET SURF & STOR OPEN&BBF,61"H | 194.03 | 88,01 | 18.72 | 8,49 |
| 2 | N | R246061UF | RET SURF & STOR OPEN&BBF,61"H | 194.03 | 88,01 | 18.72 | 8,49 |
| 5 | N | R367261UF | RET SURF & STOR OPEN&BBF,61"H | 275.27 | 124,86 | 26.6 | 12,07 |
| 6 | N | R367261UF | RET SURF & STOR OPEN&BBF,61"H | 275.27 | 124,86 | 26.6 | 12,07 |
| 5 | N | R366061UF | RET SURF & STOR OPEN&BBF,61"H | 267.65 | 121,40 | 26.3 | 11,93 |
| 6 | N | R366061UF | RET SURF & STOR OPEN&BBF,61"H | 267.65 | 121,40 | 26.3 | 11,93 |
| 5 | N | R307261UF | RET SURF & STOR OPEN&BBF,61"H | 244.66 | 110,98 | 23.03 | 10,45 |
| 6 | N | R307261UF | RET SURF & STOR OPEN&BBF,61"H | 244.66 | 110,98 | 23.03 | 10,45 |
| 5 | N | R306061UF | RET SURF & STOR OPEN&BBF,61"H | 238.26 | 108,07 | 22.78 | 10,33 |
| 6 | N | R306061UF | RET SURF & STOR OPEN&BBF,61"H | 238.26 | 108,07 | 22.78 | 10,33 |
| 5 | N | R247261UF | RET SURF & STOR OPEN&BBF,61"H | 214.05 | 97,09 | 19.47 | 8,83 |
| 6 | N | R247261UF | RET SURF & STOR OPEN&BBF,61"H | 214.05 | 97,09 | 19.47 | 8,83 |
| 5 | N | R246061UF | RET SURF & STOR OPEN&BBF,61"H | 208.86 | 94,74 | 19.26 | 8,74 |
| 6 | N | R246061UF | RET SURF & STOR OPEN&BBF,61"H | 208.86 | 94,74 | 19.26 | 8,74 |
| 5 | K | R367261UF | RET SURF K& STOR OPEN&BBF,61"H | 275.27 | 124,86 | 26.6 | 12,07 |
| 6 | K | R367261UF | RET SURF K& STOR OPEN&BBF,61"H | 275.27 | 124,86 | 26.6 | 12,07 |
| 5 | K | R366061UF | RET SURF K& STOR OPEN&BBF,61"H | 267.65 | 121,40 | 26.3 | 11,93 |
| 6 | K | R366061UF | RET SURF K& STOR OPEN&BBF,61"H | 267.65 | 121,40 | 26.3 | 11,93 |
| 5 | K | R307261UF | RET SURF K& STOR OPEN&BBF,61"H | 244.66 | 110,98 | 23.03 | 10,45 |
| 6 | K | R307261UF | RET SURF K& STOR OPEN&BBF,61"H | 244.66 | 110,98 | 23.03 | 10,45 |
| 5 | K | R306061UF | RET SURF K& STOR OPEN&BBF,61"H | 238.26 | 108,07 | 22.78 | 10,33 |
| 6 | K | R306061UF | RET SURF K& STOR OPEN&BBF,61"H | 238.26 | 108,07 | 22.78 | 10,33 |
| 5 | K | R247261UF | RET SURF K& STOR OPEN&BBF,61"H | 214.05 | 97,09 | 19.47 | 8,83 |
| 6 | K | R247261UF | RET SURF K& STOR OPEN&BBF,61"H | 214.05 | 97,09 | 19.47 | 8,83 |
| 5 | K | R246061UF | RET SURF K& STOR OPEN&BBF,61"H | 208.86 | 94,74 | 19.26 | 8,74 |
| 6 | K | R246061UF | RET SURF K& STOR OPEN&BBF,61"H | 208.86 | 94,74 | 19.26 | 8,74 |
| N | N | CBDM60 | DOUBLE-SIDED LAMINATE BASE | 66.9 | 30,35 | 8.6 | 3,90 |
| N | N | CBDM54 | DOUBLE-SIDED LAMINATE BASE | 61.5 | 27,90 | 7.77 | 3,52 |
| N | N | CBDT60 | DBL-SIDE BASE,LAMIN/TRANS ACRY | 57.9 | 26,26 | 8.6 | 3,90 |
| N | N | CBDT54 | DBL-SIDE BASE,LAMIN/TRANS ACRY | 54.2 | 24,58 | 7.77 | 3,52 |
| N | N | CBDY60 | DBL-SIDE BASE,LAMIN/SKY ACRYL | 57.9 | 26,26 | 8.6 | 3,90 |
| N | N | CBDY54 | DBL-SIDE BASE,LAMIN/SKY ACRYL | 54.2 | 24,58 | 7.77 | 3,52 |
| N | N | ABD60 | MTL DOUBLE-SIDED ANGLE BASE | 39.65 | 17,98 | 1.04 | 0,47 |
| N | N | ABD54 | MTL DOUBLE-SIDED ANGLE BASE | 31.14 | 14,12 | 0.93 | 0,42 |
| N | N | QBD60 | CHICAGO DOUBLE-SIDE ANGLE BASE | 66.00 | 29,94 | 8.6 | 3,90 |
| N | N | QBD54 | CHICAGO DOUBLE-SIDE ANGLE BASE | 63.4 | 28,76 | 7.77 | 3,52 |
| N | N | LED6028 | DOUBLE SIDED END-PANEL BASE | 62.1 | 28,17 | 2.53 | 1,15 |
| N | N | LED5428 | DOUBLE SIDED END-PANEL BASE | 56.07 | 25,43 | 2.25 | 1,02 |
| N | N | LED9041 | DOUBLE SIDED END-PANEL BASE | 132.49 | 60,10 | 4.97 | 2,25 |
| N | N | LED8441 | DOUBLE SIDED END-PANEL BASE | 123.86 | 56,18 | 4.65 | 2,11 |
| N | N | LED6006 | DOUBLE SIDED END-PANEL BASE | 16.65 | 7,55 | 0.69 | 0,31 |
| N | N | LED5406 | DOUBLE SIDED END-PANEL BASE | 15.07 | 6,84 | 0.62 | 0,28 |
| N | N | LED9019 | DOUBLE SIDED END-PANEL BASE | 64.46 | 29,24 | 2.53 | 1,15 |
| N | N | LED8419 | DOUBLE SIDED END-PANEL BASE | 60.24 | 27,32 | 2.36 | 1,07 |
| N | N | LBD1212WM | WIRE MANGMNT DBL-SIDE LAM BASE | 54.28 | 24,62 | 3.47 | 1,57 |
| N | N | LCD2828 | CENTR PANEL FOR DBL SIDED SURF | 29.23 | 13,26 | 1.15 | 0,52 |
| N | N | LCD9042 | CENTR PANEL FOR DBL SIDED SURF | 132.49 | 60,10 | 4.97 | 2,25 |
| N | N | LCD8442 | CENTR PANEL FOR DBL SIDED SURF | 123.86 | 56,18 | 4.65 | 2,11 |
| N | N | LCD2806 | CENTR PANEL FOR DBL SIDED SURF | 15.01 | 6,81 | 0.46 | 0,21 |
| N | N | LCD3106 | CENTR PANEL FOR DBL SIDED SURF | 16.21 | 7,35 | 0.51 | 0,23 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|----------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | LCD9019 | CENTR PANEL FOR DBL SIDED SURF | 64.46 | 29.24 | 2.53 | 1.15 |
| N | N | LCD8419 | CENTR PANEL FOR DBL SIDED SURF | 60.24 | 27.32 | 2.36 | 1.07 |
| N | N | CBSM30 | SINGLE-SIDED LAMINATE BASE | 38.7 | 17.55 | 3.64 | 1.65 |
| N | N | CBST30 | SGL-SIDE COMBND BASE,LAM/TRANS | 34.47 | 15.64 | 3.64 | 1.65 |
| N | N | CBSY30 | SGL-SIDE COMBND BASE,LAM/SKY | 34.47 | 15.64 | 3.64 | 1.65 |
| N | N | ABS30 | MTL SINGLE-SIDED ANGLE BASE | 16.75 | 7.60 | 1.1 | 0.03 |
| N | N | AB | MONTREAL ANGLE BASE | 18.06 | 25.30 | 1.63 | 0.22 |
| N | N | QBS30 | CHICAGO U SINGLE-SIDED BASE | 41.7 | 18.91 | 3.64 | 1.65 |
| N | N | LES3028 | SINGLE SIDED END-PANEL BASES | 31.79 | 14.42 | 1.37 | 0.62 |
| N | N | LES4641 | SINGLE SIDED END-PANEL BASES | 69.88 | 31.70 | 2.76 | 1.25 |
| N | N | LBS912WM | WIRE MNGMNT SGL-SIDE LAM BASE | 40.15 | 18.21 | 2.7 | 1.22 |
| N | N | LCS1728 | CNTR PANEL BASE 1 SIDE SURF | 37.08 | 16.82 | 1.14 | 0.52 |
| N | N | LCS4641 | CNTR PANEL BASE 1 SIDE SURF | 69.88 | 31.70 | 2.76 | 1.25 |
| 1 | N | EXR602915 | END-BASE EXT W/OPEN STORAGE | 116.32 | 52.76 | 19.53 | 8.86 |
| 2 | N | EXR602915 | END-BASE EXT W/OPEN STORAGE | 116.32 | 52.76 | 19.53 | 8.86 |
| 1 | N | EXR542915 | END-BASE EXT W/OPEN STORAGE | 113.61 | 51.53 | 17.64 | 8.00 |
| 2 | N | EXR542915 | END-BASE EXT W/OPEN STORAGE | 113.61 | 51.53 | 17.64 | 8.00 |
| 5 | N | EXR602915 | END-BASE EXT W/OPEN STORAGE | 126.1 | 57.20 | 19.77 | 8.97 |
| 6 | N | EXR602915 | END-BASE EXT W/OPEN STORAGE | 126.1 | 57.20 | 19.77 | 8.97 |
| 5 | N | EXR542915 | END-BASE EXT W/OPEN STORAGE | 120.58 | 54.69 | 17.85 | 8.10 |
| 6 | N | EXR542915 | END-BASE EXT W/OPEN STORAGE | 120.58 | 54.69 | 17.85 | 8.10 |
| 1 | N | EXR602915P | END-BASE EXT, STORAGE W/DOORS | 139.06 | 63.08 | 20.41 | 9.26 |
| 2 | N | EXR602915P | END-BASE EXT, STORAGE W/DOORS | 139.06 | 63.08 | 20.41 | 9.26 |
| 1 | N | EXR542915P | END-BASE EXT, STORAGE W/DOORS | 127.19 | 57.69 | 18.43 | 8.36 |
| 2 | N | EXR542915P | END-BASE EXT, STORAGE W/DOORS | 127.19 | 57.69 | 18.43 | 8.36 |
| 5 | N | EXR602915P | END-BASE EXT, STORAGE W/DOORS | 146.82 | 66.60 | 20.66 | 9.37 |
| 6 | N | EXR602915P | END-BASE EXT, STORAGE W/DOORS | 146.82 | 66.60 | 20.66 | 9.37 |
| 5 | N | EXR542915P | END-BASE EXT, STORAGE W/DOORS | 134.16 | 60.85 | 18.66 | 8.46 |
| 6 | N | EXR542915P | END-BASE EXT, STORAGE W/DOORS | 134.16 | 58.95 | 18.66 | 8.46 |
| 1 | N | EXR602915C | END-BASE EXT,STOR W/SLID DOOR | 132.07 | 59.91 | 20.41 | 9.26 |
| 2 | N | EXR602915C | END-BASE EXT,STOR W/SLID DOOR | 132.07 | 59.91 | 20.41 | 9.26 |
| 1 | N | EXR542915C | END-BASE EXT,STOR W/SLID DOOR | 120.2 | 54.52 | 18.43 | 8.36 |
| 2 | N | EXR542915C | END-BASE EXT,STOR W/SLID DOOR | 120.2 | 54.52 | 18.43 | 8.36 |
| 5 | N | EXR602915C | END-BASE EXT,STOR W/SLID DOOR | 139.83 | 63.43 | 20.66 | 9.37 |
| 6 | N | EXR602915C | END-BASE EXT,STOR W/SLID DOOR | 139.83 | 63.43 | 20.66 | 9.37 |
| 5 | N | EXR542915C | END-BASE EXT,STOR W/SLID DOOR | 127.17 | 57.68 | 18.66 | 8.46 |
| 6 | N | EXR542915C | END-BASE EXT,STOR W/SLID DOOR | 127.17 | 57.68 | 18.66 | 8.46 |
| 1 | N | EXR604115 | END-BASE EXT W/OPEN STOR,41"H | 143.05 | 64.89 | 26.66 | 12.09 |
| 2 | N | EXR604115 | END-BASE EXT W/OPEN STOR,41"H | 143.05 | 64.89 | 26.66 | 12.09 |
| 1 | N | EXR544115 | END-BASE EXT W/OPEN STOR,41"H | 130.16 | 59.04 | 24.07 | 10.92 |
| 2 | N | EXR544115 | END-BASE EXT W/OPEN STOR,41"H | 130.16 | 59.04 | 24.07 | 10.92 |
| 1 | N | PRET1084818UF | BBF STOR END BASE,DBL SURF | 299.86 | 136.01 | 32.21 | 14.61 |
| 2 | N | PRET1084818UF | BBF STOR END BASE,DBL SURF | 299.86 | 136.01 | 32.21 | 14.61 |
| 1 | N | PRET1024818UF | BBF STOR END BASE,DBL SURF | 294.92 | 133.77 | 32.00 | 14.51 |
| 2 | N | PRET1024818UF | BBF STOR END BASE,DBL SURF | 294.92 | 133.77 | 32.00 | 14.51 |
| 1 | N | PREY1084818UF | BBF STOR END BASE,DBL SURF | 299.86 | 136.01 | 32.21 | 14.61 |
| 2 | N | PREY1084818UF | BBF STOR END BASE,DBL SURF | 299.86 | 136.01 | 32.21 | 14.61 |
| 1 | N | PREY1024818UF | BBF STOR END BASE,DBL SURF | 294.92 | 133.77 | 32.00 | 14.51 |
| 2 | N | PREY1024818UF | BBF STOR END BASE,DBL SURF | 294.92 | 133.77 | 32.00 | 14.51 |
| 1 | N | PRET1084816EFF | FF STOR END BASE,DBL SURF | 297.52 | 134.95 | 32.21 | 14.61 |
| 2 | N | PRET1084816EFF | FF STOR END BASE,DBL SURF | 297.52 | 134.95 | 32.21 | 14.61 |
| 1 | N | PRET1024816EFF | FF STOR END BASE,DBL SURF | 292.58 | 132.71 | 32.00 | 14.51 |
| 2 | N | PRET1024816EFF | FF STOR END BASE,DBL SURF | 292.58 | 132.71 | 32.00 | 14.51 |
| 1 | N | PREY1084816EFF | FF STOR END BASE,DBL SURF | 297.52 | 134.95 | 32.21 | 14.61 |
| 2 | N | PREY1084816EFF | FF STOR END BASE,DBL SURF | 297.52 | 134.95 | 32.21 | 14.61 |
| 1 | N | PREY1024816EFF | FF STOR END BASE,DBL SURF | 292.58 | 132.71 | 32.00 | 14.51 |
| 2 | N | PREY1024816EFF | FF STOR END BASE,DBL SURF | 292.58 | 132.71 | 32.00 | 14.51 |
| 1 | N | PRCT1084818UF | BBF STOR CENTER BASE,DBL SURF | 312.04 | 141.54 | 32.21 | 14.61 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|----------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 2 | N | PRCT1084818UF | BBF STOR CENTER BASE,DBL SURF | 312.04 | 141,54 | 32.21 | 14,61 |
| 1 | N | PRCT1024818UF | BBF STOR CENTER BASE,DBL SURF | 305.88 | 138,74 | 32.00 | 14,51 |
| 2 | N | PRCT1024818UF | BBF STOR CENTER BASE,DBL SURF | 305.88 | 138,74 | 32.00 | 14,51 |
| 1 | N | PRCY1084818UF | BBF STOR CENTER BASE,DBL SURF | 312.04 | 141,54 | 32.21 | 14,61 |
| 2 | N | PRCY1084818UF | BBF STOR CENTER BASE,DBL SURF | 312.04 | 141,54 | 32.21 | 14,61 |
| 1 | N | PRCY1024818UF | BBF STOR CENTER BASE,DBL SURF | 305.88 | 138,74 | 32.00 | 14,51 |
| 2 | N | PRCY1024818UF | BBF STOR CENTER BASE,DBL SURF | 305.88 | 138,74 | 32.00 | 14,51 |
| 1 | N | PRCT1084816EFF | FF STOR CENTER BASE,DBL SURF | 309.7 | 140,48 | 32.21 | 14,61 |
| 2 | N | PRCT1084816EFF | FF STOR CENTER BASE,DBL SURF | 309.7 | 140,48 | 32.21 | 14,61 |
| 1 | N | PRCT1024816EFF | FF STOR CENTER BASE,DBL SURF | 303.54 | 137,68 | 32.00 | 14,51 |
| 2 | N | PRCT1024816EFF | FF STOR CENTER BASE,DBL SURF | 303.54 | 137,68 | 32.00 | 14,51 |
| 1 | N | PRCY1084816EFF | FF STOR CENTER BASE,DBL SURF | 309.7 | 140,48 | 32.21 | 14,61 |
| 2 | N | PRCY1084816EFF | FF STOR CENTER BASE,DBL SURF | 309.7 | 140,48 | 32.21 | 14,61 |
| 1 | N | PRCY1024816EFF | FF STOR CENTER BASE,DBL SURF | 303.54 | 137,68 | 32.00 | 14,51 |
| 2 | N | PRCY1024816EFF | FF STOR CENTER BASE,DBL SURF | 303.54 | 137,68 | 32.00 | 14,51 |
| 1 | N | PRCT1084818FM | F STOR CENTER BASE,DBL SURF | 307.65 | 139,55 | 32.21 | 14,61 |
| 2 | N | PRCT1084818FM | F STOR CENTER BASE,DBL SURF | 307.65 | 139,55 | 32.21 | 14,61 |
| 1 | N | PRCT1024818FM | F STOR CENTER BASE,DBL SURF | 301.49 | 136,75 | 32.00 | 14,51 |
| 2 | N | PRCT1024818FM | F STOR CENTER BASE,DBL SURF | 301.49 | 136,75 | 32.00 | 14,51 |
| 1 | N | PRCY1084818FM | F STOR CENTER BASE,DBL SURF | 307.65 | 139,55 | 32.21 | 14,61 |
| 2 | N | PRCY1084818FM | F STOR CENTER BASE,DBL SURF | 307.65 | 139,55 | 32.21 | 14,61 |
| 1 | N | PRCY1024818FM | F STOR CENTER BASE,DBL SURF | 301.49 | 136,75 | 32.00 | 14,51 |
| 2 | N | PRCY1024818FM | F STOR CENTER BASE,DBL SURF | 301.49 | 136,75 | 32.00 | 14,51 |
| 1 | N | CRE604116EUF | BBF PED END BASE FOR DBL SURF | 242.42 | 109,96 | 27.21 | 12,34 |
| 2 | N | CRE604116EUF | BBF PED END BASE FOR DBL SURF | 242.42 | 109,96 | 27.21 | 12,34 |
| 1 | N | CRE544116EUF | BBF PED END BASE FOR DBL SURF | 227.06 | 102,99 | 24.57 | 11,14 |
| 2 | N | CRE544116EUF | BBF PED END BASE FOR DBL SURF | 227.06 | 102,99 | 24.57 | 11,14 |
| 1 | N | CRE604116EFF | FF PED END BASE FOR DBL SURF | 238.89 | 108,36 | 27.21 | 12,34 |
| 2 | N | CRE604116EFF | FF PED END BASE FOR DBL SURF | 238.89 | 108,36 | 27.21 | 12,34 |
| 1 | N | CRE544116EFF | FF PED END BASE FOR DBL SURF | 223.53 | 101,39 | 24.57 | 11,14 |
| 2 | N | CRE544116EFF | FF PED END BASE FOR DBL SURF | 223.53 | 101,39 | 24.57 | 11,14 |
| 1 | N | CRC604116EUF | BBF PED CENTER BASE,DBL SURF | 242.42 | 109,96 | 27.21 | 12,34 |
| 2 | N | CRC604116EUF | BBF PED CENTER BASE,DBL SURF | 242.42 | 109,96 | 27.21 | 12,34 |
| 1 | N | CRC544116EUF | BBF PED CENTER BASE,DBL SURF | 227.06 | 102,99 | 24.57 | 11,14 |
| 2 | N | CRC544116EUF | BBF PED CENTER BASE,DBL SURF | 227.06 | 102,99 | 24.57 | 11,14 |
| 1 | N | CRC604116EFF | FF PED CENTER BASE,DBL SURF | 238.89 | 108,36 | 27.21 | 12,34 |
| 2 | N | CRC604116EFF | FF PED CENTER BASE,DBL SURF | 238.89 | 108,36 | 27.21 | 12,34 |
| 1 | N | CRC544116EFF | FF PED CENTER BASE,DBL SURF | 223.53 | 101,39 | 24.57 | 11,14 |
| 2 | N | CRC544116EFF | FF PED CENTER BASE,DBL SURF | 223.53 | 101,39 | 24.57 | 11,14 |
| N | N | SCET6018 | DOUBLE END-SCREEN TRANS-18"H | 13.03 | 6,70 | 1.26 | 0,03 |
| N | N | SCET5418 | DOUBLE END-SCREEN TRANS-18"H | 11.78 | 6,70 | 1.13 | 0,03 |
| N | N | SCEY6018 | DOUBLE END-SCREEN SKY-18"H | 13.03 | 6,70 | 1.26 | 0,03 |
| N | N | SCEY5418 | DOUBLE END-SCREEN SKY-18"H | 11.78 | 6,70 | 1.13 | 0,03 |
| N | N | SCEF6018 | DOUBLE END-SCREEN FABRIC-18"H | 13.03 | 6,70 | 1.26 | 0,03 |
| N | N | SCEF5418 | DOUBLE END-SCREEN FABRIC-18"H | 11.78 | 6,70 | 1.13 | 0,03 |
| N | N | SCEFF6018 | DOUBLE END-SCREEN FELT-18"H | 9.77 | 6,70 | 1.26 | 0,03 |
| N | N | SCEFF5418 | DOUBLE END-SCREEN FELT-18"H | 8.84 | 6,70 | 1.13 | 0,03 |
| N | N | SCET3118 | SINGLE END-SCREEN TRANS-18"H | 6.95 | 6,70 | 0.69 | 0,03 |
| N | N | SCEY3118 | SINGLE END-SCREEN SKY-18"H | 6.95 | 6,70 | 0.69 | 0,03 |
| N | N | SCEF3118 | SINGLE END-SCREEN FABRIC-18"H | 6.95 | 6,70 | 0.69 | 0,03 |
| N | N | SCEFF3118 | SINGLE END-SCREEN FELT-18"H | 5.21 | 6,70 | 0.69 | 0,03 |
| N | N | SCT4818 | PRIVACY SCREEN-18"H,TRANS ACRY | 11.84 | 6,70 | 1.31 | 0,03 |
| N | N | SCT3618 | PRIVACY SCREEN-18"H,TRANS ACRY | 9.17 | 5,53 | 1.01 | 0,02 |
| N | N | SCT3018 | PRIVACY SCREEN-18"H,TRANS ACRY | 7.83 | 4,94 | 0.85 | 0,02 |
| N | N | SCT2418 | PRIVACY SCREEN-18"H,TRANS ACRY | 6.5 | 4,35 | 0.7 | 0,02 |
| N | N | SCT1818 | PRIVACY SCREEN-18"H,TRANS ACRY | 5.16 | 3,76 | 0.55 | 0,01 |
| N | N | SCT4811 | PRIVACY SCREEN-11"H,TRANS ACRY | 8.49 | 4,94 | 0.9 | 0,02 |
| N | N | SCT3611 | PRIVACY SCREEN-11"H,TRANS ACRY | 6.57 | 4,13 | 0.69 | 0,02 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | SCT3011 | PRIVACY SCREEN-11"H,TRANS ACRY | 5.61 | 3,73 | 0.58 | 0,01 |
| N | N | SCT2411 | PRIVACY SCREEN-11"H,TRANS ACRY | 4.65 | 3,32 | 0.48 | 0,01 |
| N | N | SCT1811 | PRIVACY SCREEN-11"H,TRANS ACRY | 3.69 | 2,91 | 0.38 | 0,01 |
| N | N | SCY4818 | PRIVACY SCREEN-18"H,SKY ACRY | 11.84 | 6,70 | 1.31 | 0,03 |
| N | N | SCY3618 | PRIVACY SCREEN-18"H,SKY ACRY | 9.17 | 5,53 | 1.01 | 0,02 |
| N | N | SCY3018 | PRIVACY SCREEN-18"H,SKY ACRY | 7.83 | 4,94 | 0.85 | 0,02 |
| N | N | SCY2418 | PRIVACY SCREEN-18"H,SKY ACRY | 6.5 | 4,35 | 0.7 | 0,02 |
| N | N | SCY1818 | PRIVACY SCREEN-18"H,SKY ACRY | 5.16 | 3,76 | 0.55 | 0,01 |
| N | N | SCY4811 | PRIVACY SCREEN-11"H,SKY ACRY | 8.49 | 4,94 | 0.9 | 0,02 |
| N | N | SCY3611 | PRIVACY SCREEN-11"H,SKY ACRY | 6.57 | 4,13 | 0.69 | 0,02 |
| N | N | SCY3011 | PRIVACY SCREEN-11"H,SKY ACRY | 5.61 | 3,73 | 0.58 | 0,01 |
| N | N | SCY2411 | PRIVACY SCREEN-11"H,SKY ACRY | 4.65 | 3,32 | 0.48 | 0,01 |
| N | N | SCY1811 | PRIVACY SCREEN-11"H,SKY ACRY | 3.69 | 2,91 | 0.38 | 0,01 |
| N | N | SCF4818 | PRIVACY SCREEN - 18"H, FABRIC | 11.84 | 6,70 | 1.31 | 0,03 |
| N | N | SCF3618 | PRIVACY SCREEN - 18"H, FABRIC | 9.17 | 5,53 | 1.01 | 0,02 |
| N | N | SCF3018 | PRIVACY SCREEN - 18"H, FABRIC | 7.83 | 4,94 | 0.85 | 0,02 |
| N | N | SCF2418 | PRIVACY SCREEN - 18"H, FABRIC | 6.5 | 4,35 | 0.7 | 0,02 |
| N | N | SCF1818 | PRIVACY SCREEN - 18"H, FABRIC | 5.16 | 3,76 | 0.55 | 0,01 |
| N | N | SCF4811 | PRIVACY SCREEN - 11"H, FABRIC | 8.49 | 4,94 | 0.9 | 0,02 |
| N | N | SCF3611 | PRIVACY SCREEN - 11"H, FABRIC | 6.57 | 4,13 | 0.69 | 0,02 |
| N | N | SCF3011 | PRIVACY SCREEN - 11"H, FABRIC | 5.61 | 3,73 | 0.58 | 0,01 |
| N | N | SCF2411 | PRIVACY SCREEN - 11"H, FABRIC | 4.65 | 3,32 | 0.48 | 0,01 |
| N | N | SCF1811 | PRIVACY SCREEN - 11"H, FABRIC | 3.69 | 2,91 | 0.38 | 0,01 |
| N | N | SCFF4818 | PRIVACY SCREEN - 18"H, FELT | 8.88 | 6,70 | 1.31 | 0,03 |
| N | N | SCFF3618 | PRIVACY SCREEN - 18"H, FELT | 6.87 | 5,53 | 1.01 | 0,02 |
| N | N | SCFF3018 | PRIVACY SCREEN - 18"H, FELT | 5.87 | 4,94 | 0.85 | 0,02 |
| N | N | SCFF2418 | PRIVACY SCREEN - 18"H, FELT | 4.88 | 4,35 | 0.7 | 0,02 |
| N | N | SCFF1818 | PRIVACY SCREEN - 18"H, FELT | 3.87 | 3,76 | 0.55 | 0,01 |
| N | N | SCFF4811 | PRIVACY SCREEN - 11"H, FELT | 6.36 | 4,94 | 0.9 | 0,02 |
| N | N | SCFF3611 | PRIVACY SCREEN - 11"H, FELT | 4.92 | 4,13 | 0.69 | 0,02 |
| N | N | SCFF3011 | PRIVACY SCREEN - 11"H, FELT | 4.2 | 3,73 | 0.58 | 0,01 |
| N | N | SCFF2411 | PRIVACY SCREEN - 11"H, FELT | 3.48 | 3,32 | 0.48 | 0,01 |
| N | N | SCFF1811 | PRIVACY SCREEN - 11"H, FELT | 2.76 | 2,91 | 0.38 | 0,01 |
| N | N | SCCT2418 | PRIVACY LAT SCREEN-18"H,TRANS | 6.47 | 4,35 | 0.69 | 0,02 |
| N | N | SCCT2118 | PRIVACY LAT SCREEN-18"H,TRANS | 5.8 | 4,06 | 0.61 | 0,01 |
| N | N | SCCT1818 | PRIVACY LAT SCREEN-18"H,TRANS | 5.13 | 3,76 | 0.53 | 0,01 |
| N | N | SCCT1518 | PRIVACY LAT SCREEN-18"H,TRANS | 4.46 | 3,76 | 0.46 | 0,01 |
| N | N | SCCY2418 | PRIVACY LAT SCREEN-18"H,SKY | 6.47 | 4,35 | 0.69 | 0,02 |
| N | N | SCCY2118 | PRIVACY LAT SCREEN-18"H,SKY | 5.8 | 4,06 | 0.61 | 0,01 |
| N | N | SCCY1818 | PRIVACY LAT SCREEN-18"H,SKY | 5.13 | 3,76 | 0.53 | 0,01 |
| N | N | SCCY1518 | PRIVACY LAT SCREEN-18"H,SKY | 4.46 | 3,76 | 0.46 | 0,01 |
| N | N | SCCT2411 | PRIVACY LAT SCREEN-11"H,TRANS | 4.62 | 3,32 | 0.47 | 0,01 |
| N | N | SCCT2111 | PRIVACY LAT SCREEN-11"H,TRANS | 4.14 | 3,12 | 0.42 | 0,01 |
| N | N | SCCT1811 | PRIVACY LAT SCREEN-11"H,TRANS | 3.66 | 2,91 | 0.36 | 0,01 |
| N | N | SCCT1511 | PRIVACY LAT SCREEN-11"H,TRANS | 3.18 | 3,76 | 0.31 | 0,01 |
| N | N | SCCY2411 | PRIVACY LAT SCREEN-11"H,SKY | 4.62 | 3,32 | 0.47 | 0,01 |
| N | N | SCCY2111 | PRIVACY LAT SCREEN-11"H,SKY | 4.14 | 3,12 | 0.42 | 0,01 |
| N | N | SCCY1811 | PRIVACY LAT SCREEN-11"H,SKY | 3.66 | 2,91 | 0.36 | 0,01 |
| N | N | SCCY1511 | PRIVACY LAT SCREEN-11"H,SKY | 3.18 | 3,76 | 0.31 | 0,01 |
| N | N | SCCF2418 | PRIVACY LAT SCREEN-18"H,FABRIC | 6.47 | 4,35 | 0.69 | 0,02 |
| N | N | SCCF2118 | PRIVACY LAT SCREEN-18"H,FABRIC | 5.8 | 4,06 | 0.61 | 0,01 |
| N | N | SCCF1818 | PRIVACY LAT SCREEN-18"H,FABRIC | 5.13 | 3,76 | 0.53 | 0,01 |
| N | N | SCCF1518 | PRIVACY LAT SCREEN-18"H,FABRIC | 4.46 | 3,76 | 0.46 | 0,01 |
| N | N | SCCF2411 | PRIVACY LAT SCREEN-11"H,FABRIC | 4.62 | 3,32 | 0.47 | 0,01 |
| N | N | SCCF2111 | PRIVACY LAT SCREEN-11"H,FABRIC | 4.14 | 3,12 | 0.42 | 0,01 |
| N | N | SCCF1811 | PRIVACY LAT SCREEN-11"H,FABRIC | 3.66 | 2,91 | 0.36 | 0,01 |
| N | N | SCCF1511 | PRIVACY LAT SCREEN-18"H,FABRIC | 3.18 | 3,76 | 0.31 | 0,01 |
| N | N | SCCFF2418 | PRIVACY LAT SCREEN-18"H,FELT | 4.85 | 4,35 | 0.69 | 0,02 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|--------------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | SCCFF2118 | PRIVACY LAT SCREEN-18"H,FELT | 4.35 | 4,06 | 0.61 | 0,01 |
| N | N | SCCFF1818 | PRIVACY LAT SCREEN-18"H,FELT | 3.84 | 3,76 | 0.53 | 0,01 |
| N | N | SCCFF1518 | PRIVACY LAT SCREEN-18"H,FELT | 3.34 | 3,76 | 0.46 | 0,01 |
| N | N | SCCFF2411 | PRIVACY LAT SCREEN-11"H,FELT | 3.46 | 3,32 | 0.47 | 0,01 |
| N | N | SCCFF2111 | PRIVACY LAT SCREEN-11"H,FELT | 3.1 | 3,12 | 0.42 | 0,01 |
| N | N | SCCFF1811 | PRIVACY LAT SCREEN-11"H,FELT | 2.75 | 2,91 | 0.36 | 0,01 |
| N | N | SCCFF1511 | PRIVACY LAT SCREEN-18"H,FELT | 2.39 | 3,76 | 0.31 | 0,01 |
| 1 | N | MCET601815 | ADD-ON COUNTER,OFF-CENTRD BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 2 | N | MCET601815 | ADD-ON COUNTER,OFF-CENTRD BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 1 | N | MCET541815 | ADD-ON COUNTER,OFF-CENTRD BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 2 | N | MCET541815 | ADD-ON COUNTER,OFF-CENTRD BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 1 | N | MCET601115 | ADD-ON COUNTER,OFF-CENTRD BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 2 | N | MCET601115 | ADD-ON COUNTER,OFF-CENTRD BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 1 | N | MCET541115 | ADD-ON COUNTER,OFF-CENTRD BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 2 | N | MCET541115 | ADD-ON COUNTER,OFF-CENTRD BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 1 | N | MCEY601815 | ADD-ON COUNTER,OFF-CENTRD BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 2 | N | MCEY601815 | ADD-ON COUNTER,OFF-CENTRD BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 1 | N | MCEY541815 | ADD-ON COUNTER,OFF-CENTRD BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 2 | N | MCEY541815 | ADD-ON COUNTER,OFF-CENTRD BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 1 | N | MCEY601115 | ADD-ON COUNTER,OFF-CENTRD BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 2 | N | MCEY601115 | ADD-ON COUNTER,OFF-CENTRD BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 1 | N | MCEY541115 | ADD-ON COUNTER,OFF-CENTRD BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 2 | N | MCEY541115 | ADD-ON COUNTER,OFF-CENTRD BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 1 | N | MCCT601818 | ADD-ON COUNTER, CENTERED BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 2 | N | MCCT601818 | ADD-ON COUNTER, CENTERED BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 1 | N | MCCT541818 | ADD-ON COUNTER, CENTERED BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 2 | N | MCCT541818 | ADD-ON COUNTER, CENTERED BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 1 | N | MCCT601118 | ADD-ON COUNTER, CENTERED BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 2 | N | MCCT601118 | ADD-ON COUNTER, CENTERED BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 1 | N | MCCT541118 | ADD-ON COUNTER, CENTERED BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 2 | N | MCCT541118 | ADD-ON COUNTER, CENTERED BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 1 | N | MCCY601818 | ADD-ON COUNTER, CENTERED BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 2 | N | MCCY601818 | ADD-ON COUNTER, CENTERED BACK | 49.22 | 22,33 | 1.73 | 0,78 |
| 1 | N | MCCY541818 | ADD-ON COUNTER, CENTERED BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 2 | N | MCCY541818 | ADD-ON COUNTER, CENTERED BACK | 46.02 | 20,87 | 1.57 | 0,71 |
| 1 | N | MCCY601118 | ADD-ON COUNTER, CENTERED BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 2 | N | MCCY601118 | ADD-ON COUNTER, CENTERED BACK | 44.22 | 20,06 | 1.73 | 0,78 |
| 1 | N | MCCY541118 | ADD-ON COUNTER, CENTERED BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| 2 | N | MCCY541118 | ADD-ON COUNTER, CENTERED BACK | 41.03 | 18,61 | 1.57 | 0,71 |
| N | N | RAD7211 | DOUBLE-SIDED ACCESSORY RAILS | 59.82 | 27,13 | 8.19 | 3,71 |
| N | N | RAD6611 | DOUBLE-SIDED ACCESSORY RAILS | 55.49 | 25,17 | 7.53 | 3,42 |
| N | N | RAD6011 | DOUBLE-SIDED ACCESSORY RAILS | 51.16 | 23,21 | 6.86 | 3,11 |
| N | N | RAD5411 | DOUBLE-SIDED ACCESSORY RAILS | 46.82 | 21,24 | 6.19 | 2,81 |
| N | N | RAD4811 | DOUBLE-SIDED ACCESSORY RAILS | 42.49 | 19,27 | 5.53 | 2,51 |
| N | N | RAD4211 | DOUBLE-SIDED ACCESSORY RAILS | 38.16 | 17,31 | 4.86 | 2,20 |
| N | N | RAD3611 | DOUBLE-SIDED ACCESSORY RAILS | 33.83 | 15,35 | 4.19 | 1,90 |
| N | N | RAD3011 | DOUBLE-SIDED ACCESSORY RAILS | 29.5 | 13,38 | 3.52 | 1,60 |
| N | N | RAD2411 | DOUBLE-SIDED ACCESSORY RAILS | 25.16 | 11,41 | 2.86 | 1,30 |
| N | N | RAS7211 | SINGLE-SIDED ACCESSORY RAILS | 45.85 | 20,80 | 7.3 | 3,31 |
| N | N | RAS6611 | SINGLE-SIDED ACCESSORY RAILS | 42.63 | 19,34 | 6.71 | 3,04 |
| N | N | RAS6011 | SINGLE-SIDED ACCESSORY RAILS | 39.4 | 17,87 | 6.11 | 2,77 |
| N | N | RAS5411 | SINGLE-SIDED ACCESSORY RAILS | 36.17 | 16,41 | 5.52 | 2,50 |
| N | N | RAS4811 | SINGLE-SIDED ACCESSORY RAILS | 32.94 | 14,94 | 4.92 | 2,23 |
| N | N | RAS4211 | SINGLE-SIDED ACCESSORY RAILS | 29.72 | 13,48 | 4.33 | 1,96 |
| N | N | RAS3611 | SINGLE-SIDED ACCESSORY RAILS | 26.49 | 12,02 | 3.74 | 1,70 |
| N | N | RAS3011 | SINGLE-SIDED ACCESSORY RAILS | 23.26 | 10,55 | 3.14 | 1,42 |
| N | N | RAS2411 | SINGLE-SIDED ACCESSORY RAILS | 20.03 | 9,09 | 2.55 | 1,16 |
| N | N | EBM3018 | SURF HEIGHT BOOKCASE, LAMINATE | 38.73 | 17,57 | 7.38 | 3,35 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|--------------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | EBW3018 | SURF HEIGHT BKCS,WHITEBRD BK | 38.73 | 17,57 | 7.38 | 3,35 |
| N | N | EBT3018 | SURF HEIGHT BKCS,TRANS BK | 36.12 | 16,38 | 7.38 | 3,35 |
| N | N | EBY3018 | SURF HEIGHT BKCS,SKY BK | 36.12 | 16,38 | 7.38 | 3,35 |
| N | N | EBM2418 | SURF H BKCS/PIGEON,LAM BK | 33.1 | 15,01 | 3.62 | 1,64 |
| N | N | EBW2418 | SURF H BKCS/PIGEON,WHITEBRD BK | 33.1 | 15,01 | 3.62 | 1,64 |
| N | N | EBT2418 | SURF H BKCS/PIGEON,TRANS BK | 31.14 | 14,12 | 3.62 | 1,64 |
| N | N | EBY2418 | SURF H BKCS/PIGEON,SKY BK | 31.14 | 14,12 | 3.62 | 1,64 |
| N | N | EBM1830 | SURF H BKCS-18"H,LAM BACK | 33.65 | 15,26 | 4.54 | 2,06 |
| N | N | EBM1824 | SURF H BKCS-18"H,LAM BACK | 30.28 | 13,73 | 3.69 | 1,67 |
| N | N | EBM1818 | SURF H BKCS-18"H,LAM BACK | 25.27 | 11,46 | 2.83 | 1,28 |
| N | N | EBW1830 | SURF H BKCS-18"H,WHITEBRD BACK | 33.65 | 15,26 | 4.54 | 2,06 |
| N | N | EBW1824 | SURF H BKCS-18"H,WHITEBRD BACK | 30.28 | 13,73 | 3.69 | 1,67 |
| N | N | EBW1818 | SURF H BKCS-18"H,WHITEBRD BACK | 25.27 | 11,46 | 2.83 | 1,28 |
| N | N | EBT1830 | SURF H BKCS-18"H,TRANSL BACK | 31.38 | 14,23 | 4.54 | 2,06 |
| N | N | EBT1824 | SURF H BKCS-18"H,TRANSL BACK | 28.18 | 12,78 | 3.69 | 1,67 |
| N | N | EBT1818 | SURF H BKCS-18"H,TRANSL BACK | 23.97 | 10,87 | 2.83 | 1,28 |
| N | N | EBY1830 | SURF H BKCS-18"H,SKY BACK | 31.38 | 14,23 | 4.54 | 2,06 |
| N | N | EBY1824 | SURF H BKCS-18"H,SKY BACK | 28.18 | 12,78 | 3.69 | 1,67 |
| N | N | EBY1818 | SURF H BKCS-18"H,SKY BACK | 23.97 | 10,87 | 2.83 | 1,28 |
| N | N | EBM1130 | SURF H BKCS-11"H,LAM BACK | 27.14 | 12,31 | 2.54 | 1,15 |
| N | N | EBM1124 | SURF H BKCS-11"H,LAM BACK | 23.6 | 10,70 | 2.07 | 0,94 |
| N | N | EBM1118 | SURF H BKCS-11"H,LAM BACK | 22.73 | 10,31 | 1.59 | 0,72 |
| N | N | EBW1130 | SURF H BKCS-11"H,WHITEBRD BACK | 27.14 | 12,31 | 2.54 | 1,15 |
| N | N | EBW1124 | SURF H BKCS-11"H,WHITEBRD BACK | 23.6 | 10,70 | 2.07 | 0,94 |
| N | N | EBW1118 | SURF H BKCS-11"H,WHITEBRD BACK | 22.73 | 10,31 | 1.59 | 0,72 |
| N | N | EBT1130 | SURF H BKCS-11"H,TRANSL BACK | 26.14 | 11,86 | 2.54 | 1,15 |
| N | N | EBT1124 | SURF H BKCS-11"H,TRANSL BACK | 22.84 | 10,36 | 2.07 | 0,94 |
| N | N | EBT1118 | SURF H BKCS-11"H,TRANSL BACK | 22.16 | 10,05 | 1.59 | 0,72 |
| N | N | EBY1130 | SURF H BKCS-11"H,SKY BACK | 26.14 | 11,86 | 2.54 | 1,15 |
| N | N | EBY1124 | SURF H BKCS-11"H,SKY BACK | 22.84 | 10,36 | 2.07 | 0,94 |
| N | N | EBY1118 | SURF H BKCS-11"H,SKY BACK | 22.16 | 10,05 | 1.59 | 0,72 |
| N | N | DVM1130 | SURFACE H PIGEONHOLE, LAM BACK | 34.57 | 15,68 | 2.54 | 1,15 |
| N | N | DVM1124 | SURFACE H PIGEONHOLE, LAM BACK | 31.37 | 14,23 | 2.07 | 0,94 |
| N | N | DVM1118 | SURFACE H PIGEONHOLE, LAM BACK | 27.16 | 12,32 | 1.59 | 0,72 |
| N | N | DVW1130 | SURF H PIGEONHOLE,WHITEBRD BK | 34.57 | 15,68 | 2.54 | 1,15 |
| N | N | DVW1124 | SURF H PIGEONHOLE,WHITEBRD BK | 31.37 | 14,23 | 2.07 | 0,94 |
| N | N | DVW1118 | SURF H PIGEONHOLE,WHITEBRD BK | 27.16 | 12,32 | 1.59 | 0,72 |
| N | N | DVT1130 | SURF HGT PIGEONHOLE,TRANSL BK | 29.33 | 13,30 | 2.54 | 1,15 |
| N | N | DVT1124 | SURF HGT PIGEONHOLE,TRANSL BK | 26.03 | 11,81 | 2.07 | 0,94 |
| N | N | DVT1118 | SURF HGT PIGEONHOLE,TRANSL BK | 25.35 | 11,50 | 1.59 | 0,72 |
| N | N | DVY1130 | SURFACE HGT PIGEONHOLE,SKY BK | 29.33 | 13,30 | 2.54 | 1,15 |
| N | N | DVY1124 | SURFACE HGT PIGEONHOLE,SKY BK | 26.03 | 11,81 | 2.07 | 0,94 |
| N | N | DVY1118 | SURFACE HGT PIGEONHOLE,SKY BK | 25.35 | 11,50 | 1.59 | 0,72 |
| N | N | EDT843215 | OPEN HUTCH DOUBLE SURF, TRANS | 134.2 | 60,87 | 27.31 | 12,39 |
| N | N | EDT723215 | OPEN HUTCH DOUBLE SURF, TRANS | 116.4 | 52,80 | 23.5 | 10,66 |
| N | N | EDT603215 | OPEN HUTCH DOUBLE SURF, TRANS | 102.89 | 46,67 | 19.68 | 8,93 |
| N | N | EDT483215 | OPEN HUTCH DOUBLE SURF, TRANS | 89.38 | 40,54 | 15.87 | 7,20 |
| N | N | EDT423215 | OPEN HUTCH DOUBLE SURF, TRANS | 82.63 | 37,48 | 13.96 | 6,33 |
| N | N | EDY843215 | OPEN HUTCH DOUBLE SURF, SKY | 134.2 | 60,87 | 27.31 | 12,39 |
| N | N | EDY723215 | OPEN HUTCH DOUBLE SURF, SKY | 116.4 | 52,80 | 23.5 | 10,66 |
| N | N | EDY603215 | OPEN HUTCH DOUBLE SURF, SKY | 102.89 | 46,67 | 19.68 | 8,93 |
| N | N | EDY483215 | OPEN HUTCH DOUBLE SURF, SKY | 89.38 | 40,54 | 15.87 | 7,20 |
| N | N | EDY423215 | OPEN HUTCH DOUBLE SURF, SKY | 82.63 | 37,48 | 13.96 | 6,33 |
| N | N | EDT843216C | HUTCH SLIDING DOORS TRANS | 155.7 | 70,62 | 29.63 | 13,44 |
| N | N | EDT723216C | HUTCH SLIDING DOORS TRANS | 134.9 | 61,19 | 25.49 | 11,56 |
| N | N | EDT603216C | HUTCH SLIDING DOORS TRANS | 118.39 | 53,70 | 21.35 | 9,68 |
| N | N | EDT483216C | HUTCH SLIDING DOORS TRANS | 101.88 | 46,21 | 17.21 | 7,81 |
| N | N | EDT423216C | HUTCH SLIDING DOORS TRANS | 92.62 | 42,01 | 15.15 | 6,87 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|--------------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | EDY843216C | HUTCH SLIDING DOORS SKY | 155.7 | 70.62 | 29.63 | 13,44 |
| N | N | EDY723216C | HUTCH SLIDING DOORS SKY | 134.9 | 61.19 | 25.49 | 11,56 |
| N | N | EDY603216C | HUTCH SLIDING DOORS SKY | 118.39 | 53.70 | 21.35 | 9,68 |
| N | N | EDY483216C | HUTCH SLIDING DOORS SKY | 101.88 | 46.21 | 17.21 | 7,81 |
| N | N | EDY423216C | HUTCH SLIDING DOORS SKY | 92.62 | 42.01 | 15.15 | 6,87 |
| N | N | EDS843215 | LAMINATE DIVIDR DOUBLE SURFACE | 98.49 | 44.67 | 3.53 | 1,60 |
| N | N | EDS723215 | LAMINATE DIVIDR DOUBLE SURFACE | 88.72 | 40.24 | 3.04 | 1,38 |
| N | N | EDS603215 | LAMINATE DIVIDR DOUBLE SURFACE | 78.95 | 35.81 | 3.32 | 1,51 |
| N | N | EDS483215 | LAMINATE DIVIDR DOUBLE SURFACE | 69.17 | 31.37 | 2.67 | 1,21 |
| N | N | EDS423215 | LAMINATE DIVIDR DOUBLE SURFACE | 64.29 | 29.16 | 2.35 | 1,07 |
| N | N | EST843215 | OPEN HUTCH SINGLE SURF, TRANS | 141.78 | 64.31 | 28.31 | 12,84 |
| N | N | EST723215 | OPEN HUTCH SINGLE SURF, TRANS | 122.88 | 55.74 | 24.35 | 11,04 |
| N | N | EST603215 | OPEN HUTCH SINGLE SURF, TRANS | 108.82 | 49.36 | 20.4 | 9,25 |
| N | N | EST483215 | OPEN HUTCH SINGLE SURF, TRANS | 94.76 | 42.98 | 16.45 | 7,46 |
| N | N | EST423215 | OPEN HUTCH SINGLE SURF, TRANS | 87.72 | 39.79 | 14.47 | 6,56 |
| N | N | ESY843215 | OPEN HUTCH SINGLE SURF, SKY | 141.78 | 64.31 | 28.31 | 12,84 |
| N | N | ESY723215 | OPEN HUTCH SINGLE SURF, SKY | 122.88 | 55.74 | 24.35 | 11,04 |
| N | N | ESY603215 | OPEN HUTCH SINGLE SURF, SKY | 108.82 | 49.36 | 20.4 | 9,25 |
| N | N | ESY483215 | OPEN HUTCH SINGLE SURF, SKY | 94.76 | 42.98 | 16.45 | 7,46 |
| N | N | ESY423215 | OPEN HUTCH SINGLE SURF, SKY | 87.72 | 39.79 | 14.47 | 6,56 |
| N | N | EST843216C | HUTCH SLIDING DOORS TRANS | 152.9 | 69.35 | 29.63 | 13,44 |
| N | N | EST723216C | HUTCH SLIDING DOORS TRANS | 132.5 | 60.10 | 25.49 | 11,56 |
| N | N | EST603216C | HUTCH SLIDING DOORS TRANS | 116.94 | 53.04 | 21.35 | 9,68 |
| N | N | EST483216C | HUTCH SLIDING DOORS TRANS | 101.38 | 45.99 | 17.21 | 7,81 |
| N | N | EST423216C | HUTCH SLIDING DOORS TRANS | 93.59 | 42.45 | 15.15 | 6,87 |
| N | N | ESY843216C | HUTCH SLIDING DOORS SKY | 152.9 | 69.35 | 29.63 | 13,44 |
| N | N | ESY723216C | HUTCH SLIDING DOORS SKY | 132.5 | 60.10 | 25.49 | 11,56 |
| N | N | ESY603216C | HUTCH SLIDING DOORS SKY | 116.94 | 53.04 | 21.35 | 9,68 |
| N | N | ESY483216C | HUTCH SLIDING DOORS SKY | 101.38 | 45.99 | 17.21 | 7,81 |
| N | N | ESY423216C | HUTCH SLIDING DOORS SKY | 93.59 | 42.45 | 15.15 | 6,87 |
| N | N | ESS843215 | LAMINATE DIVIDR SINGLE SURFACE | 100.56 | 45.61 | 3.91 | 1,77 |
| N | N | ESS723215 | LAMINATE DIVIDR SINGLE SURFACE | 90.59 | 41.09 | 3.36 | 1,52 |
| N | N | ESS603215 | LAMINATE DIVIDR SINGLE SURFACE | 83.18 | 37.73 | 3.67 | 1,66 |
| N | N | ESS483215 | LAMINATE DIVIDR SINGLE SURFACE | 72.85 | 33.04 | 2.95 | 1,34 |
| N | N | ESS423215 | LAMINATE DIVIDR SINGLE SURFACE | 67.68 | 30.70 | 2.6 | 1,18 |
| N | N | ET903220 | OPEN HUTCH FOR STRG MODL,TRANS | 172.12 | 78.07 | 37.36 | 16,95 |
| N | N | ET723220 | OPEN HUTCH FOR STRG MODL,TRANS | 147.39 | 66.85 | 30.04 | 13,63 |
| N | N | ET603220 | OPEN HUTCH FOR STRG MODL,TRANS | 132.14 | 59.94 | 25.17 | 11,42 |
| N | N | ET483220 | OPEN HUTCH FOR STRG MODL,TRANS | 114.42 | 51.90 | 20.29 | 9,20 |
| N | N | ET423220 | OPEN HUTCH FOR STRG MODL,TRANS | 110.26 | 50.01 | 17.85 | 8,10 |
| N | N | EY903220 | OPEN HUTCH FOR STRG MODL, SKY | 172.12 | 78.07 | 37.36 | 16,95 |
| N | N | EY723220 | OPEN HUTCH FOR STRG MODL, SKY | 147.39 | 66.85 | 30.04 | 13,63 |
| N | N | EY603220 | OPEN HUTCH FOR STRG MODL, SKY | 132.14 | 59.94 | 25.17 | 11,42 |
| N | N | EY483220 | OPEN HUTCH FOR STRG MODL, SKY | 114.42 | 51.90 | 20.29 | 9,20 |
| N | N | EY423220 | OPEN HUTCH FOR STRG MODL, SKY | 110.26 | 50.01 | 17.85 | 8,10 |
| N | N | ET903220V | HUTCH LIFT-UP DOORS, TRANS | 202.63 | 91.91 | 38.78 | 17,59 |
| N | N | ET723220V | HUTCH LIFT-UP DOORS, TRANS | 164.71 | 74.71 | 31.18 | 14,14 |
| N | N | ET603220V | HUTCH LIFT-UP DOORS, TRANS | 145.22 | 65.87 | 26.12 | 11,85 |
| N | N | ET483220V | HUTCH LIFT-UP DOORS, TRANS | 125.74 | 57.03 | 21.06 | 9,55 |
| N | N | ET423220V | HUTCH LIFT-UP DOORS, TRANS | 116.00 | 52.62 | 18.53 | 8,41 |
| N | N | EY903220V | HUTCH LIFT-UP DOORS, SKY | 202.63 | 91.91 | 38.78 | 17,59 |
| N | N | EY723220V | HUTCH LIFT-UP DOORS, SKY | 164.71 | 74.71 | 31.18 | 14,14 |
| N | N | EY603220V | HUTCH LIFT-UP DOORS, SKY | 145.22 | 65.87 | 26.12 | 11,85 |
| N | N | EY483220V | HUTCH LIFT-UP DOORS, SKY | 125.74 | 57.03 | 21.06 | 9,55 |
| N | N | EY423220V | HUTCH LIFT-UP DOORS, SKY | 116.00 | 52.62 | 18.53 | 8,41 |
| N | N | ET723220C | HUTCH SLIDING DOORS, TRANS | 157.01 | 71.22 | 31.18 | 14,14 |
| N | N | ET603220C | HUTCH SLIDING DOORS, TRANS | 139.02 | 63.06 | 26.12 | 11,85 |
| N | N | ET483220C | HUTCH SLIDING DOORS, TRANS | 121.04 | 54.90 | 21.06 | 9,55 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | EY723220C | HUTCH SLIDING DOORS, SKY | 157.01 | 71.22 | 31.18 | 14,14 |
| N | N | EY603220C | HUTCH SLIDING DOORS, SKY | 139.02 | 63,06 | 26.12 | 11,85 |
| N | N | EY483220C | HUTCH SLIDING DOORS, SKY | 121.04 | 54,90 | 21.06 | 9,55 |
| N | N | ES903220 | LAM DIVIDER FOR STORAGE MODULE | 115.81 | 52,53 | 4.18 | 1,90 |
| N | N | ES723220 | LAM DIVIDER FOR STORAGE MODULE | 99.04 | 44,92 | 3.36 | 1,52 |
| N | N | ES603220 | LAM DIVIDER FOR STORAGE MODULE | 90.42 | 41,01 | 3.67 | 1,66 |
| N | N | ES483220 | LAM DIVIDER FOR STORAGE MODULE | 78.88 | 35,78 | 2.95 | 1,34 |
| N | N | ES423220 | LAM DIVIDER FOR STORAGE MODULE | 73.11 | 33,16 | 2.6 | 1,18 |
| 1 | N | DFM2090MF | SHARED FILE STORAGE | 404.49 | 183,47 | 37.14 | 16,85 |
| 2 | N | DFM2090MF | SHARED FILE STORAGE | 404.49 | 183,47 | 37.14 | 16,85 |
| 5 | N | DFM2090MF | SHARED FILE STORAGE | 422.18 | 191,50 | 37.89 | 17,19 |
| 6 | N | DFM2090MF | SHARED FILE STORAGE | 422.18 | 191,50 | 37.89 | 17,19 |
| 1 | N | DLUF2072M | SHARED BBF STORAGE | 307.25 | 139,37 | 28.32 | 12,85 |
| 2 | N | DLUF2072M | SHARED BBF STORAGE | 307.25 | 139,37 | 28.32 | 12,85 |
| 1 | N | DLUF2060M | SHARED BBF STORAGE | 266.08 | 120,69 | 23.72 | 10,76 |
| 2 | N | DLUF2060M | SHARED BBF STORAGE | 266.08 | 120,69 | 23.72 | 10,76 |
| 1 | N | DLUF2048M | SHARED BBF STORAGE | 239.3 | 108,54 | 19.13 | 8,68 |
| 2 | N | DLUF2048M | SHARED BBF STORAGE | 239.3 | 108,54 | 19.13 | 8,68 |
| 5 | N | DLUF2072M | SHARED BBF STORAGE | 319.78 | 145,05 | 29.04 | 13,17 |
| 6 | N | DLUF2072M | SHARED BBF STORAGE | 319.78 | 145,05 | 29.04 | 13,17 |
| 5 | N | DLUF2060M | SHARED BBF STORAGE | 276.53 | 125,43 | 24.32 | 11,03 |
| 6 | N | DLUF2060M | SHARED BBF STORAGE | 276.53 | 125,43 | 24.32 | 11,03 |
| 5 | N | DLUF2048M | SHARED BBF STORAGE | 247.67 | 112,34 | 19.61 | 8,89 |
| 6 | N | DLUF2048M | SHARED BBF STORAGE | 247.67 | 112,34 | 19.61 | 8,89 |
| 1 | N | DLF2072M | SHARED FF STORAGE | 299.33 | 135,77 | 28.32 | 12,85 |
| 2 | N | DLF2072M | SHARED FF STORAGE | 299.33 | 135,77 | 28.32 | 12,85 |
| 1 | N | DLF2060M | SHARED FF STORAGE | 258.16 | 117,10 | 23.72 | 10,76 |
| 2 | N | DLF2060M | SHARED FF STORAGE | 258.16 | 117,10 | 23.72 | 10,76 |
| 1 | N | DLF2048M | SHARED FF STORAGE | 231.38 | 104,95 | 19.13 | 8,68 |
| 2 | N | DLF2048M | SHARED FF STORAGE | 231.38 | 104,95 | 19.13 | 8,68 |
| 5 | N | DLF2072M | SHARED FF STORAGE | 311.86 | 141,46 | 29.04 | 13,17 |
| 6 | N | DLF2072M | SHARED FF STORAGE | 311.86 | 141,46 | 29.04 | 13,17 |
| 5 | N | DLF2060M | SHARED FF STORAGE | 268.61 | 121,84 | 24.32 | 11,03 |
| 6 | N | DLF2060M | SHARED FF STORAGE | 268.61 | 121,84 | 24.32 | 11,03 |
| 5 | N | DLF2048M | SHARED FF STORAGE | 239.75 | 108,75 | 19.61 | 8,89 |
| 6 | N | DLF2048M | SHARED FF STORAGE | 239.75 | 108,75 | 19.61 | 8,89 |
| 1 | N | DUL209021MS | SHARED OPEN&BF STORAGE-21"H | 261.28 | 118,51 | 27.22 | 12,35 |
| 2 | N | DUL209021MS | SHARED OPEN&BF STORAGE-21"H | 261.28 | 118,51 | 27.22 | 12,35 |
| 1 | N | DUL207221MS | SHARED OPEN&BF STORAGE-21"H | 231.78 | 105,13 | 21.89 | 9,93 |
| 2 | N | DUL207221MS | SHARED OPEN&BF STORAGE-21"H | 231.78 | 105,13 | 21.89 | 9,93 |
| 5 | N | DUL209021MS | SHARED OPEN&BF STORAGE-21"H | 276.78 | 125,55 | 27.22 | 12,35 |
| 6 | N | DUL209021MS | SHARED OPEN&BF STORAGE-21"H | 276.78 | 125,55 | 27.22 | 12,35 |
| 5 | N | DUL207221MS | SHARED OPEN&BF STORAGE-21"H | 244.18 | 110,76 | 21.89 | 9,93 |
| 6 | N | DUL207221MS | SHARED OPEN&BF STORAGE-21"H | 244.18 | 110,76 | 21.89 | 9,93 |
| 1 | N | DS209021MS | SHARED OPEN STORAGES - 21"H | 196.94 | 89,33 | 27.22 | 12,35 |
| 2 | N | DS209021MS | SHARED OPEN STORAGES - 21"H | 196.94 | 89,33 | 27.22 | 12,35 |
| 1 | N | DS207221MS | SHARED OPEN STORAGES - 21"H | 165.6 | 75,11 | 21.89 | 9,93 |
| 2 | N | DS207221MS | SHARED OPEN STORAGES - 21"H | 165.6 | 75,11 | 21.89 | 9,93 |
| 5 | N | DS209021MS | SHARED OPEN STORAGES - 21"H | 212.44 | 96,36 | 27.22 | 12,35 |
| 6 | N | DS209021MS | SHARED OPEN STORAGES - 21"H | 212.44 | 96,36 | 27.22 | 12,35 |
| 5 | N | DS207221MS | SHARED OPEN STORAGES - 21"H | 178.00 | 80,74 | 21.89 | 9,93 |
| 6 | N | DS207221MS | SHARED OPEN STORAGES - 21"H | 178.00 | 80,74 | 21.89 | 9,93 |
| 1 | N | DUL206021M | SHARED OPEN BF STORAGE - 21"H | 223.14 | 101,21 | 18.33 | 8,31 |
| 2 | N | DUL206021M | SHARED OPEN BF STORAGE - 21"H | 223.14 | 101,21 | 18.33 | 8,31 |
| 1 | N | DUL204821M | SHARED OPEN BF STORAGE - 21"H | 191.49 | 86,86 | 14.78 | 6,70 |
| 2 | N | DUL204821M | SHARED OPEN BF STORAGE - 21"H | 191.49 | 86,86 | 14.78 | 6,70 |
| 5 | N | DUL206021M | SHARED OPEN BF STORAGE - 21"H | 233.47 | 105,90 | 18.33 | 8,31 |
| 6 | N | DUL206021M | SHARED OPEN BF STORAGE - 21"H | 233.47 | 105,90 | 18.33 | 8,31 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|-------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | DUL204821M | SHARED OPEN BF STORAGE - 21"H | 199.75 | 90,61 | 14.78 | 6,70 |
| 6 | N | DUL204821M | SHARED OPEN BF STORAGE - 21"H | 199.75 | 90,61 | 14.78 | 6,70 |
| 1 | N | DS206021M | SHARED OPEN BOOKCASE - 21"H | 142.76 | 64,75 | 18.33 | 8,31 |
| 2 | N | DS206021M | SHARED OPEN BOOKCASE - 21"H | 142.76 | 64,75 | 18.33 | 8,31 |
| 1 | N | DS204821M | SHARED OPEN BOOKCASE - 21"H | 120.14 | 54,49 | 14.78 | 6,70 |
| 2 | N | DS204821M | SHARED OPEN BOOKCASE - 21"H | 120.47 | 54,64 | 14.78 | 6,70 |
| 5 | N | DS206021M | SHARED OPEN BOOKCASE - 21"H | 153.09 | 69,44 | 18.33 | 8,31 |
| 6 | N | DS206021M | SHARED OPEN BOOKCASE - 21"H | 153.09 | 69,44 | 18.33 | 8,31 |
| 5 | N | DS204821M | SHARED OPEN BOOKCASE - 21"H | 128.74 | 58,40 | 14.78 | 6,70 |
| 6 | N | DS204821M | SHARED OPEN BOOKCASE - 21"H | 128.74 | 58,40 | 14.78 | 6,70 |
| 1 | N | LUF2090LUF | BOX/FILE STORAGE | 486.16 | 220,52 | 37.72 | 17,11 |
| 2 | N | LUF2090LUF | BOX/FILE STORAGE | 486.16 | 220,52 | 37.72 | 17,11 |
| 5 | N | LUF2090LUF | BOX/FILE STORAGE | 503.27 | 228,28 | 38.25 | 17,35 |
| 6 | N | LUF2090LUF | BOX/FILE STORAGE | 503.27 | 228,28 | 38.25 | 17,35 |
| 1 | N | LF2090LF | FILE STORAGE | 463.44 | 210,21 | 37.72 | 17,11 |
| 2 | N | LF2090LF | FILE STORAGE | 463.44 | 210,21 | 37.72 | 17,11 |
| 5 | N | LF2090LF | FILE STORAGE | 480.43 | 217,92 | 38.25 | 17,35 |
| 6 | N | LF2090LF | FILE STORAGE | 480.43 | 217,92 | 38.25 | 17,35 |
| 1 | N | S2090S | OPEN BOOKCASE STORAGE | 232.03 | 105,25 | 34.61 | 15,70 |
| 2 | N | S2090S | OPEN BOOKCASE STORAGE | 232.03 | 105,25 | 34.61 | 15,70 |
| 1 | N | S2072S | OPEN BOOKCASE STORAGE | 184.28 | 83,59 | 28.32 | 12,85 |
| 2 | N | S2072S | OPEN BOOKCASE STORAGE | 184.28 | 83,59 | 28.32 | 12,85 |
| 1 | N | S2060S | OPEN BOOKCASE STORAGE | 160.47 | 72,79 | 23.72 | 10,76 |
| 2 | N | S2060S | OPEN BOOKCASE STORAGE | 160.47 | 72,79 | 23.72 | 10,76 |
| 1 | N | S2048S | OPEN BOOKCASE STORAGE | 136.64 | 61,98 | 19.13 | 8,68 |
| 2 | N | S2048S | OPEN BOOKCASE STORAGE | 136.64 | 61,98 | 19.13 | 8,68 |
| 5 | N | S2090S | OPEN BOOKCASE STORAGE | 247.68 | 112,35 | 35.48 | 16,09 |
| 6 | N | S2090S | OPEN BOOKCASE STORAGE | 247.68 | 112,35 | 35.48 | 16,09 |
| 5 | N | S2072S | OPEN BOOKCASE STORAGE | 196.81 | 89,27 | 29.04 | 13,17 |
| 6 | N | S2072S | OPEN BOOKCASE STORAGE | 196.81 | 89,27 | 29.04 | 13,17 |
| 5 | N | S2060S | OPEN BOOKCASE STORAGE | 170.81 | 77,48 | 24.32 | 11,03 |
| 6 | N | S2060S | OPEN BOOKCASE STORAGE | 170.81 | 77,48 | 24.32 | 11,03 |
| 5 | N | S2048S | OPEN BOOKCASE STORAGE | 145.00 | 65,77 | 19.61 | 8,89 |
| 6 | N | S2048S | OPEN BOOKCASE STORAGE | 145.00 | 65,77 | 19.61 | 8,89 |
| 1 | N | LUF2072LUF | BOX/FILE STORAGE | 353.76 | 160,46 | 28.32 | 12,85 |
| 2 | N | LUF2072LUF | BOX/FILE STORAGE | 353.76 | 160,46 | 21.89 | 9,93 |
| 1 | N | LUF2060LUF | BOX/FILE STORAGE | 313.2 | 142,07 | 23.72 | 10,76 |
| 2 | N | LUF2060LUF | BOX/FILE STORAGE | 313.2 | 142,07 | 23.72 | 10,76 |
| 1 | N | LUF2048LUF | BOX/FILE STORAGE | 268.83 | 121,94 | 19.13 | 8,68 |
| 2 | N | LUF2048LUF | BOX/FILE STORAGE | 268.83 | 121,94 | 19.13 | 8,68 |
| 5 | N | LUF2072LUF | BOX/FILE STORAGE | 366.3 | 166,15 | 29.04 | 13,17 |
| 6 | N | LUF2072LUF | BOX/FILE STORAGE | 366.3 | 166,15 | 29.04 | 13,17 |
| 5 | N | LUF2060LUF | BOX/FILE STORAGE | 331.59 | 150,41 | 24.32 | 11,03 |
| 6 | N | LUF2060LUF | BOX/FILE STORAGE | 331.59 | 150,41 | 24.32 | 11,03 |
| 5 | N | LUF2048LUF | BOX/FILE STORAGE | 277.19 | 125,73 | 19.61 | 8,89 |
| 6 | N | LUF2048LUF | BOX/FILE STORAGE | 277.19 | 125,73 | 19.61 | 8,89 |
| 1 | N | LF2072LF | FILE STORAGE | 344.98 | 156,48 | 28.32 | 12,85 |
| 2 | N | LF2072LF | FILE STORAGE | 344.98 | 156,48 | 21.89 | 9,93 |
| 1 | N | LF2060LF | FILE STORAGE | 304.42 | 138,08 | 23.72 | 10,76 |
| 2 | N | LF2060LF | FILE STORAGE | 304.23 | 138,00 | 23.72 | 10,76 |
| 1 | N | LF2048LF | FILE STORAGE | 260.05 | 117,96 | 19.13 | 8,68 |
| 2 | N | LF2048LF | FILE STORAGE | 260.05 | 117,96 | 19.13 | 8,68 |
| 5 | N | LF2072LF | FILE STORAGE | 357.52 | 162,17 | 29.04 | 13,17 |
| 6 | N | LF2072LF | FILE STORAGE | 357.52 | 162,17 | 29.04 | 13,17 |
| 5 | N | LF2060LF | FILE STORAGE | 322.81 | 146,42 | 24.32 | 11,03 |
| 6 | N | LF2060LF | FILE STORAGE | 322.81 | 146,42 | 24.32 | 11,03 |
| 5 | N | LF2048LF | FILE STORAGE | 268.41 | 121,75 | 19.61 | 8,89 |
| 6 | N | LF2048LF | FILE STORAGE | 268.41 | 121,75 | 19.61 | 8,89 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-------------|--------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 1 | N | 2036LUF | BOX/FILE MODULE | 182.71 | 82,88 | 14.53 | 6,59 |
| 2 | N | 2036LUF | BOX/FILE MODULE | 182.71 | 82,88 | 14.53 | 6,59 |
| 5 | N | 2036LUF | BOX/FILE MODULE | 189.99 | 86,18 | 14.9 | 6,76 |
| 6 | N | 2036LUF | BOX/FILE MODULE | 189.99 | 86,18 | 14.9 | 6,76 |
| 1 | N | 2036LF | LATERAL FILE UNIT | 173.93 | 78,89 | 14.53 | 6,59 |
| 2 | N | 2036LF | LATERAL FILE UNIT | 173.93 | 78,89 | 14.53 | 6,59 |
| 5 | N | 2036LF | LATERAL FILE UNIT | 180.21 | 81,74 | 14.9 | 6,76 |
| 6 | N | 2036LF | LATERAL FILE UNIT | 180.21 | 81,74 | 14.9 | 6,76 |
| 1 | N | 2036S | OPEN BOOKCASE UNIT | 100.36 | 45,52 | 14.53 | 6,59 |
| 2 | N | 2036S | OPEN BOOKCASE UNIT | 100.36 | 45,52 | 14.53 | 6,59 |
| 5 | N | 2036S | OPEN BOOKCASE UNIT | 106.64 | 48,37 | 14.9 | 6,76 |
| 6 | N | 2036S | OPEN BOOKCASE UNIT | 106.64 | 48,37 | 14.9 | 6,76 |
| 1 | N | UL209021UL | BOX/LATERAL FILE STORAGE | 446.77 | 202,65 | 27.22 | 12,35 |
| 2 | N | UL209021UL | BOX/LATERAL FILE STORAGE | 446.77 | 202,65 | 27.22 | 12,35 |
| 5 | N | UL209021UL | BOX/LATERAL FILE STORAGE | 462.27 | 209,68 | 27.22 | 12,35 |
| 6 | N | UL209021UL | BOX/LATERAL FILE STORAGE | 462.27 | 209,68 | 27.22 | 12,35 |
| 1 | N | UL209021ULS | B/F STORAGE W/OPEN SPACE | 264.36 | 119,91 | 27.22 | 12,35 |
| 2 | N | UL209021ULS | B/F STORAGE W/OPEN SPACE | 264.36 | 119,91 | 27.22 | 12,35 |
| 1 | N | UL207221ULS | B/F STORAGE W/OPEN SPACE | 234.55 | 106,39 | 21.89 | 9,93 |
| 2 | N | UL207221ULS | B/F STORAGE W/OPEN SPACE | 234.55 | 106,39 | 21.89 | 9,93 |
| 5 | N | UL209021ULS | B/F STORAGE W/OPEN SPACE | 279.89 | 126,96 | 27.22 | 12,35 |
| 6 | N | UL209021ULS | B/F STORAGE W/OPEN SPACE | 279.89 | 126,96 | 27.22 | 12,35 |
| 5 | N | UL207221ULS | B/F STORAGE W/OPEN SPACE | 246.95 | 112,01 | 21.89 | 9,93 |
| 6 | N | UL207221ULS | B/F STORAGE W/OPEN SPACE | 246.95 | 112,01 | 21.89 | 9,93 |
| 1 | N | S209021S | OPEN STORAGE | 206.05 | 93,46 | 27.22 | 12,35 |
| 2 | N | S209021S | OPEN STORAGE | 206.05 | 93,46 | 27.22 | 12,35 |
| 1 | N | S207221S | OPEN STORAGE | 164.54 | 74,63 | 21.89 | 9,93 |
| 2 | N | S207221S | OPEN STORAGE | 164.54 | 74,63 | 21.89 | 9,93 |
| 1 | N | S206021S | OPEN STORAGE | 142.26 | 64,53 | 18.33 | 8,31 |
| 2 | N | S206021S | OPEN STORAGE | 142.26 | 64,53 | 18.33 | 8,31 |
| 1 | N | S204821S | OPEN STORAGE | 119.99 | 54,43 | 14.78 | 6,70 |
| 2 | N | S204821S | OPEN STORAGE | 119.98 | 54,42 | 14.78 | 6,70 |
| 1 | N | S203621S | OPEN STORAGE | 88.79 | 40,27 | 11.23 | 5,09 |
| 2 | N | S203621S | OPEN STORAGE | 88.79 | 40,27 | 11.23 | 5,09 |
| 5 | N | S209021S | OPEN STORAGE | 221.55 | 100,49 | 27.22 | 12,35 |
| 6 | N | S209021S | OPEN STORAGE | 221.55 | 100,49 | 27.22 | 12,35 |
| 5 | N | S207221S | OPEN STORAGE | 176.94 | 80,26 | 21.89 | 9,93 |
| 6 | N | S207221S | OPEN STORAGE | 176.94 | 80,26 | 21.89 | 9,93 |
| 5 | N | S206021S | OPEN STORAGE | 152.59 | 69,21 | 18.33 | 8,31 |
| 6 | N | S206021S | OPEN STORAGE | 152.59 | 69,21 | 18.33 | 8,31 |
| 5 | N | S204821S | OPEN STORAGE | 128.24 | 58,17 | 14.78 | 6,70 |
| 6 | N | S204821S | OPEN STORAGE | 128.24 | 58,17 | 14.78 | 6,70 |
| 5 | N | S203621S | OPEN STORAGE | 94.99 | 43,09 | 11.23 | 5,09 |
| 6 | N | S203621S | OPEN STORAGE | 94.99 | 43,09 | 11.23 | 5,09 |
| 1 | N | UL206021UL | BOX/LATERAL FILE STORAGE | 249.41 | 113,13 | 18.33 | 8,31 |
| 2 | N | UL206021UL | BOX/LATERAL FILE STORAGE | 249.41 | 113,13 | 18.33 | 8,31 |
| 1 | N | UL204821UL | BOX/LATERAL FILE STORAGE | 211.92 | 96,13 | 14.78 | 6,70 |
| 2 | N | UL204821UL | BOX/LATERAL FILE STORAGE | 211.92 | 96,13 | 14.78 | 6,70 |
| 5 | N | UL206021UL | BOX/LATERAL FILE STORAGE | 259.74 | 117,82 | 18.33 | 8,31 |
| 6 | N | UL206021UL | BOX/LATERAL FILE STORAGE | 259.74 | 117,82 | 18.33 | 8,31 |
| 5 | N | UL204821UL | BOX/LATERAL FILE STORAGE | 220.18 | 99,87 | 14.78 | 6,70 |
| 6 | N | UL204821UL | BOX/LATERAL FILE STORAGE | 220.18 | 99,87 | 14.78 | 6,70 |
| 1 | N | UL206021S | B/F STORAGE W/OPEN SPACE | 185.07 | 83,95 | 18.33 | 8,31 |
| 2 | N | UL206021S | B/F STORAGE W/OPEN SPACE | 185.07 | 83,95 | 18.33 | 8,31 |
| 1 | N | UL204821S | B/F STORAGE W/OPEN SPACE | 160.6 | 72,85 | 14.78 | 6,70 |
| 2 | N | UL204821S | B/F STORAGE W/OPEN SPACE | 160.6 | 72,85 | 14.78 | 6,70 |
| 5 | N | UL206021S | B/F STORAGE W/OPEN SPACE | 195.41 | 88,64 | 18.33 | 8,31 |
| 6 | N | UL206021S | B/F STORAGE W/OPEN SPACE | 195.41 | 88,64 | 18.33 | 8,31 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|------------|--------------------------------|--------|-------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | UL204821S | B/F STORAGE W/OPEN SPACE | 168.86 | 76.59 | 14.78 | 6.70 |
| 6 | N | UL204821S | B/F STORAGE W/OPEN SPACE | 168.86 | 76.59 | 14.78 | 6.70 |
| N | N | MP1518F | MOBILE PEDESTAL B/F | 55.55 | 25.20 | 4.29 | 1.95 |
| | | 4TRAC496C1 | 4 DUPLEX,CIRCUIT1,96"/84"/72"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC496C2 | 4 DUPLEX,CIRCUIT2,96"/84"/72"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC296C1 | 2 DUPLEX, CIRCUIT 1, 96"/84"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC296C2 | 2 DUPLEX, CIRCUIT 2, 96"/84"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC272C1 | 2 DUPLEX, CIRCUIT 1, 72"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC272C2 | 2 DUPLEX, CIRCUIT 2, 72"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC260C1 | 2 DUPLEX, CIRCUIT 1, 60"/48"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | 4TRAC260C2 | 2 DUPLEX, CIRCUIT 2, 60"/48"W | 15.00 | 6.80 | 1.05 | 0.48 |
| | | PASS54 | UNIVERSAL PASS CABLE, 54"L | 0.6 | 0.27 | 0.54 | 0.24 |
| | | PASS36 | UNIVERSAL PASS CABLE, 36"L | 0.6 | 0.27 | 0.54 | 0.24 |
| | | FFEED72 | ELECTRICAL FEED, FLOOR, 72"L | 0.6 | 0.27 | 0.54 | 0.24 |
| | | FFEED60 | ELECTRICAL FEED, FLOOR, 60"L | 0.6 | 0.27 | 0.54 | 0.24 |
| N | N | FFEED23 | ELECTRICAL FEED, ROOF, 230"L | 0.6 | 0.27 | 0.54 | 0.24 |
| N | N | CEV23 | 23" POST | 0.6 | 0.27 | 0.54 | 0.24 |
| N | N | CFEED120 | ELECTRICAL FEED, ROOF, 120"L | 12.00 | 5.44 | 0.5 | 0.23 |
| N | N | POLE120 | 120" POLE | 12.00 | 5.44 | 0.5 | 0.23 |
| | | COM | COMMUNICATION PLATE | 0.9 | 0.41 | 0.08 | 0.04 |
| N | N | DELECT | SURFACE COMM PLATE 4PWR/4USB | 4.8 | 2.18 | 0.59 | 0.27 |
| N | N | DELECY | SURFACE COMM PLATE 4PWR/4USB | 4.8 | 2.18 | 0.59 | 0.27 |
| N | N | SELECT | SURFACE COMM PLATE 2PWR/2USB | 4.8 | 2.18 | 0.59 | 0.27 |
| N | N | SELECY | SURFACE COMM PLATE 2PWR/2USB | 4.8 | 2.18 | 0.59 | 0.27 |
| N | N | MOD1454 | MODULAR MODESTY PANEL, 54" | 20.21 | 9.17 | 1.23 | 0.56 |
| N | N | MOD1442 | MODULAR MODESTY PANEL, 42" | 18.52 | 8.40 | 1.1 | 0.50 |
| N | N | MOD1430 | MODULAR MODESTY PANEL, 30" | 13.91 | 6.31 | 0.89 | 0.40 |
| N | N | CU2036 | CUSHION FOR 20"H STORAGE | 14.00 | 6.35 | 1.58 | 0.72 |
| N | N | CU2030 | CUSHION FOR 20"H STORAGE | 11.00 | 4.99 | 1.33 | 0.60 |
| N | N | CU2024 | CUSHION FOR 20"H STORAGE | 11.00 | 4.99 | 1.08 | 0.49 |
| N | N | CU1518 | CUSHION FOR MOBILE PEDESTAL | 9.00 | 4.08 | 0.65 | 0.29 |
| N | N | TK8822 | TACKBOARD | 17.57 | 7.97 | 1.27 | 0.58 |
| N | N | TK8222 | TACKBOARD | 16.58 | 7.52 | 1.17 | 0.53 |
| N | N | TK7022 | TACKBOARD | 14.6 | 6.62 | 1.00 | 0.45 |
| N | N | TK5822 | TACKBOARD | 12.62 | 5.72 | 0.83 | 0.38 |
| N | N | TK4622 | TACKBOARD | 10.64 | 4.83 | 0.66 | 0.30 |
| N | N | TK4022 | TACKBOARD | 9.65 | 4.38 | 0.58 | 0.26 |
| N | N | TK4012 | TACKBOARD | 6.06 | 2.75 | 0.27 | 0.12 |
| N | N | TK3412 | TACKBOARD | 5.32 | 2.41 | 0.21 | 0.10 |
| N | N | TK2812 | TACKBOARD | 4.68 | 2.12 | 0.15 | 0.07 |
| N | N | TK2212 | TACKBOARD | 5.22 | 2.37 | 0.15 | 0.07 |
| N | N | TK1912 | TACKBOARD | 5.99 | 2.72 | 0.26 | 0.12 |
| N | N | TK1625 | TACKBOARD | 6.06 | 2.75 | 0.27 | 0.12 |
| N | N | TK1619 | TACKBOARD | 5.32 | 2.41 | 0.21 | 0.10 |
| N | N | TK1613 | TACKBOARD | 4.68 | 2.12 | 0.15 | 0.07 |
| N | N | TK2213 | TACKBOARD | 5.33 | 2.42 | 0.21 | 0.10 |
| N | N | TK2813 | TACKBOARD | 5.99 | 2.72 | 0.26 | 0.12 |
| N | N | TK2806 | TACKBOARD | 4.42 | 2.00 | 0.12 | 0.05 |
| N | N | TK2206 | TACKBOARD | 4.06 | 1.84 | 0.1 | 0.05 |
| N | N | TK1606 | TACKBOARD | 3.71 | 1.68 | 0.07 | 0.03 |
| N | N | METK6018 | METAL BACK FOR SCREEN | 36.45 | 16.53 | 0.99 | 0.45 |
| N | N | METK5418 | METAL BACK FOR SCREEN | 32.69 | 14.83 | 0.9 | 0.41 |
| N | N | METK3018 | METAL BACK FOR SCREEN | 18.98 | 8.61 | 0.54 | 0.24 |
| N | N | SURFCON | HARDWARE KIT FOR SURFACE STORG | 18.14 | 8.23 | 0.68 | 0.31 |
| N | N | HDFFP | HEAVY DUTY FLUSH PLATES, 2 | 4.17 | 1.89 | 0.06 | 0.03 |
| N | N | SUPECRED | SCREEN SUPPORT DOUBLE | 11.77 | 5.34 | 0.36 | 0.16 |
| N | N | SUPECRES | SCREEN SUPPORT SINGLE | 18.72 | 8.49 | 0.98 | 0.44 |
| | | BM2 | BOX 2, ITEM ASSEMBLED | 0.01 | 0.00 | 0.01 | 0.00 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| | | BM3 | BOX 3, ITEM ASSEMBLED | 0.01 | 0,00 | 0.01 | 0,00 |
| | | BM4 | BOX 4, ITEM ASSEMBLED | 0.01 | 0,00 | 0.01 | 0,00 |
| | | BD2 | BOX 2, KNOCK-DOWN ITEM | 0.01 | 0,00 | 0.01 | 0,00 |
| | | BD3 | BOX 3, KNOCK-DOWN ITEM | 0.01 | 0,00 | 0.01 | 0,00 |
| | | BD4 | BOX 4, KNOCK-DOWN ITEM | 0.01 | 0,00 | 0.01 | 0,00 |
| N | N | 1KITPONT10 | SURFACE SUPPORT | 24.4 | 11,07 | 0.42 | 0,19 |
| N | N | 2KITPONT10 | SURFACE SUPPORT | 47.19 | 21,41 | 0.79 | 0,36 |
| N | N | 1KITPONT06 | SURFACE SUPPORT | 16.13 | 7,32 | 0.22 | 0,10 |
| N | N | 2KITPONT06 | SURFACE SUPPORT | 31.43 | 14,26 | 0.41 | 0,19 |
| N | N | 2KITPONT | SURFACE SUPPORT | 40.53 | 18,38 | 0.64 | 0,29 |
| N | N | 1KITBASE120 | BASE PLATE 120 TABLE | 42.7 | 19,37 | 0.72 | 0,33 |
| N | N | 1PONT10DR | SURFACE SUPPORT | 13.38 | 6,07 | 0.38 | 0,17 |
| N | N | 1PONT10GA | SURFACE SUPPORT | 13.38 | 6,07 | 0.38 | 0,17 |
| N | N | 1KITPONT10PLAQ2 | SURFACE SUPPORT | 40.92 | 18,56 | 0.56 | 0,25 |
| N | N | 2KITPONT10PLAQ2 | SURFACE SUPPORT | 63.4 | 28,76 | 0.91 | 0,41 |
| N | N | 1KITPONT10PLAQ1 | SURFACE SUPPORT | 32.82 | 14,89 | 0.54 | 0,24 |
| 5 | N | RCDT6696 | DBL-SIDE SURF,TRANS CHANL CVRS | 256.00 | 116,12 | 7.98 | 3,62 |
| 6 | N | RCDT6696 | DBL-SIDE SURF,TRANS CHANL CVRS | 256.00 | 116,12 | 7.98 | 3,62 |
| 5 | N | RCDT6684 | DBL-SIDE SURF,TRANS CHANL CVRS | 222.57 | 100,96 | 7.00 | 3,18 |
| 6 | N | RCDT6684 | DBL-SIDE SURF,TRANS CHANL CVRS | 222.57 | 100,96 | 7.00 | 3,18 |
| 5 | N | RCDT6672 | DBL-SIDE SURF,TRANS CHANL CVRS | 190.05 | 86,21 | 6.01 | 2,73 |
| 6 | N | RCDT6672 | DBL-SIDE SURF,TRANS CHANL CVRS | 190.05 | 86,21 | 6.01 | 2,73 |
| 5 | N | RCDT6660 | DBL-SIDE SURF,TRANS CHANL CVRS | 158.48 | 71,89 | 5.03 | 2,28 |
| 6 | N | RCDT6660 | DBL-SIDE SURF,TRANS CHANL CVRS | 158.48 | 71,89 | 5.03 | 2,28 |
| 5 | N | RCDT6648 | DBL-SIDE SURF,TRANS CHANL CVRS | 126.24 | 57,26 | 4.05 | 1,84 |
| 6 | N | RCDT6648 | DBL-SIDE SURF,TRANS CHANL CVRS | 126.24 | 57,26 | 4.05 | 1,84 |
| 5 | N | RCDY6696 | DBL-SIDE SURF,SKY CHANL CVRS | 256.00 | 116,12 | 7.98 | 3,62 |
| 6 | N | RCDY6696 | DBL-SIDE SURF,SKY CHANL CVRS | 256.00 | 116,12 | 7.98 | 3,62 |
| 5 | N | RCDY6684 | DBL-SIDE SURF,SKY CHANL CVRS | 222.57 | 100,96 | 7.00 | 3,18 |
| 6 | N | RCDY6684 | DBL-SIDE SURF,SKY CHANL CVRS | 222.57 | 100,96 | 7.00 | 3,18 |
| 5 | N | RCDY6672 | DBL-SIDE SURF,SKY CHANL CVRS | 190.05 | 86,21 | 6.01 | 2,73 |
| 6 | N | RCDY6672 | DBL-SIDE SURF,SKY CHANL CVRS | 190.05 | 86,21 | 6.01 | 2,73 |
| 5 | N | RCDY6660 | DBL-SIDE SURF,SKY CHANL CVRS | 158.48 | 71,89 | 5.03 | 2,28 |
| 6 | N | RCDY6660 | DBL-SIDE SURF,SKY CHANL CVRS | 158.48 | 71,89 | 5.03 | 2,28 |
| 5 | N | RCDY6648 | DBL-SIDE SURF,SKY CHANL CVRS | 126.24 | 57,26 | 4.05 | 1,84 |
| 6 | N | RCDY6648 | DBL-SIDE SURF,SKY CHANL CVRS | 126.24 | 57,26 | 4.05 | 1,84 |
| 5 | N | CEM2466 | SURFACE XTENSION,LAMINATE BASE | 126.18 | 57,23 | 21.36 | 9,69 |
| 6 | N | CEM2466 | SURFACE XTENSION,LAMINATE BASE | 126.18 | 57,23 | 21.36 | 9,69 |
| 5 | N | CEM2460 | SURFACE XTENSION,LAMINATE BASE | 115.6 | 52,44 | 19.17 | 8,70 |
| 6 | N | CEM2460 | SURFACE XTENSION,LAMINATE BASE | 115.6 | 52,44 | 19.17 | 8,70 |
| 5 | N | CEM2454 | SURFACE XTENSION,LAMINATE BASE | 101.3 | 45,95 | 15.99 | 7,25 |
| 6 | N | CEM2454 | SURFACE XTENSION,LAMINATE BASE | 101.3 | 45,95 | 15.99 | 7,25 |
| 5 | N | CET2466 | SURF EXT,LAM BASE/TRANS INSERT | 121.75 | 55,22 | 21.36 | 9,69 |
| 6 | N | CET2466 | SURF EXT,LAM BASE/TRANS INSERT | 121.75 | 55,22 | 21.36 | 9,69 |
| 5 | N | CET2460 | SURF EXT,LAM BASE/TRANS INSERT | 111.11 | 50,40 | 19.17 | 8,70 |
| 6 | N | CET2460 | SURF EXT,LAM BASE/TRANS INSERT | 111.11 | 50,40 | 19.17 | 8,70 |
| 5 | N | CET2454 | SURF EXT,LAM BASE/TRANS INSERT | 97.78 | 44,35 | 15.99 | 7,25 |
| 6 | N | CET2454 | SURF EXT,LAM BASE/TRANS INSERT | 97.78 | 44,35 | 15.99 | 7,25 |
| 5 | N | CEY2466 | SURF EXT,LAM BASE/SKY INSERT | 121.75 | 55,22 | 21.36 | 9,69 |
| 6 | N | CEY2466 | SURF EXT,LAM BASE/SKY INSERT | 121.75 | 55,22 | 21.36 | 9,69 |
| 5 | N | CEY2460 | SURF EXT,LAM BASE/SKY INSERT | 111.11 | 50,40 | 19.17 | 8,70 |
| 6 | N | CEY2460 | SURF EXT,LAM BASE/SKY INSERT | 111.11 | 50,40 | 19.17 | 8,70 |
| 5 | N | CEY2454 | SURF EXT,LAM BASE/SKY INSERT | 97.78 | 44,35 | 15.99 | 7,25 |
| 6 | N | CEY2454 | SURF EXT,LAM BASE/SKY INSERT | 97.78 | 44,35 | 15.99 | 7,25 |
| 5 | N | RCST3796 | SGL-SIDE SURF,TRANS CHANL CVRS | 242.84 | 110,15 | 7.92 | 3,59 |
| 6 | N | RCST3796 | SGL-SIDE SURF,TRANS CHANL CVRS | 242.84 | 110,15 | 7.92 | 3,59 |
| 5 | N | RCST3784 | SGL-SIDE SURF,TRANS CHANL CVRS | 212.37 | 96,33 | 6.94 | 3,15 |
| 6 | N | RCST3784 | SGL-SIDE SURF,TRANS CHANL CVRS | 212.37 | 96,33 | 6.94 | 3,15 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|--------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| 5 | N | RCST3772 | SGL-SIDE SURF,TRANS CHANL CVRS | 181.9 | 82,51 | 5.97 | 2,71 |
| 6 | N | RCST3772 | SGL-SIDE SURF,TRANS CHANL CVRS | 181.9 | 82,51 | 5.97 | 2,71 |
| 5 | N | RCST3760 | SGL-SIDE SURF,TRANS CHANL CVRS | 151.67 | 68,80 | 5.00 | 2,27 |
| 6 | N | RCST3760 | SGL-SIDE SURF,TRANS CHANL CVRS | 151.67 | 68,80 | 5.00 | 2,27 |
| 5 | N | RCST3748 | SGL-SIDE SURF,TRANS CHANL CVRS | 121.15 | 54,95 | 4.02 | 1,82 |
| 6 | N | RCST3748 | SGL-SIDE SURF,TRANS CHANL CVRS | 121.15 | 54,95 | 4.02 | 1,82 |
| 5 | N | RCST3496 | SGL-SIDE SURF,TRANS CHANL CVRS | 236.06 | 107,08 | 7.92 | 3,59 |
| 6 | N | RCST3496 | SGL-SIDE SURF,TRANS CHANL CVRS | 236.06 | 107,08 | 7.92 | 3,59 |
| 5 | N | RCST3484 | SGL-SIDE SURF,TRANS CHANL CVRS | 206.54 | 93,68 | 6.94 | 3,15 |
| 6 | N | RCST3484 | SGL-SIDE SURF,TRANS CHANL CVRS | 206.54 | 93,68 | 6.94 | 3,15 |
| 5 | N | RCST3472 | SGL-SIDE SURF,TRANS CHANL CVRS | 176.02 | 79,84 | 5.97 | 2,71 |
| 6 | N | RCST3472 | SGL-SIDE SURF,TRANS CHANL CVRS | 176.02 | 79,84 | 5.97 | 2,71 |
| 5 | N | RCST3460 | SGL-SIDE SURF,TRANS CHANL CVRS | 145.34 | 65,93 | 5.00 | 2,27 |
| 6 | N | RCST3460 | SGL-SIDE SURF,TRANS CHANL CVRS | 145.34 | 65,93 | 5.00 | 2,27 |
| 5 | N | RCST3448 | SGL-SIDE SURF,TRANS CHANL CVRS | 116.08 | 52,65 | 4.02 | 1,82 |
| 6 | N | RCST3448 | SGL-SIDE SURF,TRANS CHANL CVRS | 116.08 | 52,65 | 4.02 | 1,82 |
| 5 | N | RCSY3796 | SGL-SIDE SURF,SKY CHANL CVRS | 242.84 | 110,15 | 7.92 | 3,59 |
| 6 | N | RCSY3796 | SGL-SIDE SURF,SKY CHANL CVRS | 242.84 | 110,15 | 7.92 | 3,59 |
| 5 | N | RCSY3784 | SGL-SIDE SURF,SKY CHANL CVRS | 212.37 | 96,33 | 6.94 | 3,15 |
| 6 | N | RCSY3784 | SGL-SIDE SURF,SKY CHANL CVRS | 212.37 | 96,33 | 6.94 | 3,15 |
| 5 | N | RCSY3772 | SGL-SIDE SURF,SKY CHANL CVRS | 181.9 | 82,51 | 5.97 | 2,71 |
| 6 | N | RCSY3772 | SGL-SIDE SURF,SKY CHANL CVRS | 181.9 | 82,51 | 5.97 | 2,71 |
| 5 | N | RCSY3760 | SGL-SIDE SURF,SKY CHANL CVRS | 151.67 | 68,80 | 5.00 | 2,27 |
| 6 | N | RCSY3760 | SGL-SIDE SURF,SKY CHANL CVRS | 151.67 | 68,80 | 5.00 | 2,27 |
| 5 | N | RCSY3748 | SGL-SIDE SURF,SKY CHANL CVRS | 121.15 | 54,95 | 4.02 | 1,82 |
| 6 | N | RCSY3748 | SGL-SIDE SURF,SKY CHANL CVRS | 121.15 | 54,95 | 4.02 | 1,82 |
| 5 | N | RCSY3496 | SGL-SIDE SURF,SKY CHANL CVRS | 236.06 | 107,08 | 7.92 | 3,59 |
| 6 | N | RCSY3496 | SGL-SIDE SURF,SKY CHANL CVRS | 236.06 | 107,08 | 7.92 | 3,59 |
| 5 | N | RCSY3484 | SGL-SIDE SURF,SKY CHANL CVRS | 206.54 | 93,68 | 6.94 | 3,15 |
| 6 | N | RCSY3484 | SGL-SIDE SURF,SKY CHANL CVRS | 206.54 | 93,68 | 6.94 | 3,15 |
| 5 | N | RCSY3472 | SGL-SIDE SURF,SKY CHANL CVRS | 176.02 | 79,84 | 5.97 | 2,71 |
| 6 | N | RCSY3472 | SGL-SIDE SURF,SKY CHANL CVRS | 176.02 | 79,84 | 5.97 | 2,71 |
| 5 | N | RCSY3460 | SGL-SIDE SURF,SKY CHANL CVRS | 145.34 | 65,93 | 5.00 | 2,27 |
| 6 | N | RCSY3460 | SGL-SIDE SURF,SKY CHANL CVRS | 145.34 | 65,93 | 5.00 | 2,27 |
| 5 | N | RCSY3448 | SGL-SIDE SURF,SKY CHANL CVRS | 116.08 | 52,65 | 4.02 | 1,82 |
| 6 | N | RCSY3448 | SGL-SIDE SURF,SKY CHANL CVRS | 116.08 | 52,65 | 4.02 | 1,82 |
| 5 | N | RD304824S | DOUBLE-SIDED RETURN SURFACE | 94.12 | 42,69 | 4.05 | 1,84 |
| 6 | N | RD304824S | DOUBLE-SIDED RETURN SURFACE | 94.12 | 42,69 | 4.05 | 1,84 |
| 5 | N | RD303624S | DOUBLE-SIDED RETURN SURFACE | 78.64 | 35,67 | 3.07 | 1,39 |
| 6 | N | RD303624S | DOUBLE-SIDED RETURN SURFACE | 78.64 | 35,67 | 3.07 | 1,39 |
| 5 | N | S204824R | LEFT RETURN SURFACE | 77.94 | 35,35 | 3.28 | 1,49 |
| 6 | N | S204824R | LEFT RETURN SURFACE | 77.94 | 35,35 | 3.28 | 1,49 |
| 5 | N | S203624R | LEFT RETURN SURFACE | 64.86 | 29,42 | 2.49 | 1,13 |
| 6 | N | S203624R | LEFT RETURN SURFACE | 64.86 | 29,42 | 2.49 | 1,13 |
| 5 | N | R244820S | RIGHT RETURN SURFACE | 77.94 | 35,35 | 3.28 | 1,49 |
| 6 | N | R244820S | RIGHT RETURN SURFACE | 77.94 | 35,35 | 3.28 | 1,49 |
| 5 | N | R243620S | RIGHT RETURN SURFACE | 64.86 | 29,42 | 2.49 | 1,13 |
| 6 | N | R243620S | RIGHT RETURN SURFACE | 64.86 | 29,42 | 2.49 | 1,13 |
| N | N | CBDM66 | DOUBLE-SIDED LAMINATE BASE | 71.63 | 32,49 | 8.4 | 3,81 |
| N | N | CBDT66 | DBL-SIDE BASE,LAMIN/TRANS ACRY | 60.31 | 27,36 | 8.4 | 3,81 |
| N | N | CBDY66 | DBL-SIDE BASE,LAMIN/SKY ACRYL | 60.31 | 27,36 | 8.4 | 3,81 |
| N | N | QBD66 | METAL U-SHAPE DOUBLE-SIDE BASE | 71.63 | 32,49 | 8.4 | 3,81 |
| N | N | CBSM36 | SINGLE-SIDED LAMINATE BASE | 43.78 | 19,86 | 4.68 | 2,12 |
| N | N | CBSM33 | SINGLE-SIDED LAMINATE BASE | 40.66 | 18,44 | 3.93 | 1,78 |
| N | N | CBST36 | SGL-SIDE COMBND BASE,LAM/TRANS | 37.83 | 17,16 | 4.68 | 2,12 |
| N | N | CBST33 | SGL-SIDE COMBND BASE,LAM/TRANS | 35.24 | 15,98 | 3.93 | 1,78 |
| N | N | CBSY36 | SGL-SIDE COMBND BASE,LAM/SKY | 37.83 | 17,16 | 4.68 | 2,12 |
| N | N | CBSY33 | SGL-SIDE COMBND BASE,LAM/SKY | 35.24 | 15,98 | 3.93 | 1,78 |

C.I.T.É.

| OPTION 1 | OPTION 2 | CODE | DESCRIPTION | WEIGHT | | VOLUME | |
|----------|----------|-----------|---------------------------------|--------|--------|-----------------|----------------|
| | | | | lbs | kg | ft ³ | m ³ |
| N | N | QBS36 | METAL BASE, SINGLE SURF | 60.31 | 27,36 | 8.4 | 3,81 |
| N | N | QBS33 | METAL BASE, SINGLE SURF | 55.77 | 25,30 | 7.65 | 3,47 |
| N | N | SH3013 | WORKSURFACE SHELF | 14.23 | 6,45 | 0.63 | 0,29 |
| N | N | SH2413 | WORKSURFACE SHELF | 12.61 | 5,72 | 0.51 | 0,23 |
| N | N | SH1813 | WORKSURFACE SHELF | 10.99 | 4,98 | 0.39 | 0,18 |
| 5 | N | DUM2048MF | SHARED B/B/F STORAGE | 288.00 | 130,63 | 18.96 | 8,60 |
| 6 | N | DUM2048MF | SHARED B/B/F STORAGE | 288.00 | 130,63 | 18.96 | 8,60 |
| 5 | N | DFM2048MF | SHARED F/F STORAGE | 283.73 | 128,70 | 18.96 | 8,60 |
| 6 | N | DFM2048MF | SHARED F/F STORAGE | 283.73 | 128,70 | 18.96 | 8,60 |
| 5 | N | DSF2048M | SHARED OPEN LAT FILE STORAGE | 246.01 | 111,59 | 18.96 | 8,60 |
| 6 | N | DSF2048M | SHARED OPEN LAT FILE STORAGE | 246.01 | 111,59 | 18.96 | 8,60 |
| 5 | N | DS2048M | SHARED OPEN BOOKCASE STORAGE | 214.1 | 97,11 | 18.96 | 8,60 |
| 6 | N | DS2048M | SHARED OPEN BOOKCASE STORAGE | 214.1 | 97,11 | 18.96 | 8,60 |
| 5 | N | DSM2036 | SHARED OPEN UNIT | 160.5 | 72,80 | 14.37 | 6,52 |
| 6 | N | DSM2036 | SHARED OPEN UNIT | 160.5 | 72,80 | 14.37 | 6,52 |
| 5 | N | DF204820M | SHARED LATERAL FILE STORAGE | 218.14 | 98,95 | 13.05 | 5,92 |
| 6 | N | DF204820M | SHARED LATERAL FILE STORAGE | 218.14 | 98,95 | 13.05 | 5,92 |
| 5 | N | DC204820M | SHARED STORAGE W/LAM SLID DOOR | 174.63 | 79,21 | 13.05 | 5,92 |
| 6 | N | DC204820M | SHARED STORAGE W/LAM SLID DOOR | 174.63 | 79,21 | 13.05 | 5,92 |
| 5 | N | DS204820M | SHARED OPEN STORAGE | 160.64 | 72,87 | 13.05 | 5,92 |
| 6 | N | DS204820M | SHARED OPEN STORAGE | 160.64 | 72,87 | 13.05 | 5,92 |
| 5 | N | UF2048UF | LATERAL BOX AND FILE STORAGE | 288.00 | 130,63 | 18.96 | 8,60 |
| 6 | N | UF2048UF | LATERAL BOX AND FILE STORAGE | 288.00 | 130,63 | 18.96 | 8,60 |
| 5 | N | SLF2048 | OPEN LATERAL FILE STORAGE | 255.85 | 116,05 | 18.96 | 8,60 |
| 6 | N | SLF2048 | OPEN LATERAL FILE STORAGE | 255.85 | 116,05 | 18.96 | 8,60 |
| 5 | N | 2036UF | LATERAL BOX AND FILE UNIT | 211.11 | 95,76 | 14.36 | 6,51 |
| 6 | N | 2036UF | LATERAL BOX AND FILE UNIT | 211.11 | 95,76 | 14.36 | 6,51 |
| 5 | N | SLF2036 | OPEN LATERAL FILE UNIT | 183.8 | 83,37 | 14.36 | 6,51 |
| 6 | N | SLF2036 | OPEN LATERAL FILE UNIT | 183.8 | 83,37 | 14.36 | 6,51 |
| 5 | N | F204820F | LATERAL FILE STORAGE | 218.14 | 98,95 | 13.05 | 5,92 |
| 6 | N | F204820F | LATERAL FILE STORAGE | 218.14 | 98,95 | 13.05 | 5,92 |
| 5 | N | F204820S | LEFT LAT FILE W/OPEN STORAGE | 199.14 | 90,33 | 13.05 | 5,92 |
| 6 | N | F204820S | LEFT LAT FILE W/OPEN STORAGE | 199.14 | 90,33 | 13.05 | 5,92 |
| 5 | N | S204820F | RIGHT LAT FILE W/OPEN STORAGE | 199.14 | 90,33 | 13.05 | 5,92 |
| 6 | N | S204820F | RIGHT LAT FILE W/OPEN STORAGE | 199.14 | 90,33 | 13.05 | 5,92 |
| 5 | N | S204820S | OPEN SPACE STORAGE | 184.14 | 83,52 | 13.05 | 5,92 |
| 6 | N | S204820S | OPEN SPACE STORAGE | 184.14 | 83,52 | 13.05 | 5,92 |
| 5 | N | S203620S | OPEN SPACE UNIT | 132.46 | 60,08 | 9.89 | 4,49 |
| 6 | N | S203620S | OPEN SPACE UNIT | 132.46 | 60,08 | 9.89 | 4,49 |
| N | N | CUB2036 | CUSHION,BK ON L, FOR 20"H STORG | 29.00 | 13,15 | 4.88 | 2,21 |
| N | N | CUB2024 | CUSHION,BK ON L, FOR 20"H STORG | 24.00 | 10,89 | 3.32 | 1,51 |
| N | N | 2036CUB | CUSHION,BK ON R, FOR 20"H STORG | 29.00 | 13,15 | 4.88 | 2,21 |
| N | N | 2024CUB | CUSHION,BK ON R, FOR 20"H STORG | 24.00 | 10,89 | 3.32 | 1,51 |
| N | N | CBCT24 | BASE W/TRANS INSERT | 56.95 | 25,83 | 6.13 | 2,78 |
| N | N | CBCT30 | BASE W/TRANS INSERT | 59.63 | 27,05 | 6.13 | 2,78 |
| N | N | CBCT34 | BASE W/TRANS INSERT | 61.42 | 27,86 | 6.13 | 2,78 |
| N | N | CBCY24 | BASE W/SKY INSERT | 56.95 | 25,83 | 6.13 | 2,78 |
| N | N | CBCY30 | BASE W/SKY INSERT | 59.63 | 27,05 | 6.13 | 2,78 |
| N | N | CBCY34 | BASE W/SKY INSERT | 61.42 | 27,86 | 6.13 | 2,78 |
| N | N | CBCM24 | BASE W/LAMINATE INSERT | 60.21 | 27,31 | 6.13 | 2,78 |
| N | N | CBCM30 | BASE W/LAMINATE INSERT | 63.87 | 28,97 | 6.13 | 2,78 |
| N | N | CBCM34 | BASE W/LAMINATE INSERT | 66.31 | 30,08 | 6.13 | 2,78 |