

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	X,Y,N	F3672F	DOUBLE PEDESTAL DESK, B/F	253.00	114,76	50.00	1,42
1	X,Y,N	F3072F	DOUBLE PEDESTAL DESK, B/F	235.64	106,88	40.36	1,14
1	X,Y,N	F3066F	DOUBLE PEDESTAL DESK, B/F	216.00	97,98	37.00	1,05
1	X,Y,N	F3060F	DOUBLE PEDESTAL DESK, B/F	202.50	91,85	34.00	0,96
1	X,Y,N	F4272FA	DBLE PED BOW FRONT DESK, B/F	302.00	136,98	58.00	1,64
1	X,Y,N	F3672S	LEFT SINGLE PED DESK, B/F	215.00	97,52	50.00	1,42
1	X,Y,N	F3072S	LEFT SINGLE PED DESK, B/F	185.45	84,12	40.36	1,14
1	X,Y,N	F3066S	LEFT SINGLE PED DESK, B/F	170.00	77,11	37.00	1,05
1	X,Y,N	F3060S	LEFT SINGLE PED DESK, B/F	160.00	72,57	34.00	0,96
1	X,Y,N	F3048S	LEFT SINGLE PED DESK, B/F	128.00	58,06	28.00	0,79
1	X,Y,N	S3672F	RIGHT SINGLE PED DESK, B/F	215.00	97,52	50.00	1,42
1	X,Y,N	S3072F	RIGHT SINGLE PED DESK, B/F	185.45	84,12	40.36	1,14
1	X,Y,N	S3066F	RIGHT SINGLE PED DESK, B/F	170.00	77,11	37.00	1,05
1	X,Y,N	S3060F	RIGHT SINGLE PED DESK, B/F	160.00	72,57	34.00	0,96
1	X,Y,N	S3048F	RIGHT SINGLE PED DESK, B/F	128.00	58,06	28.00	0,79
1	X,Y,N	F4272SA	L 1 PED BOW FRONT DESK, B/F	240.00	108,86	58.00	1,64
1	X,Y,N	S4272FA	R 1 PED BOW FRONT DESK, B/F	240.00	108,86	58.00	1,64
1	N	TDM3672	DESK SHELL	157.73	71,55	5.17	0,15
1	N	TDM3072	DESK SHELL	137.87	62,54	4.36	0,12
1	N	TDM3066	DESK SHELL	130.12	59,02	4.00	0,11
1	N	TDM3060	DESK SHELL	122.37	55,51	3.65	0,1
1	N	CM4830S	CORNER MODULE	134.84	61,16	5.15	0,15
1	N	CM4224S	CORNER MODULE	112.31	50,94	4.00	0,11
1	N	CM3624S	CORNER MODULE	90.89	41,23	2.99	0,08
1	N	CM3618S	CORNER MODULE	90.89	41,23	2.99	0,08
1	N	CM4830D	CRNER MDULE-DIAGNAL WOODGRAIN	134.84	61,16	5.15	0,15
1	N	CM4224D	CRNER MDULE-DIAGNAL WOODGRAIN	112.31	50,94	4.00	0,11
1	N	CM3624D	CRNER MDULE-DIAGNAL WOODGRAIN	90.89	41,23	2.99	0,08
1	N	CM3618D	CRNER MDULE-DIAGNAL WOODGRAIN	90.89	41,23	2.99	0,08
1	N	CM367224A	R EXTENDED CORNER MODULE-24"D	150.45	68,24	5.48	0,16
1	N	CM366624A	R EXTENDED CORNER MODULE-24"D	141.76	64,3	5.04	0,14
1	N	CM367224B	R EXTENDED CORNER MODULE-24"D	150.45	68,24	5.48	0,16
1	N	CM366624B	R EXTENDED CORNER MODULE-24"D	141.76	64,3	5.04	0,14
1	N	CM723624A	L EXTENDED CORNER MODULE-24"D	150.45	68,24	5.48	0,16
1	N	CM663624A	L EXTENDED CORNER MODULE-24"D	141.76	64,3	5.04	0,14
1	N	CM723624B	L EXTENDED CORNER MODULE-24"D	150.45	68,24	5.48	0,16
1	N	CM663624B	L EXTENDED CORNER MODULE-24"D	141.76	64,3	5.04	0,14
1	N	CM367220A	R EXTENDED CORNER MODULE-20"D	150.45	68,24	5.48	0,16
1	N	CM366620A	R EXTENDED CORNER MODULE-20"D	141.76	64,3	5.04	0,14
1	N	CM367220B	R EXTENDED CORNER MODULE-20"D	150.45	68,24	5.48	0,16
1	N	CM366620B	R EXTENDED CORNER MODULE-20"D	141.76	64,3	5.04	0,14
1	N	CM723620A	L EXTENDED CORNER MODULE-20"D	150.45	68,24	5.48	0,16
1	N	CM663620A	L EXTENDED CORNER MODULE-20"D	141.76	64,3	5.04	0,14
1	N	CM723620B	L EXTENDED CORNER MODULE-20"D	150.45	68,24	5.48	0,16
1	N	CM663620B	L EXTENDED CORNER MODULE-20"D	141.76	64,3	5.04	0,14
1	N	DT3072A	RECTANGULAR TABLE	138.60	62,87	4.54	0,13
1	N	DT3066A	RECTANGULAR TABLE	130.28	59,09	4.17	0,12
1	N	DT3060A	RECTANGULAR TABLE	122.49	55,56	3.80	0,11
1	N	DT3054A	RECTANGULAR TABLE	114.71	52,03	3.43	0,1
1	N	DT3048A	RECTANGULAR TABLE	106.92	48,5	3.07	0,09
1	N	DT3042A	RECTANGULAR TABLE	99.14	44,97	2.70	0,08
1	N	DT3036A	RECTANGULAR TABLE	91.35	41,44	2.33	0,07
1	N	DT3030A	RECTANGULAR TABLE	83.57	37,91	1.96	0,06
1	N	DT3024A	RECTANGULAR TABLE	75.78	34,37	1.59	0,05
1	N	DT3072B	RECTANGULAR TABLE	126.60	57,42	4.54	0,13
1	N	DT3066B	RECTANGULAR TABLE	118.28	53,65	4.17	0,12
1	N	DT3060B	RECTANGULAR TABLE	110.49	50,12	3.80	0,11
1	N	DT3054B	RECTANGULAR TABLE	102.71	46,59	3.43	0,1

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	N	DT3048B	RECTANGULAR TABLE	94.92	43,05	3.07	0,09
1	N	DT3042B	RECTANGULAR TABLE	87.14	39,53	2.70	0,08
1	N	DT3036B	RECTANGULAR TABLE	79.35	35,99	2.33	0,07
1	N	DT3030B	RECTANGULAR TABLE	71.57	32,46	1.96	0,06
1	N	DT3024B	RECTANGULAR TABLE	63.78	28,93	1.59	0,05
1	N	DT3072C	RECTANGULAR TABLE	114.60	51,98	4.54	0,13
1	N	DT3066C	RECTANGULAR TABLE	106.28	48,21	4.17	0,12
1	N	DT3060C	RECTANGULAR TABLE	98.49	44,67	3.80	0,11
1	N	DT3054C	RECTANGULAR TABLE	90.71	41,15	3.43	0,1
1	N	DT3048C	RECTANGULAR TABLE	82.92	37,61	3.07	0,09
1	N	DT3042C	RECTANGULAR TABLE	75.14	34,08	2.70	0,08
1	N	DT3036C	RECTANGULAR TABLE	67.35	30,55	2.33	0,07
1	N	DT3030C	RECTANGULAR TABLE	59.57	27,02	1.96	0,06
1	N	DT3024C	RECTANGULAR TABLE	51.78	23,49	1.59	0,05
1	N	DT2472A	RECTANGULAR TABLE - 24"D	118.17	53,6	3.69	0,1
1	N	DT2466A	RECTANGULAR TABLE - 24"D	111.10	50,39	3.39	0,1
1	N	DT2460A	RECTANGULAR TABLE - 24"D	104.30	47,31	3.09	0,09
1	N	DT2454A	RECTANGULAR TABLE - 24"D	97.54	44,24	2.79	0,08
1	N	DT2448A	RECTANGULAR TABLE - 24"D	90.66	41,12	2.49	0,07
1	N	DT2442A	RECTANGULAR TABLE - 24"D	83.79	38,01	2.19	0,06
1	N	DT2436A	RECTANGULAR TABLE - 24"D	76.91	34,89	1.89	0,05
1	N	DT2430A	RECTANGULAR TABLE - 24"D	70.03	31,77	1.59	0,05
1	N	DT2424A	RECTANGULAR TABLE - 24"D	63.16	28,65	1.29	0,04
1	N	DT2472B	RECTANGULAR TABLE - 24"D	110.87	50,29	3.69	0,1
1	N	DT2466B	RECTANGULAR TABLE - 24"D	103.90	47,13	3.39	0,1
1	N	DT2460B	RECTANGULAR TABLE - 24"D	97.11	44,05	3.09	0,09
1	N	DT2454B	RECTANGULAR TABLE - 24"D	90.24	40,93	2.79	0,08
1	N	DT2448B	RECTANGULAR TABLE - 24"D	83.40	37,83	2.49	0,07
1	N	DT2442B	RECTANGULAR TABLE - 24"D	76.49	34,7	2.19	0,06
1	N	DT2436B	RECTANGULAR TABLE - 24"D	69.61	31,57	1.89	0,05
1	N	DT2430B	RECTANGULAR TABLE - 24"D	62.73	28,45	1.59	0,05
1	N	DT2424B	RECTANGULAR TABLE - 24"D	55.86	25,34	1.29	0,04
1	N	DT2472C	RECTANGULAR TABLE - 24"D	103.57	46,98	3.69	0,1
1	N	DT2466C	RECTANGULAR TABLE - 24"D	96.60	43,82	3.39	0,1
1	N	DT2460C	RECTANGULAR TABLE - 24"D	89.81	40,74	3.09	0,09
1	N	DT2454C	RECTANGULAR TABLE - 24"D	82.94	37,62	2.79	0,08
1	N	DT2448C	RECTANGULAR TABLE - 24"D	76.10	34,52	2.49	0,07
1	N	DT2442C	RECTANGULAR TABLE - 24"D	69.19	31,38	2.19	0,06
1	N	DT2436C	RECTANGULAR TABLE - 24"D	62.31	28,26	1.89	0,05
1	N	DT2430C	RECTANGULAR TABLE - 24"D	55.43	25,14	1.59	0,05
1	N	DT2424C	RECTANGULAR TABLE - 24"D	48.56	22,03	1.29	0,04
1	N	DT2072A	RECTANGULAR TABLE - 20"D	103.92	47,14	3.94	0,11
1	N	DT2066A	RECTANGULAR TABLE - 20"D	97.80	44,36	3.62	0,1
1	N	DT2060A	RECTANGULAR TABLE - 20"D	91.69	41,59	3.30	0,09
1	N	DT2054A	RECTANGULAR TABLE - 20"D	85.55	38,8	2.99	0,08
1	N	DT2048A	RECTANGULAR TABLE - 20"D	81.84	37,12	3.51	0,1
1	N	DT2042A	RECTANGULAR TABLE - 20"D	75.51	34,25	3.09	0,09
1	N	DT2036A	RECTANGULAR TABLE - 20"D	69.18	31,38	2.67	0,08
1	N	DT2030A	RECTANGULAR TABLE - 20"D	62.85	28,51	2.26	0,06
1	N	DT2024A	RECTANGULAR TABLE - 20"D	56.98	25,85	2.12	0,06
1	N	DT2072B	RECTANGULAR TABLE - 20"D	99.47	45,12	3.94	0,11
1	N	DT2066B	RECTANGULAR TABLE - 20"D	93.30	42,32	3.62	0,1
1	N	DT2060B	RECTANGULAR TABLE - 20"D	87.19	39,55	3.30	0,09
1	N	DT2054B	RECTANGULAR TABLE - 20"D	81.05	36,76	2.99	0,08
1	N	DT2048B	RECTANGULAR TABLE - 20"D	77.35	35,09	3.51	0,1
1	N	DT2042B	RECTANGULAR TABLE - 20"D	71.00	32,21	3.09	0,09
1	N	DT2036B	RECTANGULAR TABLE - 20"D	64.70	29,35	2.67	0,08
1	N	DT2030B	RECTANGULAR TABLE - 20"D	58.30	26,44	2.26	0,06

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	N	DT2024B	RECTANGULAR TABLE - 20"D	56.98	25,85	2.12	0,06
1	N	DT2072C	RECTANGULAR TABLE - 20"D	94.90	43,05	3.94	0,11
1	N	DT2066C	RECTANGULAR TABLE - 20"D	88.80	40,28	3.62	0,1
1	N	DT2060C	RECTANGULAR TABLE - 20"D	82.69	37,51	3.30	0,09
1	N	DT2054C	RECTANGULAR TABLE - 20"D	76.55	34,72	2.99	0,08
1	N	DT2048C	RECTANGULAR TABLE - 20"D	72.80	33,02	3.51	0,1
1	N	DT2042C	RECTANGULAR TABLE - 20"D	66.50	30,16	3.09	0,09
1	N	DT2036C	RECTANGULAR TABLE - 20"D	60.10	27,26	2.67	0,08
1	N	DT2030C	RECTANGULAR TABLE - 20"D	53.85	24,43	2.26	0,06
1	N	DT2024C	RECTANGULAR TABLE - 20"D	48.00	21,77	2.12	0,06
1	N	AT305424B	ASYM TABLE-30"D ON L,24"D ON R	102.71	46,59	3.43	0,1
1	N	AT304824B	ASYM TABLE-30"D ON L,24"D ON R	94.92	43,05	3.07	0,09
1	N	AT304224B	ASYM TABLE-30"D ON L,24"D ON R	87.14	39,53	2.70	0,08
1	N	AT303624B	ASYM TABLE-30"D ON L,24"D ON R	79.35	35,99	2.33	0,07
1	N	AT303024B	ASYM TABLE-30"D ON L,24"D ON R	71.57	32,46	1.96	0,06
1	N	AT305424C	ASYM TABLE-30"D ON L,24"D ON R	90.71	41,15	3.43	0,1
1	N	AT304824C	ASYM TABLE-30"D ON L,24"D ON R	82.92	37,61	3.07	0,09
1	N	AT304224C	ASYM TABLE-30"D ON L,24"D ON R	75.14	34,08	2.70	0,08
1	N	AT303624C	ASYM TABLE-30"D ON L,24"D ON R	67.35	30,55	2.33	0,07
1	N	AT303024C	ASYM TABLE-30"D ON L,24"D ON R	59.57	27,02	1.96	0,06
1	N	AT245430B	ASYM TABLE-24"D ON L,30"D ON R	102.71	46,59	3.43	0,1
1	N	AT244830B	ASYM TABLE-24"D ON L,30"D ON R	94.92	43,05	3.07	0,09
1	N	AT244230B	ASYM TABLE-24"D ON L,30"D ON R	87.14	39,53	2.70	0,08
1	N	AT243630B	ASYM TABLE-24"D ON L,30"D ON R	79.35	35,99	2.33	0,07
1	N	AT243030B	ASYM TABLE-24"D ON L,30"D ON R	71.57	32,46	1.96	0,06
1	N	AT245430C	ASYM TABLE-24"D ON L,30"D ON R	90.71	41,15	3.43	0,1
1	N	AT244830C	ASYM TABLE-24"D ON L,30"D ON R	82.92	37,61	3.07	0,09
1	N	AT244230C	ASYM TABLE-24"D ON L,30"D ON R	75.14	34,08	2.70	0,08
1	N	AT243630C	ASYM TABLE-24"D ON L,30"D ON R	67.35	30,55	2.33	0,07
1	N	AT243030C	ASYM TABLE-24"D ON L,30"D ON R	59.57	27,02	1.96	0,06
1	N	AT245418B	ASYM TABLE-24"D ON L,18"D ON R	90.24	40,93	2.79	0,08
1	N	AT244818B	ASYM TABLE-24"D ON L,18"D ON R	83.40	37,83	2.49	0,07
1	N	AT244218B	ASYM TABLE-24"D ON L,18"D ON R	76.49	34,7	2.19	0,06
1	N	AT243618B	ASYM TABLE-24"D ON L,18"D ON R	69.61	31,57	1.89	0,05
1	N	AT243018B	ASYM TABLE-24"D ON L,18"D ON R	62.73	28,45	1.59	0,05
1	N	AT245418C	ASYM TABLE-24"D ON L,18"D ON R	82.94	37,62	2.79	0,08
1	N	AT244818C	ASYM TABLE-24"D ON L,18"D ON R	76.10	34,52	2.49	0,07
1	N	AT244218C	ASYM TABLE-24"D ON L,18"D ON R	69.19	31,38	2.19	0,06
1	N	AT243618C	ASYM TABLE-24"D ON L,18"D ON R	62.31	28,26	1.89	0,05
1	N	AT243018C	ASYM TABLE-24"D ON L,18"D ON R	55.43	25,14	1.59	0,05
1	N	AT185424B	ASYM TABLE-18"D ON L,24"D ON R	90.24	40,93	2.79	0,08
1	N	AT184824B	ASYM TABLE-18"D ON L,24"D ON R	83.40	37,83	2.49	0,07
1	N	AT184224B	ASYM TABLE-18"D ON L,24"D ON R	76.49	34,7	2.19	0,06
1	N	AT183624B	ASYM TABLE-18"D ON L,24"D ON R	69.61	31,57	1.89	0,05
1	N	AT183024B	ASYM TABLE-18"D ON L,24"D ON R	62.73	28,45	1.59	0,05
1	N	AT185424C	ASYM TABLE-18"D ON L,24"D ON R	82.94	37,62	2.79	0,08
1	N	AT184824C	ASYM TABLE-18"D ON L,24"D ON R	76.10	34,52	2.49	0,07
1	N	AT184224C	ASYM TABLE-18"D ON L,24"D ON R	69.19	31,38	2.19	0,06
1	N	AT183624C	ASYM TABLE-18"D ON L,24"D ON R	62.31	28,26	1.89	0,05
1	N	AT183024C	ASYM TABLE-18"D ON L,24"D ON R	55.43	25,14	1.59	0,05
1	N	BU3672	D-SHAPED SURFACE	69.34	31,45	2.59	0,07
1	N	BU3072	D-SHAPED SURFACE	58.23	26,41	2.18	0,06
1	N	BU3066	D-SHAPED SURFACE	53.47	24,25	2.00	0,06
1	N	BU3060	D-SHAPED SURFACE	48.71	22,09	1.82	0,05
1	N	BU2466	D-SHAPED SURFACE	43.26	19,62	1.62	0,05
1	N	BU2460	D-SHAPED SURFACE	39.41	17,88	1.48	0,04
1	N	BU2448	D-SHAPED SURFACE	31.71	14,38	1.19	0,03
1	N	BT3672	D-SHAPED WORKTABLE	90.00	40,82	3.30	0,09

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	N	BT3072	D-SHAPED WORKTABLE	87.27	39.59	3.00	0,08
1	N	BT3066	D-SHAPED WORKTABLE	80.00	36,29	2.70	0,08
1	N	BT3060	D-SHAPED WORKTABLE	71.00	32,21	2.30	0,07
1	N	BT2466	D-SHAPED WORKTABLE	68.90	31,25	2.00	0,06
1	N	BT2460	D-SHAPED WORKTABLE	65.10	29,53	1.90	0,05
1	N	BT2448	D-SHAPED WORKTABLE	62.50	28,35	1.70	0,05
1	N	BTM3672	D-SHAPED WORKTABLE W/MOD PANEL	93.00	42,18	3.30	0,09
1	N	BTM3072	D-SHAPED WORKTABLE W/MOD PANEL	90.55	41,07	2.90	0,08
1	N	BTM3066	D-SHAPED WORKTABLE W/MOD PANEL	83.00	37,65	2.70	0,08
1	N	BTM3060	D-SHAPED WORKTABLE W/MOD PANEL	74.00	33,57	2.30	0,07
1	N	PT3072	LEFT P-SHAPED WORK TABLE	103.00	46,72	4.00	0,11
1	N	PT3066	LEFT P-SHAPED WORK TABLE	91.00	41,28	3.60	0,1
1	N	PT3060	LEFT P-SHAPED WORK TABLE	71.00	32,21	3.30	0,09
1	N	3072PT	RIGHT P-SHAPED WORKTABLE	103.00	46,72	4.00	0,11
1	N	3066PT	FREESTAND RIGHT P-SHAPED SURF	91.00	41,28	3.60	0,1
1	N	3060PT	FREESTAND RIGHT P-SHAPED SURF	71.00	32,21	3.30	0,09
1	N	PTM3072	L P-SHAPE WORKTABLE,MOD PANEL	106.00	48,08	4.00	0,11
1	N	PTM3066	L P-SHAPE WORKTABLE,MOD PANEL	94.00	42,64	3.60	0,1
1	N	PTM3060	L P-SHAPE WORKTABLE,MOD PANEL	74.00	33,57	3.30	0,09
1	N	3072PTM	R P-SHAPE WORKTABLE,MOD PANEL	106.00	48,08	4.00	0,11
1	N	3066PTM	R P-SHAPE WORKTABLE,MOD PANEL	94.00	42,64	3.60	0,1
1	N	3060PTM	R P-SHAPE WORKTABLE,MOD PANEL	74.00	33,57	3.30	0,09
1	X,Y,L	LF2472B	LATERAL FILE/BOOKCASE CREDENZA	274.80	124,65	33.00	0,93
1	X,Y,L	LF2072B	LATERAL FILE/BOOKCASE CREDENZA	229.00	103,87	27.50	0,78
1	X,Y,L	B2472B	BOOKCASE CREDENZA	259.20	117,57	33.00	0,93
1	X,Y,L	B2072B	BOOKCASE CREDENZA	216.00	97,98	27.50	0,78
1	X,Y,L	LF2472LF	LATERAL FILE CREDENZA	325.20	147,51	33.00	0,93
1	X,Y,L	LF2072LF	LATERAL FILE CREDENZA	271.00	122,92	27.50	0,78
1	X,Y,L	LF2472S	LEFT LATERAL FILE CREDENZA	219.60	99,61	33.00	0,93
1	X,Y,L	LF2466S	LEFT LATERAL FILE CREDENZA	201.30	91,31	30.00	0,85
1	X,Y,L	LF2460S	LEFT LATERAL FILE CREDENZA	183.00	83,01	27.50	0,78
1	X,Y,L	LF2072S	LEFT LATERAL FILE CREDENZA	183.00	83,01	27.50	0,78
1	X,Y,L	LF2066S	LEFT LATERAL FILE CREDENZA	167.75	76,09	25.00	0,71
1	X,Y,L	LF2060S	LEFT LATERAL FILE CREDENZA	152.50	69,17	23.00	0,65
1	X,Y,L	S2472LF	RIGHT LATERAL FILE CREDENZA	219.60	99,61	33.00	0,93
1	X,Y,L	S2466LF	RIGHT LATERAL FILE CREDENZA	201.30	91,31	30.00	0,85
1	X,Y,L	S2460LF	RIGHT LATERAL FILE CREDENZA	183.00	83,01	27.50	0,78
1	X,Y,L	S2072LF	RIGHT LATERAL FILE CREDENZA	183.00	83,01	27.50	0,78
1	X,Y,L	S2066LF	RIGHT LATERAL FILE CREDENZA	167.75	76,09	25.00	0,71
1	X,Y,L	S2060LF	RIGHT LATERAL FILE CREDENZA	152.50	69,17	23.00	0,65
1	X,Y,L	SLF2472	LAT FILE CREDENZA,OPEN ON TOP	266.10	120,7	34.98	0,99
1	X,Y,L	SLF2072	LAT FILE CREDENZA,OPEN ON TOP	243.83	110,6	28.45	0,81
1	N	BE2472BE	DOUBLE BOOKCASE CREDENZA	215.25	97,64	33.98	0,96
1	N	BE2072BE	DOUBLE BOOKCASE CREDENZA	185.32	84,06	28.81	0,82
1	N	BE2472S	LEFT BOOKCASE CREDENZA	177.73	80,62	33.98	0,96
1	N	BE2072S	LEFT BOOKCASE CREDENZA	154.62	70,13	28.81	0,82
1	N	S2472BE	RIGHT BOOKCASE CREDENZA	177.73	80,62	33.98	0,96
1	N	S2072BE	RIGHT BOOKCASE CREDENZA	154.62	70,13	28.81	0,82
1	X,Y,N	F2472F	DOUBLE PEDESTAL CREDENZA, B/F	222.00	100,7	33.00	0,93
1	X,Y,N	F2466F	DOUBLE PEDESTAL CREDENZA, B/F	203.50	92,31	30.50	0,86
1	X,Y,N	F2460F	DOUBLE PEDESTAL CREDENZA, B/F	185.00	83,91	27.50	0,78
1	X,Y,N	F2072F	DOUBLE PEDESTAL CREDENZA, B/F	185.00	83,91	27.50	0,78
1	X,Y,N	F2066F	DOUBLE PEDESTAL CREDENZA, B/F	169.58	76,92	25.50	0,72
1	X,Y,N	F2060F	DOUBLE PEDESTAL CREDENZA, B/F	154.17	69,93	23.00	0,65
1	X,Y,N	F2472S	LEFT SINGLE PED CREDENZA, B/F	204.00	92,53	33.00	0,93
1	X,Y,N	F2466S	LEFT SINGLE PED CREDENZA, B/F	187.00	84,82	30.50	0,86
1	X,Y,N	F2460S	LEFT SINGLE PED CREDENZA, B/F	170.00	77,11	27.50	0,78
1	X,Y,N	F2072S	LEFT SINGLE PED CREDENZA, B/F	170.00	77,11	27.50	0,78

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	X,Y,N	F2066S	LEFT SINGLE PED CREDENZA, B/F	155.83	70,68	25.50	0,72
1	X,Y,N	F2060S	LEFT SINGLE PED CREDENZA, B/F	148.67	67,43	23.00	0,65
1	X,Y,N	S2472F	RIGHT SINGLE PED CREDENZA, B/F	204.00	92,53	33.00	0,93
1	X,Y,N	S2466F	RIGHT SINGLE PED CREDENZA, B/F	187.00	84,82	30.50	0,86
1	X,Y,N	S2460F	RIGHT SINGLE PED CREDENZA, B/F	170.00	77,11	27.50	0,78
1	X,Y,N	S2072F	RIGHT SINGLE PED CREDENZA, B/F	170.00	77,11	27.50	0,78
1	X,Y,N	S2066F	RIGHT SINGLE PED CREDENZA, B/F	155.83	70,68	25.50	0,72
1	X,Y,N	S2060F	RIGHT SINGLE PED CREDENZA, B/F	148.67	67,43	23.00	0,65
1	N	BR2448	BRIDGE RETURN	55.00	24,95	1.80	0,05
1	N	BR2442	BRIDGE RETURN	46.00	20,87	1.40	0,04
1	N	BR2436	BRIDGE RETURN	39.43	17,88	1.20	0,03
1	N	BR2048	BRIDGE RETURN	49.14	22,29	1.30	0,04
1	N	BR2042	BRIDGE RETURN	43.00	19,5	1.20	0,03
1	N	BR2036	BRIDGE RETURN	36.86	16,72	0.98	0,03
1	N	R2448S	RETURN SHELL	90.50	41,05	3.10	0,09
1	N	R2442S	RETURN SHELL	82.07	37,23	2.73	0,08
1	N	R2048S	RETURN SHELL	82.85	37,58	3.10	0,09
1	N	R2042S	RETURN SHELL	75.02	34,03	2.73	0,08
1	X,Y,N	F2448R	LEFT EXECUTIVE RETURN, B/F	124.86	56,63	22.00	0,62
1	X,Y,N	F2442R	LEFT EXECUTIVE RETURN, B/F	111.00	50,35	19.00	0,54
1	X,Y,N	F2048R	LEFT EXECUTIVE RETURN, B/F	120.00	54,43	18.50	0,52
1	X,Y,N	F2042R	LEFT EXECUTIVE RETURN, B/F	105.00	47,63	17.00	0,48
1	X,Y,N	R2448F	RIGHT EXECUTIVE RETURN, B/F	124.86	56,63	22.00	0,62
1	X,Y,N	R2442F	RIGHT EXECUTIVE RETURN, B/F	111.00	50,35	19.00	0,54
1	X,Y,N	R2048F	RIGHT EXECUTIVE RETURN, B/F	120.00	54,43	18.50	0,52
1	X,Y,N	R2042F	RIGHT EXECUTIVE RETURN, B/F	105.00	47,63	17.00	0,48
1	N	E844416P	HUTCH WITH DOORS - 44"H	193.03	116,5	40.38	1,14
1	N	E784416P	HUTCH WITH DOORS - 44"H	186.15	106,6	37.57	1,06
1	N	E724416P	HUTCH WITH DOORS - 44"H	171.30	91,81	34.76	0,98
1	N	E664416P	HUTCH WITH DOORS - 44"H	160.41	84,16	31.96	0,91
1	N	E604416P	HUTCH WITH DOORS - 44"H	149.57	76,51	29.15	0,83
1	N	E544416P	HUTCH WITH DOORS - 44"H	138.70	68,86	26.34	0,75
1	N	E484416P	HUTCH WITH DOORS - 44"H	127.84	61,2	23.54	0,67
1	N	E424416P	HUTCH WITH DOORS - 44"H	116.97	53,55	20.73	0,59
1	N	E364416P	HUTCH WITH DOORS - 44"H	106.11	45,9	17.92	0,51
1	N	E843616P	HUTCH WITH DOORS - 36"H	175.00	79,38	33.40	0,95
1	N	E783616P	HUTCH WITH DOORS - 36"H	168.22	76,3	31.08	0,88
1	N	E723616P	HUTCH WITH DOORS - 36"H	155.00	70,31	28.76	0,81
1	N	E663616P	HUTCH WITH DOORS - 36"H	145.96	66,21	26.43	0,75
1	N	E603616P	HUTCH WITH DOORS - 36"H	134.96	61,22	24.11	0,68
1	N	E543616P	HUTCH WITH DOORS - 36"H	124.95	56,68	21.79	0,62
1	N	E483616P	HUTCH WITH DOORS - 36"H	114.93	52,13	19.47	0,55
1	N	E423616P	HUTCH WITH DOORS - 36"H	104.92	47,59	17.15	0,49
1	N	E363616P	HUTCH WITH DOORS - 36"H	94.91	43,05	14.83	0,42
1	N	E844416	OPEN HUTCH - 44"H	170.35	103,9	40.38	1,14
1	N	E784416	OPEN HUTCH - 44"H	165.11	96,4	37.57	1,06
1	N	E724416	OPEN HUTCH - 44"H	151.86	82,11	34.76	0,98
1	N	E664416	OPEN HUTCH - 44"H	142.62	71,79	31.96	0,91
1	N	E604416	OPEN HUTCH - 44"H	133.37	66,97	29.15	0,83
1	N	E544416	OPEN HUTCH - 44"H	124.12	60,27	26.34	0,75
1	N	E484416	OPEN HUTCH - 44"H	114.88	44,69	23.54	0,67
1	N	E424416	OPEN HUTCH - 44"H	105.63	48,34	20.73	0,59
1	N	E364416	OPEN HUTCH - 44"H	96.39	43,52	17.92	0,51
1	N	E843616	OPEN HUTCH - 36"H	152.34	69,1	33.40	0,95
1	N	E783616	OPEN HUTCH - 36"H	147.19	66,76	31.08	0,88
1	N	E723616	OPEN HUTCH - 36"H	135.55	61,48	28.76	0,81
1	N	E663616	OPEN HUTCH - 36"H	127.16	57,68	26.43	0,75
1	N	E603616	OPEN HUTCH - 36"H	118.77	53,87	24.11	0,68



## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	N	E543616	OPEN HUTCH - 36"H	110.37	50,06	21.79	0,62
1	N	E483616	OPEN HUTCH - 36"H	101.98	46,26	19.47	0,55
1	N	E423616	OPEN HUTCH - 36"H	93.58	42,45	17.15	0,49
1	N	E363616	OPEN HUTCH - 36"H	85.19	38,64	14.83	0,42
1	N	EM842216P	WALLMOUNTED HUTCH W/DOORS-22"H	187.54	85,07	22.06	0,62
1	N	EM782216P	WALLMOUNTED HUTCH W/DOORS-22"H	178.15	80,81	20.53	0,58
1	N	EM722216P	WALLMOUNTED HUTCH W/DOORS-22"H	167.26	75,87	18.99	0,54
1	N	EM662216P	WALLMOUNTED HUTCH W/DOORS-22"H	153.01	69,4	17.46	0,49
1	N	EM602216P	WALLMOUNTED HUTCH W/DOORS-22"H	143.48	65,08	15.93	0,45
1	N	EM542216P	WALLMOUNTED HUTCH W/DOORS-22"H	131.12	59,48	14.39	0,41
1	N	EM482216P	WALLMOUNTED HUTCH W/DOORS-22"H	119.56	54,23	12.86	0,36
1	N	EM422216P	WALLMOUNTED HUTCH W/DOORS-22"H	107.09	48,58	11.33	0,32
1	N	EM362216P	WALLMOUNTED HUTCH W/DOORS-22"H	95.53	43,33	9.79	0,28
1	N	EM842216	WALL-MOUNTED OPEN HUTCH-22"H	159.06	72,15	22.06	0,62
1	N	EM782216	WALL-MOUNTED OPEN HUTCH-22"H	151.73	68,82	20.53	0,58
1	N	EM722216	WALL-MOUNTED OPEN HUTCH-22"H	142.85	64,8	18.99	0,54
1	N	EM662216	WALL-MOUNTED OPEN HUTCH-22"H	130.66	59,27	17.46	0,49
1	N	EM602216	WALL-MOUNTED OPEN HUTCH-22"H	123.14	55,86	15.93	0,45
1	N	EM542216	WALL-MOUNTED OPEN HUTCH-22"H	112.81	51,17	14.39	0,41
1	N	EM482216	WALL-MOUNTED OPEN HUTCH-22"H	103.28	46,85	12.86	0,36
1	N	EM422216	WALL-MOUNTED OPEN HUTCH-22"H	92.69	42,04	11.33	0,32
1	N	EM362216	WALL-MOUNTED OPEN HUTCH-22"H	83.32	37,79	9.79	0,28
1	X,Y,L	2436LF	LATERAL FILE UNIT	166.80	75,66	16.50	0,47
1	X,Y,L	2430LF	LATERAL FILE UNIT	139.00	63,05	13.75	0,39
1	X,Y,L	2036LF	LATERAL FILE UNIT	139.00	63,05	14.20	0,4
1	X,Y,L	2030LF	LATERAL FILE UNIT	115.80	52,53	11.80	0,33
1	X,Y,L	2436B	BOOKCASE UNIT WITH DOORS	134.40	60,96	16.50	0,47
1	X,Y,L	2430B	BOOKCASE UNIT WITH DOORS	112.00	50,8	13.75	0,39
1	X,Y,L	2036B	BOOKCASE UNIT WITH DOORS	112.00	50,8	4.05	0,11
1	X,Y,L	2030B	BOOKCASE UNIT WITH DOORS	93.30	42,32	11.80	0,33
1	X,Y,L	2436CO	COMBINED PEDESTAL	172.50	78,2	16.23	0,46
1	X,Y,L	2036CO	COMBINED PEDESTAL	167.90	76,2	14.10	0,4
1	X,Y,L	CO2436	COMBINED PEDESTAL	172.50	78,2	16.23	0,46
1	X,Y,L	CO2036	COMBINED PEDESTAL	167.90	76,2	14.10	0,4
N	X,Y,L	1836LFL	MODULAR LATERAL FILE,2 DRAWERS	124.51	56,48	13.35	0,38
N	X,Y,L	1830LFL	MODULAR LATERAL FILE,2 DRAWERS	115.32	52,31	11.26	0,32
N	X,Y,L	1836COL	MODULAR COMBINED PEDESTAL	135.40	61,42	13.27	0,38
N	X,Y,L	CO1836L	MODULAR COMBINED PEDESTAL	135.40	61,42	13.27	0,38
N	X,Y,L	1836BL	MODULAR BOOKCASE WITH DOORS	94.63	42,92	13.09	0,37
N	X,Y,L	1830BL	MODULAR BOOKCASE WITH DOORS	79.54	36,08	11.70	0,33
1	X,Y,L	243673B	STORAGE/WARDROBE UNITS, 36"W	315.36	143,04	41.55	0,8
1	X,Y,L	203673B	STORAGE/WARDROBE UNITS, 36"W	262.80	119,2	33.69	0,95
1	X,Y,L	243665B	STORAGE/WARDROBE UNITS, 36"W	280.80	127,37	37.00	1,05
1	X,Y,L	203665B	STORAGE/WARDROBE UNITS, 36"W	234.00	106,14	30.00	0,85
1	X,Y,L	242473BL	STORAGE/WARDRBE,24"W,OPEN L	210.24	95,36	28.08	0,8
1	X,Y,L	202473BL	STORAGE/WARDRBE,24"W,OPEN L	175.20	79,47	23.02	0,65
1	X,Y,L	242465BL	STORAGE/WARDRBE,24"W,OPEN L	187.20	84,91	25.00	0,71
1	X,Y,L	202465BL	STORAGE/WARDRBE,24"W,OPEN L	156.00	70,76	20.50	0,58
1	X,Y,L	242473BR	STORAGE/WARDRBE,24"W,OPEN R	210.24	95,36	28.08	0,8
1	X,Y,L	202473BR	STORAGE/WARDRBE,24"W,OPEN R	175.20	79,47	23.02	0,65
1	X,Y,L	242465BR	STORAGE/WARDRBE,24"W,OPEN R	187.20	84,91	25.00	0,71
1	X,Y,L	202465BR	STORAGE/WARDRBE,24"W,OPEN R	156.00	70,76	20.50	0,58
1	X,Y,L	243673LFB	STORAGE W/LATERAL FILE,36"W	345.01	156,49	41.55	1,18
1	X,Y,L	203673LFB	STORAGE W/LATERAL FILE,36"W	287.51	130,41	33.69	0,95
1	X,Y,L	243665LFB	STORAGE W/LATERAL FILE,36"W	307.20	139,34	37.00	1,05
1	X,Y,L	203665LFB	STORAGE W/LATERAL FILE,36"W	256.00	116,12	30.00	0,85
1	X,Y,L	242473FBL	STORAGE/LATERAL FILE,OPEN L	210.24	95,36	28.08	0,8
1	X,Y,L	242465FBL	STORAGE/LATERAL FILE,OPEN L	187.20	84,91	25.00	0,71

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	X,Y,L	202473FBL	STORAGE/LATERAL FILE,OPEN L	175.20	79,47	23.58	0,67
1	X,Y,L	202465FBL	STORAGE/LATERAL FILE,OPEN L	156.00	70,76	21.00	0,59
1	X,Y,L	242473FBR	STORAGE/LATERAL FILE,OPEN R	210.24	95,36	28.08	0,8
1	X,Y,L	242465FBR	STORAGE/LATERAL FILE,OPEN R	187.20	84,91	25.00	0,71
1	X,Y,L	202473FBR	STORAGE/LATERAL FILE,OPEN R	175.20	79,47	23.58	0,67
1	X,Y,L	202465FBR	STORAGE/LATERAL FILE,OPEN R	156.00	70,76	21.00	0,59
1	N	B367314	OPEN BOOKCASE	173.05	78,49	24.33	0,69
1	N	B366514	OPEN BOOKCASE	163.86	74,33	22.37	0,63
1	N	B364814	OPEN BOOKCASE	116.63	52,9	16.44	0,47
1	N	TB3614.1E	ADDITIONAL SHELF	14.22	6,45	0.49	0,01
1	N	B242473	CORNER OPEN BOOKCASE	162.40	73,66	27.96	0,79
1	N	B202073	CORNER OPEN BOOKCASE	119.05	54	19.43	0,55
1	N	B242465	CORNER OPEN BOOKCASE	144.60	65,59	24.90	0,71
1	N	B202065	CORNER OPEN BOOKCASE	106.00	48,08	17.30	0,49
1	N	B242429	CORNER OPEN BOOKCASE	68.10	30,89	11.10	0,31
1	N	B202029	CORNER OPEN BOOKCASE	49.30	22,36	7.70	0,22
N	X,Y,L	MP1523UF	MOBILE PEDESTAL, B/B/F	88.01	39,92	7.29	0,21
N	X,Y,L	MP1518UF	MOBILE PEDESTAL, B/B/F	82.00	37,19	4.50	0,13
N	X,Y,L	MP1523FF	MOBILE PEDESTAL, F/F	84.65	38,4	7.29	0,21
N	X,Y,L	MP1523F	MOBILE PEDESTAL, B/F	58.44	26,51	5.23	0,15
N	X,Y,L	MP1518F	MOBILE PEDESTAL, U/F	70.00	31,75	4.10	0,12
N	X,Y,L	P1518UFL	MODULAR PEDESTAL, B/B/F	64.30	29,1	6.25	0,18
N	X,Y,L	P1518FFL	MODULAR PEDESTAL, F/F	62.20	28,2	6.20	0,18
N	X,Y,L	F	HANGING PEDESTAL, U/F	50.00	22,68	3.70	0,1
N	X,Y,L	MF	METAL MODULAR PEDESTAL, B/F	39.57	17,95	5.55	0,16
N	X,Y,L	PM1522UFL	MODULAR METAL PEDESTAL, B/B/F	60.50	27,4	6.20	0,18
N	X,Y,L	PM1522FFL	MODULAR METAL PEDESTAL, F/F	60.50	27,4	6.20	0,18
5	N	R36	ROUND TABLE TOP	55.90	25,36	1.60	0,05
5	N	R42	ROUND TABLE TOP	65.20	29,57	1.90	0,05
5	N	R48	ROUND TABLE TOP	82.00	37,19	2.40	0,07
5	N	REC72	RECTANGULAR TABLE TOP	84.70	38,42	2.70	0,08
5	N	REC96	RECTANGULAR TABLE TOP	142.00	64,41	4.70	0,13
5	N	B96	BOAT SHAPED TABLE TOP	142.00	64,41	4.70	0,13
5	N	B120	BOAT SHAPED TABLE TOP/2 PARTS	195.00	88,45	6.00	0,17
5	N	B144	BOAT SHAPED TABLE TOP/2 PARTS	230.30	104,46	7.10	0,2
5	N	RT72	RACETRACK TABLE TOP	84.70	38,42	2.70	0,08
5	N	RT96	RACETRACK TABLE TOP	142.00	64,41	4.70	0,13
5	N	RT120	RACETRACK TABLE TOP/2 PARTS	195.00	88,45	6.00	0,17
5	N	RT144	RACETRACK TABLE TOP/2 PARTS	230.30	104,46	7.10	0,2
		CR22	CROSS BASE	38.00	17,27	1.50	0,04
		CR27	CROSS BASE	52.00	23,6	1.70	0,05
		CR33	CROSS BASE	66.00	29,94	1.77	0,05
		2V14	V-BASE	35.90	16,28	0.90	0,03
		DB19	DRUM BASE	25.00	11,34	9.00	0,25
		P30.7296	PANEL BASE (2)	8.00	3,63	1.24	0,04
		P30.120144	PANEL BASE (3)	83.00	37,73	1.86	0,05
		TR40	CROSS PANEL BASE	12.00	0,73	0.46	0,01
		CH433	CROSS STEEL LEG	24.40	11,07	9.90	0,28
		CH233	T-SHAPED STEEL LEG	18.00	8,16	4.00	0,11
		TL	ROUND STEEL LEG	11.00	4,99	0.80	0,02
1	N	2430PS	PRINTER TABLE	100.00	45,36	13.90	0,39
1	N	ST222218	COFFEE TABLE	36.50	16,56	1.00	0,03
1	N	ST224818	MAGAZINE TABLE	54.40	24,68	1.50	0,04
1	X,Y,L	MS212036	MOBILE SERVING CART	100.91	45,77	9.40	0,27
1	X,Y,L	MS213636	MOBILE SERVING CART	165.50	75,07	16.40	0,46
1	X,Y,L	VBX4054	MARKER BOARD	95.00	43,09	7.00	0,2
1	N	LC181844	LECTERN	69.40	31,48	2.10	0,06
1	X,Y,N	GF3072S	RIGHT RECEPTION DESK, B/F	321.00	145,6	65.50	1,85

## Concept 400E

OPTION 1	OPTION 2	CODE	DESCRIPTION	WEIGHT		VOLUME	
				lbs	kg	ft <sup>3</sup>	m <sup>3</sup>
1	X,Y,N	GR2448F	RIGHT RECEPTION RETURN, B/F	162.29	73,61	32.00	0,91
1	X,Y,N	GR2442F	RIGHT RECEPTION RETURN, B/F	142.00	64,41	24.00	0,68
1	X,Y,N	GS3072F	LEFT RECEPTION DESK, B/F	321.00	145,6	65.50	1,85
1	X,Y,N	GF2448R	LEFT RECEPTION RETURN, U/F	162.29	73,61	32.00	0,91
1	X,Y,N	GF2442R	LEFT RECEPTION RETURN, U/F	142.00	64,41	24.00	0,68
N	N	L30	1 FULL LEG, 30"W	23.32	10,58	0.91	0,03
N	N	L24	1 FULL LEG, 24"W	18.88	8,56	0.74	0,02
N	N	L20	1 FULL LEG, 20"W	15.91	7,22	0.63	0,02
N	N	L12	1 RECESSED LEG, 13"W	9.99	4,53	0.40	0,01