LACASSE
Office Furniture Solutions





Electric height adjustable tables > QUORUM MULTICONFERENCE Addendum > USA > September 2017



OFFICE FURNITURE SOLUTIONS

TABLE OF CONTENTS

SPECIFICATIONS

ELECTRIC HEIGHT ADJUSTABLE TABLES 2
SPECIFICATION OF OPTIONS AND FINISHES 2

QUORUM MULTICONFERENCE ADDENDUM PRICE LIST

ELECTRIC HEIGHT ADJUSTABLE RECTANGULAR TABLES 3
ELECTRIC HEIGHT ADJUSTABLE EXTENDED CORNER TABLES 4
ELECTRIFICATION 7

ELECTRIC HEIGHT ADJUSTABLE TABLES: ADDENDUM - QUORUM MULTICONFERENCE

Electric height adjustable tables and extended corner tables encourage active work (sitting/standing) and can be adjusted for users of different heights sharing the same workstation.

Electric height adjustment

- The control keypad is installed under the surface, on the left or the right side.
- Operating speed: 1½" (38 mm) per second.
- Sound level: 48 dB.
- Load capacity (including the weight of the surface): 300 lbs (136 kg).
- 10' (3040 mm) cable with cord for wall connection.
- Meets CSA and UL standards.
- When applicable and when specified, the knife-edge (K) is located on the user side only.
- Levelers with height adjustment of ¾" (20 mm).
- C-base: rectangular column of 2½" W x 3" D (62 mm x 80 mm).
- Modesty panel (optional) is a laminate panel ⅝" (16 mm) in thickness finished on both sides.



Instinctive control keypad



Digital control keypad with memory (optional). Can store 4 positions.

C-base



TOP 1" (25 mm)	
Lowest position	24" (607 mm)
Highest position	49½" (1257 mm)
TOP 1½" (38 mm)	
Lowest position	24½" (620 mm)
Highest position	50" (1270 mm)

SPECIFICATION OF OPTIONS AND FINISHES

EDGEBANDING

N Edge

1" and 1½"
(25 mm and 38 mm)
N edgebanding **matches the finish specified for the surface**.

K Knife-edge



1½" (38 mm)
K knife-edge **available (in coordinated colors) ONLY when a wood grain or Snow (SNO) finish is specified** for the surface.

CODIFICATION

	Options			
Series	Thickness	Edgebanding	Options	Accent
T	**1** Thermofused laminate 1" (25 mm) **2** High-pressure laminate 1" (25 mm) **5** Thermofused laminate 1½" (38 mm) **6** High-pressure laminate 1½" (38 mm)	**N** Smooth edge **K** Knife-edge	**N** Standard control **D** Digital control	**S** Silver **W** White **N** No accent

ELECTRIC HEIGHT ADJUSTABLE RECTANGULAR TABLES

Rectangular tables



Smooth edges (N)

Knife-edge (K)

Optional digital control keypad with memory (D): add $125.

Metal C-base. 10' (3040 mm) cable with cord. 1 tone only.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
70 x 29 x 24-49½	1750 x 725 x 607-1257	**T_N_ _-RCA2970GC**	**1,815**	**1,960**
64 x 29 x 24-49½	1600 x 725 x 607-1257	**T_N_ _-RCA2964GC**	**1,805**	**1,940**
58 x 29 x 24-49½	1450 x 725 x 607-1257	**T_N_ _-RCA2958GC**	**1,800**	**1,920**
52 x 29 x 24-49½	1300 x 725 x 607-1257	**T_N_ _-RCA2952GC**	**1,790**	**1,900**
46 x 29 x 24-49½	1150 x 725 x 607-1257	**T_N_ _-RCA2946GC**	**1,780**	**1,880**
70 x 23 x 24-49½	1750 x 585 x 607-1257	**T_N_ _-RCA2370GC**	**1,795**	**1,920**
64 x 23 x 24-49½	1600 x 585 x 607-1257	**T_N_ _-RCA2364GC**	**1,785**	**1,900**
58 x 23 x 24-49½	1450 x 585 x 607-1257	**T_N_ _-RCA2358GC**	**1,780**	**1,885**
52 x 23 x 24-49½	1300 x 585 x 607-1257	**T_N_ _-RCA2352GC**	**1,770**	**1,865**
46 x 23 x 24-49½	1150 x 585 x 607-1257	**T_N_ _-RCA2346GC**	**1,760**	**1,850**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

70 x 29 x 24½-50	1750 x 725 x 620-1270	**T_N_ _-RCA2970GC**	**1,870**	**2,010**
64 x 29 x 24½-50	1600 x 725 x 620-1270	**T_N_ _-RCA2964GC**	**1,855**	**1,985**
58 x 29 x 24½-50	1450 x 725 x 620-1270	**T_N_ _-RCA2958GC**	**1,845**	**1,965**
52 x 29 x 24½-50	1300 x 725 x 620-1270	**T_N_ _-RCA2952GC**	**1,830**	**1,940**
46 x 29 x 24½-50	1150 x 725 x 620-1270	**T_N_ _-RCA2946GC**	**1,815**	**1,920**
70 x 23 x 24½-50	1750 x 585 x 620-1270	**T_N_ _-RCA2370GC**	**1,840**	**1,960**
64 x 23 x 24½-50	1600 x 585 x 620-1270	**T_N_ _-RCA2364GC**	**1,830**	**1,940**
58 x 23 x 24½-50	1450 x 585 x 620-1270	**T_N_ _-RCA2358GC**	**1,815**	**1,920**
52 x 23 x 24½-50	1300 x 585 x 620-1270	**T_N_ _-RCA2352GC**	**1,805**	**1,900**
46 x 23 x 24½-50	1150 x 585 x 620-1270	**T_N_ _-RCA2346GC**	**1,795**	**1,880**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with knife-edge:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

70 x 29 x 24½-50	1750 x 725 x 620-1270	**T_K_ _-RCA2970GC**	**2,060**	**2,185**
64 x 29 x 24½-50	1600 x 725 x 620-1270	**T_K_ _-RCA2964GC**	**2,045**	**2,165**
58 x 29 x 24½-50	1450 x 725 x 620-1270	**T_K_ _-RCA2958GC**	**2,025**	**2,140**
52 x 29 x 24½-50	1300 x 725 x 620-1270	**T_K_ _-RCA2952GC**	**2,010**	**2,120**
46 x 29 x 24½-50	1150 x 725 x 620-1270	**T_K_ _-RCA2946GC**	**1,995**	**2,100**
70 x 23 x 24½-50	1750 x 585 x 620-1270	**T_K_ _-RCA2370GC**	**2,010**	**2,130**
64 x 23 x 24½-50	1600 x 585 x 620-1270	**T_K_ _-RCA2364GC**	**2,000**	**2,110**
58 x 23 x 24½-50	1450 x 585 x 620-1270	**T_K_ _-RCA2358GC**	**1,985**	**2,090**
52 x 23 x 24½-50	1300 x 585 x 620-1270	**T_K_ _-RCA2352GC**	**1,970**	**2,070**
46 x 23 x 24½-50	1150 x 585 x 620-1270	**T_K_ _-RCA2346GC**	**1,960**	**2,050**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

Rectangular tables with modesty panel

Smooth edges (N)

Knife-edge (K)

Optional digital control keypad with memory (D): add $125.

Metal C-base. 10' (3040 mm) cable with cord.
⅝" (16 mm) thick laminate modesty panel.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
70 x 29 x 24-49½	1750 x 725 x 607-1257	**T_N_ _-RCAM2970GC**	**2,005**	**2,150**
64 x 29 x 24-49½	1600 x 725 x 607-1257	**T_N_ _-RCAM2964GC**	**1,995**	**2,130**
58 x 29 x 24-49½	1450 x 725 x 607-1257	**T_N_ _-RCAM2958GC**	**1,990**	**2,110**
52 x 29 x 24-49½	1300 x 725 x 607-1257	**T_N_ _-RCAM2952GC**	**1,980**	**2,090**
46 x 29 x 24-49½	1150 x 725 x 607-1257	**T_N_ _-RCAM2946GC**	**1,970**	**2,070**
70 x 23 x 24-49½	1750 x 585 x 607-1257	**T_N_ _-RCAM2370GC**	**1,985**	**2,110**
64 x 23 x 24-49½	1600 x 585 x 607-1257	**T_N_ _-RCAM2364GC**	**1,975**	**2,090**
58 x 23 x 24-49½	1450 x 585 x 607-1257	**T_N_ _-RCAM2358GC**	**1,970**	**2,075**
52 x 23 x 24-49½	1300 x 585 x 607-1257	**T_N_ _-RCAM2352GC**	**1,960**	**2,055**
46 x 23 x 24-49½	1150 x 585 x 607-1257	**T_N_ _-RCAM2346GC**	**1,950**	**2,040**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

70 x 29 x 24½-50	1750 x 725 x 620-1270	**T_N_ _-RCAM2970GC**	**2,060**	**2,200**
64 x 29 x 24½-50	1600 x 725 x 620-1270	**T_N_ _-RCAM2964GC**	**2,045**	**2,175**
58 x 29 x 24½-50	1450 x 725 x 620-1270	**T_N_ _-RCAM2958GC**	**2,035**	**2,155**
52 x 29 x 24½-50	1300 x 725 x 620-1270	**T_N_ _-RCAM2952GC**	**2,020**	**2,130**
46 x 29 x 24½-50	1150 x 725 x 620-1270	**T_N_ _-RCAM2946GC**	**2,005**	**2,110**
70 x 23 x 24½-50	1750 x 585 x 620-1270	**T_N_ _-RCAM2370GC**	**2,030**	**2,150**
64 x 23 x 24½-50	1600 x 585 x 620-1270	**T_N_ _-RCAM2364GC**	**2,020**	**2,130**
58 x 23 x 24½-50	1450 x 585 x 620-1270	**T_N_ _-RCAM2358GC**	**2,005**	**2,110**
52 x 23 x 24½-50	1300 x 585 x 620-1270	**T_N_ _-RCAM2352GC**	**1,995**	**2,090**
46 x 23 x 24½-50	1150 x 585 x 620-1270	**T_N_ _-RCAM2346GC**	**1,985**	**2,070**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with knife-edge:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

70 x 29 x 24½-50	1750 x 725 x 620-1270	**T_K_ _-RCAM2970GC**	**2,250**	**2,375**
64 x 29 x 24½-50	1600 x 725 x 620-1270	**T_K_ _-RCAM2964GC**	**2,235**	**2,355**
58 x 29 x 24½-50	1450 x 725 x 620-1270	**T_K_ _-RCAM2958GC**	**2,215**	**2,330**
52 x 29 x 24½-50	1300 x 725 x 620-1270	**T_K_ _-RCAM2952GC**	**2,200**	**2,310**
46 x 29 x 24½-50	1150 x 725 x 620-1270	**T_K_ _-RCAM2946GC**	**2,185**	**2,290**
70 x 23 x 24½-50	1750 x 585 x 620-1270	**T_K_ _-RCAM2370GC**	**2,200**	**2,320**
64 x 23 x 24½-50	1600 x 585 x 620-1270	**T_K_ _-RCAM2364GC**	**2,190**	**2,300**
58 x 23 x 24½-50	1450 x 585 x 620-1270	**T_K_ _-RCAM2358GC**	**2,175**	**2,280**
52 x 23 x 24½-50	1300 x 585 x 620-1270	**T_K_ _-RCAM2352GC**	**2,160**	**2,260**
46 x 23 x 24½-50	1150 x 585 x 620-1270	**T_K_ _-RCAM2346GC**	**2,150**	**2,240**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED

ELECTRIC HEIGHT ADJUSTABLE EXTENDED CORNER TABLES

Left extended corner tables - 29" D



Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord. 1 tone only.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMA825829GC**	**2,585**	**2,795**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMA765829GC**	**2,575**	**2,775**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMA705829GC**	**2,565**	**2,755**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMA645829GC**	**2,555**	**2,740**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMA585829GC**	**2,550**	**2,720**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMA825229GC**	**2,575**	**2,775**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMA765229GC**	**2,565**	**2,755**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMA705229GC**	**2,555**	**2,740**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMA645229GC**	**2,550**	**2,720**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMA585229GC**	**2,540**	**2,705**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMA824629GC**	**2,565**	**2,755**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMA764629GC**	**2,555**	**2,710**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMA704629GC**	**2,550**	**2,665**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMA644629GC**	**2,540**	**2,620**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMA584629GC**	**2,530**	**2,575**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMA824029GC**	**2,555**	**2,740**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMA764029GC**	**2,550**	**2,695**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMA704029GC**	**2,540**	**2,650**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMA644029GC**	**2,530**	**2,610**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMA584029GC**	**2,520**	**2,565**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMA825829GC**	**2,675**	**2,885**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMA765829GC**	**2,660**	**2,830**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMA705829GC**	**2,645**	**2,775**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMA645829GC**	**2,635**	**2,720**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMA585829GC**	**2,620**	**2,665**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMA825229GC**	**2,660**	**2,865**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMA765229GC**	**2,645**	**2,840**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMA705229GC**	**2,635**	**2,815**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMA645229GC**	**2,620**	**2,795**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMA585229GC**	**2,605**	**2,770**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMA824629GC**	**2,645**	**2,840**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMA764629GC**	**2,635**	**2,815**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMA704629GC**	**2,620**	**2,795**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMA644629GC**	**2,605**	**2,770**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMA584629GC**	**2,590**	**2,750**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMA824029GC**	**2,635**	**2,815**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMA764029GC**	**2,620**	**2,795**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMA704029GC**	**2,605**	**2,770**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMA644029GC**	**2,590**	**2,750**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMA584029GC**	**2,580**	**2,725**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

Right extended corner tables - 29" D



Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord. 1 tone only.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMA588229GC**	**2,585**	**2,795**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMA587629GC**	**2,575**	**2,775**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMA587029GC**	**2,565**	**2,755**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMA586429GC**	**2,555**	**2,740**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMA585829GC**	**2,550**	**2,720**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMA528229GC**	**2,575**	**2,775**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMA527629GC**	**2,565**	**2,755**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMA527029GC**	**2,555**	**2,740**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMA526429GC**	**2,550**	**2,720**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMA525829GC**	**2,540**	**2,705**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMA468229GC**	**2,565**	**2,755**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMA467629GC**	**2,555**	**2,710**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMA467029GC**	**2,550**	**2,665**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMA466429GC**	**2,540**	**2,620**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMA465829GC**	**2,530**	**2,575**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMA408229GC**	**2,555**	**2,740**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMA407629GC**	**2,550**	**2,695**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMA407029GC**	**2,540**	**2,650**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMA406429GC**	**2,530**	**2,610**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMA405829GC**	**2,520**	**2,565**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMA588229GC**	**2,675**	**2,885**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMA587629GC**	**2,660**	**2,830**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMA587029GC**	**2,645**	**2,775**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMA586429GC**	**2,635**	**2,720**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMA585829GC**	**2,620**	**2,665**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMA528229GC**	**2,660**	**2,865**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMA527629GC**	**2,645**	**2,840**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMA527029GC**	**2,635**	**2,815**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMA526429GC**	**2,620**	**2,795**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMA525829GC**	**2,605**	**2,770**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMA468229GC**	**2,645**	**2,840**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMA467629GC**	**2,635**	**2,815**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMA467029GC**	**2,620**	**2,795**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMA466429GC**	**2,605**	**2,770**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMA465829GC**	**2,590**	**2,750**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMA408229GC**	**2,635**	**2,815**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMA407629GC**	**2,620**	**2,795**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMA407029GC**	**2,605**	**2,770**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMA406429GC**	**2,590**	**2,750**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMA405829GC**	**2,580**	**2,725**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

= ASSEMBLY REQUIRED

Left extended corner tables - 23" D

Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord. 1 tone only.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMA825823GC**	**2,560**	**2,745**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMA765823GC**	**2,555**	**2,730**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMA705823GC**	**2,545**	**2,715**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMA645823GC**	**2,540**	**2,700**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMA585823GC**	**2,530**	**2,685**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMA825223GC**	**2,555**	**2,730**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMA765223GC**	**2,545**	**2,715**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMA705223GC**	**2,540**	**2,700**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMA645223GC**	**2,530**	**2,685**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMA585223GC**	**2,525**	**2,670**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMA824623GC**	**2,545**	**2,715**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMA764623GC**	**2,540**	**2,675**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMA704623GC**	**2,530**	**2,635**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMA644623GC**	**2,525**	**2,600**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMA584623GC**	**2,515**	**2,560**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMA824023GC**	**2,540**	**2,700**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMA764023GC**	**2,530**	**2,665**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMA704023GC**	**2,525**	**2,625**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMA644023GC**	**2,515**	**2,590**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMA584023GC**	**2,510**	**2,555**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMA825823GC**	**2,640**	**2,820**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMA765823GC**	**2,625**	**2,775**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMA705823GC**	**2,615**	**2,730**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMA645823GC**	**2,605**	**2,685**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMA585823GC**	**2,595**	**2,640**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMA825223GC**	**2,625**	**2,805**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMA765223GC**	**2,615**	**2,785**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMA705223GC**	**2,605**	**2,765**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMA645223GC**	**2,595**	**2,750**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMA585223GC**	**2,585**	**2,730**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMA824623GC**	**2,615**	**2,785**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMA764623GC**	**2,605**	**2,765**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMA704623GC**	**2,595**	**2,750**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMA644623GC**	**2,585**	**2,730**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMA584623GC**	**2,570**	**2,710**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMA824023GC**	**2,605**	**2,765**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMA764023GC**	**2,595**	**2,750**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMA704023GC**	**2,585**	**2,730**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMA644023GC**	**2,570**	**2,710**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMA584023GC**	**2,560**	**2,695**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

Right extended corner tables - 23" D

Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord. 1 tone only.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMA588223GC**	**2,560**	**2,745**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMA587623GC**	**2,555**	**2,730**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMA587023GC**	**2,545**	**2,715**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMA586423GC**	**2,540**	**2,700**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMA585823GC**	**2,530**	**2,685**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMA528223GC**	**2,555**	**2,730**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMA527623GC**	**2,545**	**2,715**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMA527023GC**	**2,540**	**2,700**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMA526423GC**	**2,530**	**2,685**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMA525823GC**	**2,525**	**2,670**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMA468223GC**	**2,545**	**2,715**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMA467623GC**	**2,540**	**2,675**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMA467023GC**	**2,530**	**2,635**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMA466423GC**	**2,525**	**2,600**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMA465823GC**	**2,515**	**2,560**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMA408223GC**	**2,540**	**2,700**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMA407623GC**	**2,530**	**2,665**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMA407023GC**	**2,525**	**2,625**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMA406423GC**	**2,515**	**2,590**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMA405823GC**	**2,510**	**2,555**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMA588223GC**	**2,640**	**2,820**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMA587623GC**	**2,625**	**2,775**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMA587023GC**	**2,615**	**2,730**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMA586423GC**	**2,605**	**2,685**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMA585823GC**	**2,595**	**2,640**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMA528223GC**	**2,625**	**2,805**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMA527623GC**	**2,615**	**2,785**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMA527023GC**	**2,605**	**2,765**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMA526423GC**	**2,595**	**2,750**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMA525823GC**	**2,585**	**2,730**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMA468223GC**	**2,615**	**2,785**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMA467623GC**	**2,605**	**2,765**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMA467023GC**	**2,595**	**2,750**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMA466423GC**	**2,585**	**2,730**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMA465823GC**	**2,570**	**2,710**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMA408223GC**	**2,605**	**2,765**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMA407623GC**	**2,595**	**2,750**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMA407023GC**	**2,585**	**2,730**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMA406423GC**	**2,570**	**2,710**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMA405823GC**	**2,560**	**2,695**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

= ASSEMBLY REQUIRED

Left extended corner tables with modesty panel - 29" D



Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord.
⅝" (16 mm) thick laminate modesty panel.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMAM825829GC**	**2,775**	**2,985**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMAM765829GC**	**2,765**	**2,965**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMAM705829GC**	**2,755**	**2,945**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMAM645829GC**	**2,745**	**2,930**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMAM585829GC**	**2,740**	**2,910**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMAM825229GC**	**2,765**	**2,965**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMAM765229GC**	**2,755**	**2,945**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMAM705229GC**	**2,745**	**2,930**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMAM645229GC**	**2,740**	**2,910**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMAM585229GC**	**2,730**	**2,895**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMAM824629GC**	**2,755**	**2,945**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMAM764629GC**	**2,745**	**2,900**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMAM704629GC**	**2,740**	**2,855**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMAM644629GC**	**2,730**	**2,810**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMAM584629GC**	**2,720**	**2,765**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMAM824029GC**	**2,745**	**2,930**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMAM764029GC**	**2,740**	**2,885**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMAM704029GC**	**2,730**	**2,840**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMAM644029GC**	**2,720**	**2,800**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMAM584029GC**	**2,710**	**2,755**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMAM825829GC**	**2,865**	**3,075**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMAM765829GC**	**2,850**	**3,020**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMAM705829GC**	**2,835**	**2,965**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMAM645829GC**	**2,825**	**2,910**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMAM585829GC**	**2,810**	**2,855**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMAM825229GC**	**2,850**	**3,055**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMAM765229GC**	**2,835**	**3,030**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMAM705229GC**	**2,825**	**3,005**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMAM645229GC**	**2,810**	**2,985**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMAM585229GC**	**2,795**	**2,960**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMAM824629GC**	**2,835**	**3,030**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMAM764629GC**	**2,825**	**3,005**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMAM704629GC**	**2,810**	**2,985**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMAM644629GC**	**2,795**	**2,960**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMAM584629GC**	**2,780**	**2,940**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMAM824029GC**	**2,825**	**3,005**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMAM764029GC**	**2,810**	**2,985**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMAM704029GC**	**2,795**	**2,960**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMAM644029GC**	**2,780**	**2,940**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMAM584029GC**	**2,770**	**2,915**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

Right extended corner tables with modesty panel - 29" D

Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord.
⅝" (16 mm) thick laminate modesty panel.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMAM588229GC**	**2,775**	**2,985**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMAM587629GC**	**2,765**	**2,965**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMAM587029GC**	**2,755**	**2,945**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMAM586429GC**	**2,745**	**2,930**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMAM585829GC**	**2,740**	**2,910**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMAM528229GC**	**2,765**	**2,965**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMAM527629GC**	**2,755**	**2,945**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMAM527029GC**	**2,745**	**2,930**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMAM526429GC**	**2,740**	**2,910**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMAM525829GC**	**2,730**	**2,895**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMAM468229GC**	**2,755**	**2,945**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMAM467629GC**	**2,745**	**2,900**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMAM467029GC**	**2,740**	**2,855**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMAM466429GC**	**2,730**	**2,810**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMAM465829GC**	**2,720**	**2,765**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMAM408229GC**	**2,745**	**2,930**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMAM407629GC**	**2,740**	**2,885**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMAM407029GC**	**2,730**	**2,840**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMAM406429GC**	**2,720**	**2,800**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMAM405829GC**	**2,710**	**2,755**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMAM588229GC**	**2,865**	**3,075**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMAM587629GC**	**2,850**	**3,020**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMAM587029GC**	**2,835**	**2,965**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMAM586429GC**	**2,825**	**2,910**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMAM585829GC**	**2,810**	**2,855**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMAM528229GC**	**2,850**	**3,055**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMAM527629GC**	**2,835**	**3,030**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMAM527029GC**	**2,825**	**3,005**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMAM526429GC**	**2,810**	**2,985**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMAM525829GC**	**2,795**	**2,960**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMAM468229GC**	**2,835**	**3,030**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMAM467629GC**	**2,825**	**3,005**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMAM467029GC**	**2,810**	**2,985**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMAM466429GC**	**2,795**	**2,960**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMAM465829GC**	**2,780**	**2,940**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMAM408229GC**	**2,825**	**3,005**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMAM407629GC**	**2,810**	**2,985**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMAM407029GC**	**2,795**	**2,960**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMAM406429GC**	**2,780**	**2,940**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMAM405829GC**	**2,770**	**2,915**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED

Left extended corner tables with modesty panel - 23" D



Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord.
⅝" (16 mm) thick laminate modesty panel.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMAM825823GC**	**2,750**	**2,935**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMAM765823GC**	**2,745**	**2,920**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMAM705823GC**	**2,735**	**2,905**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMAM645823GC**	**2,730**	**2,890**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMAM585823GC**	**2,720**	**2,875**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMAM825223GC**	**2,745**	**2,920**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMAM765223GC**	**2,735**	**2,905**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMAM705223GC**	**2,730**	**2,890**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMAM645223GC**	**2,720**	**2,875**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMAM585223GC**	**2,715**	**2,860**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMAM824623GC**	**2,735**	**2,905**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMAM764623GC**	**2,730**	**2,865**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMAM704623GC**	**2,720**	**2,825**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMAM644623GC**	**2,715**	**2,790**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMAM584623GC**	**2,705**	**2,750**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMAM824023GC**	**2,730**	**2,890**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMAM764023GC**	**2,720**	**2,855**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMAM704023GC**	**2,715**	**2,815**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMAM644023GC**	**2,705**	**2,780**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMAM584023GC**	**2,700**	**2,745**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMAM825823GC**	**2,830**	**3,010**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMAM765823GC**	**2,815**	**2,965**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMAM705823GC**	**2,805**	**2,920**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMAM645823GC**	**2,795**	**2,875**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMAM585823GC**	**2,785**	**2,830**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMAM825223GC**	**2,815**	**2,995**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMAM765223GC**	**2,805**	**2,975**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMAM705223GC**	**2,795**	**2,955**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMAM645223GC**	**2,785**	**2,940**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMAM585223GC**	**2,775**	**2,920**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMAM824623GC**	**2,805**	**2,975**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMAM764623GC**	**2,795**	**2,955**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMAM704623GC**	**2,785**	**2,940**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMAM644623GC**	**2,775**	**2,920**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMAM584623GC**	**2,760**	**2,900**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMAM824023GC**	**2,795**	**2,955**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMAM764023GC**	**2,785**	**2,940**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMAM704023GC**	**2,775**	**2,920**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMAM644023GC**	**2,760**	**2,900**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMAM584023GC**	**2,750**	**2,885**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

Right extended corner tables with modesty panel - 23" D



Optional digital control keypad with memory (D): add $125.

Triple metal C-base. 10' (3040 mm) cable with cord.
⅝" (16 mm) thick laminate modesty panel.

1" (25 mm) thick top with smooth edges:
Lowest position is 24" (607 mm) and highest position is 49½" (1257 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24-49½	2050 x 1450 x 607-1257	**T_N_ _-CMAM588223GC**	**2,750**	**2,935**
76 x 58 x 24-49½	1900 x 1450 x 607-1257	**T_N_ _-CMAM587623GC**	**2,745**	**2,920**
70 x 58 x 24-49½	1750 x 1450 x 607-1257	**T_N_ _-CMAM587023GC**	**2,735**	**2,905**
64 x 58 x 24-49½	1600 x 1450 x 607-1257	**T_N_ _-CMAM586423GC**	**2,730**	**2,890**
58 x 58 x 24-49½	1450 x 1450 x 607-1257	**T_N_ _-CMAM585823GC**	**2,720**	**2,875**
82 x 52 x 24-49½	2050 x 1300 x 607-1257	**T_N_ _-CMAM528223GC**	**2,745**	**2,920**
76 x 52 x 24-49½	1900 x 1300 x 607-1257	**T_N_ _-CMAM527623GC**	**2,735**	**2,905**
70 x 52 x 24-49½	1750 x 1300 x 607-1257	**T_N_ _-CMAM527023GC**	**2,730**	**2,890**
64 x 52 x 24-49½	1600 x 1300 x 607-1257	**T_N_ _-CMAM526423GC**	**2,720**	**2,875**
58 x 52 x 24-49½	1450 x 1300 x 607-1257	**T_N_ _-CMAM525823GC**	**2,715**	**2,860**
82 x 46 x 24-49½	2050 x 1150 x 607-1257	**T_N_ _-CMAM468223GC**	**2,735**	**2,905**
76 x 46 x 24-49½	1900 x 1150 x 607-1257	**T_N_ _-CMAM467623GC**	**2,730**	**2,865**
70 x 46 x 24-49½	1750 x 1150 x 607-1257	**T_N_ _-CMAM467023GC**	**2,720**	**2,825**
64 x 46 x 24-49½	1600 x 1150 x 607-1257	**T_N_ _-CMAM466423GC**	**2,715**	**2,790**
58 x 46 x 24-49½	1450 x 1150 x 607-1257	**T_N_ _-CMAM465823GC**	**2,705**	**2,750**
82 x 40 x 24-49½	2050 x 1000 x 607-1257	**T_N_ _-CMAM408223GC**	**2,730**	**2,890**
76 x 40 x 24-49½	1900 x 1000 x 607-1257	**T_N_ _-CMAM407623GC**	**2,720**	**2,855**
70 x 40 x 24-49½	1750 x 1000 x 607-1257	**T_N_ _-CMAM407023GC**	**2,715**	**2,815**
64 x 40 x 24-49½	1600 x 1000 x 607-1257	**T_N_ _-CMAM406423GC**	**2,705**	**2,780**
58 x 40 x 24-49½	1450 x 1000 x 607-1257	**T_N_ _-CMAM405823GC**	**2,700**	**2,745**

Specify the surface type (1, 2). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

1½" (38 mm) thick top with smooth edges:
Lowest position is 24½" (620 mm) and highest position is 50" (1270 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
82 x 58 x 24½-50	2050 x 1450 x 620-1270	**T_N_ _-CMAM588223GC**	**2,830**	**3,010**
76 x 58 x 24½-50	1900 x 1450 x 620-1270	**T_N_ _-CMAM587623GC**	**2,815**	**2,965**
70 x 58 x 24½-50	1750 x 1450 x 620-1270	**T_N_ _-CMAM587023GC**	**2,805**	**2,920**
64 x 58 x 24½-50	1600 x 1450 x 620-1270	**T_N_ _-CMAM586423GC**	**2,795**	**2,875**
58 x 58 x 24½-50	1450 x 1450 x 620-1270	**T_N_ _-CMAM585823GC**	**2,785**	**2,830**
82 x 52 x 24½-50	2050 x 1300 x 620-1270	**T_N_ _-CMAM528223GC**	**2,815**	**2,995**
76 x 52 x 24½-50	1900 x 1300 x 620-1270	**T_N_ _-CMAM527623GC**	**2,805**	**2,975**
70 x 52 x 24½-50	1750 x 1300 x 620-1270	**T_N_ _-CMAM527023GC**	**2,795**	**2,955**
64 x 52 x 24½-50	1600 x 1300 x 620-1270	**T_N_ _-CMAM526423GC**	**2,785**	**2,940**
58 x 52 x 24½-50	1450 x 1300 x 620-1270	**T_N_ _-CMAM525823GC**	**2,775**	**2,920**
82 x 46 x 24½-50	2050 x 1150 x 620-1270	**T_N_ _-CMAM468223GC**	**2,805**	**2,975**
76 x 46 x 24½-50	1900 x 1150 x 620-1270	**T_N_ _-CMAM467623GC**	**2,795**	**2,955**
70 x 46 x 24½-50	1750 x 1150 x 620-1270	**T_N_ _-CMAM467023GC**	**2,785**	**2,940**
64 x 46 x 24½-50	1600 x 1150 x 620-1270	**T_N_ _-CMAM466423GC**	**2,775**	**2,920**
58 x 46 x 24½-50	1450 x 1150 x 620-1270	**T_N_ _-CMAM465823GC**	**2,760**	**2,900**
82 x 40 x 24½-50	2050 x 1000 x 620-1270	**T_N_ _-CMAM408223GC**	**2,795**	**2,955**
76 x 40 x 24½-50	1900 x 1000 x 620-1270	**T_N_ _-CMAM407623GC**	**2,785**	**2,940**
70 x 40 x 24½-50	1750 x 1000 x 620-1270	**T_N_ _-CMAM407023GC**	**2,775**	**2,920**
64 x 40 x 24½-50	1600 x 1000 x 620-1270	**T_N_ _-CMAM406423GC**	**2,760**	**2,900**
58 x 40 x 24½-50	1450 x 1000 x 620-1270	**T_N_ _-CMAM405823GC**	**2,750**	**2,885**

Specify the surface type (5, 6). Specify the control type standard (N) or digital (D). Specify accent color (S, W).

ELECTRIFICATION

Digital control keypad with memory

Digital LED height display in metric or Imperial units. Memory stores 4 positions. Black. Allows for conversion of a standard control keypad to a digital control keypad with memory for electric height adjustable tables. Compatible with products from the C.I.T.É. and Stad furniture systems.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
5¼ x 1 x 1	134 x 25 x 25	**TNNNN-MEMG**	**125**

Flexible vertical fabric grommet



Allows cabling to be managed vertically. 2½" (63 mm) diameter. With zipper. All United Chair® fabrics are applicable.

W x D x H (in)	W x D x H (mm)	Code	Gr1	Gr2	Gr3	Gr4	Gr5	Gr6	Gr8
2½ x 2½ x 52	63 x 63 x 1320	**DVW48**	**75**	**80**	**85**	**90**	**100**	**110**	**120**

Specify the fabric code at the end of the product code.

Wire management clips

Allow cables to be clipped under the work surface. Grey. Package of 5 clips.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
5½ x 1½ x 1	140 x 40 x 25	**LGC-WMC05**	**85**

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED

Electric height adjustable tables >
QUORUM MULTICONFERENCE Addendum > USA > September 2017



Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.

GROUPE LACASSE

1-888-522-2773

www.groupelacasse.com

GREENGUARD GOLD

QUORUM MULTICONFERENCE has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

FSC 100% From well-managed forests FSC® C000000

Printed in Canada - © Groupe Lacasse 2017

4043
L199-0
9/17
9M