



Laminate gallery panels - End-of-run



Single end-of-run panel




Double end-of-run panel

Glide housing, assembly rail, glides and mounting hardware included.


Specify the trim color code for the adjacent panel.
Specify the laminate code for the gallery panel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single panel				
To mount to a panel	VPANS-3022	22 x 1 x 30 1/4	559 x 25 x 768	312
30" (756 mm) high	VPANS-3026	26 x 1 x 30 1/4	661 x 25 x 768	336
	VPANS-3032	32 x 1 x 30 1/4	813 x 25 x 768	360
	VPANS-3038	38 x 1 x 30 1/4	965 x 25 x 768	385
	VPANS-3050	50 x 1 x 30 1/4	1271 x 25 x 768	410
	VPANS-3062	62 x 1 x 30 1/4	1575 x 25 x 768	434
	VPANS-3074	74 x 1 x 30 1/4	1879 x 25 x 768	457
	To mount to a panel	VPANS-3722	22 x 1 x 37 1/4	559 x 25 x 946
37" (934 mm) high	VPANS-3726	26 x 1 x 37 1/4	661 x 25 x 946	356
	VPANS-3732	32 x 1 x 37 1/4	813 x 25 x 946	385
	VPANS-3738	38 x 1 x 37 1/4	965 x 25 x 946	415
	VPANS-3750	50 x 1 x 37 1/4	1271 x 25 x 946	444
	VPANS-3762	62 x 1 x 37 1/4	1575 x 25 x 946	474
	VPANS-3774	74 x 1 x 37 1/4	1879 x 25 x 946	501
	To mount to a panel	VPANS-4422	22 x 1 x 44 1/4	559 x 25 x 1124
44" (1112 mm) high	VPANS-4426	26 x 1 x 44 1/4	661 x 25 x 1124	375
	VPANS-4432	32 x 1 x 44 1/4	813 x 25 x 1124	408
	VPANS-4438	38 x 1 x 44 1/4	965 x 25 x 1124	442
	VPANS-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	476
	VPANS-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	509
	VPANS-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	545
	To mount to a panel	VPANS-5022	22 x 1 x 50 1/4	559 x 25 x 1276
50" (1264 mm) high	VPANS-5026	26 x 1 x 50 1/4	661 x 25 x 1276	392
	VPANS-5032	32 x 1 x 50 1/4	813 x 25 x 1276	429
	VPANS-5038	38 x 1 x 50 1/4	965 x 25 x 1276	467
	VPANS-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	505
	VPANS-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	543
	VPANS-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	582
	Double panel			
To mount to a panel	VPAND-3042	42 x 1 x 30 1/4	1067 x 25 x 768	422
30" (756 mm) high	VPAND-3050	50 x 1 x 30 1/4	1271 x 25 x 768	464
	VPAND-3062	62 x 1 x 30 1/4	1575 x 25 x 768	507
	VPAND-3074	74 x 1 x 30 1/4	1879 x 25 x 768	549
	VPAND-3098	98 x 1 x 30 1/4	2489 x 25 x 768	590
	To mount to a panel	VPAND-3742	42 x 1 x 37 1/4	1067 x 25 x 946
37" (934 mm) high	VPAND-3750	50 x 1 x 37 1/4	1271 x 25 x 946	502
	VPAND-3762	62 x 1 x 37 1/4	1575 x 25 x 946	552
	VPAND-3774	74 x 1 x 37 1/4	1879 x 25 x 946	604
	VPAND-3798	98 x 1 x 37 1/4	2489 x 25 x 946	654
	To mount to a panel	VPAND-4442	42 x 1 x 44 1/4	1067 x 25 x 1124
44" (1112 mm) high	VPAND-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	540
	VPAND-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	600
	VPAND-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	659
	VPAND-4498	98 x 1 x 44 1/4	2489 x 25 x 1124	717
	To mount to a panel	VPAND-5042	42 x 1 x 50 1/4	1067 x 25 x 1276
50" (1264 mm) high	VPAND-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	571
	VPAND-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	637
	VPAND-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	704
	VPAND-5098	98 x 1 x 50 1/4	2489 x 25 x 1276	771

Laminate gallery panels - Intersections



Single intersection panel



Double intersection panel

Top cap end plugs, glide housings, assembly rails, glides and mounting hardware included.

Specify the trim color code for the adjacent panel.
Specify the laminate code for the gallery panel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single panel				
To mount between two panels	VPAPS-3022	22 x 1 x 30 1/4	559 x 25 x 768	380
30" (756 mm) high	VPAPS-3026	26 x 1 x 30 1/4	661 x 25 x 768	404
	VPAPS-3032	32 x 1 x 30 1/4	813 x 25 x 768	428
	VPAPS-3038	38 x 1 x 30 1/4	965 x 25 x 768	454
	VPAPS-3050	50 x 1 x 30 1/4	1271 x 25 x 768	478
	VPAPS-3062	62 x 1 x 30 1/4	1575 x 25 x 768	502
	VPAPS-3074	74 x 1 x 30 1/4	1879 x 25 x 768	525
To mount between two panels	VPAPS-3722	22 x 1 x 37 1/4	559 x 25 x 946	395
37" (934 mm) high	VPAPS-3726	26 x 1 x 37 1/4	661 x 25 x 946	424
	VPAPS-3732	32 x 1 x 37 1/4	813 x 25 x 946	454
	VPAPS-3738	38 x 1 x 37 1/4	965 x 25 x 946	483
	VPAPS-3750	50 x 1 x 37 1/4	1271 x 25 x 946	512
	VPAPS-3762	62 x 1 x 37 1/4	1575 x 25 x 946	542
	VPAPS-3774	74 x 1 x 37 1/4	1879 x 25 x 946	569
To mount between two panels	VPAPS-4422	22 x 1 x 44 1/4	559 x 25 x 1124	410
44" (1112 mm) high	VPAPS-4426	26 x 1 x 44 1/4	661 x 25 x 1124	443
	VPAPS-4432	32 x 1 x 44 1/4	813 x 25 x 1124	477
	VPAPS-4438	38 x 1 x 44 1/4	965 x 25 x 1124	510
	VPAPS-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	544
	VPAPS-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	578
	VPAPS-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	613
To mount between two panels	VPAPS-5022	22 x 1 x 50 1/4	559 x 25 x 1276	422
50" (1264 mm) high	VPAPS-5026	26 x 1 x 50 1/4	661 x 25 x 1276	460
	VPAPS-5032	32 x 1 x 50 1/4	813 x 25 x 1276	498
	VPAPS-5038	38 x 1 x 50 1/4	965 x 25 x 1276	536
	VPAPS-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	573
	VPAPS-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	611
	VPAPS-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	650
Double panel				
To mount between two panels	VPAPD-3042	42 x 1 x 30 1/4	1067 x 25 x 768	490
30" (756 mm) high	VPAPD-3050	50 x 1 x 30 1/4	1271 x 25 x 768	532
	VPAPD-3062	62 x 1 x 30 1/4	1575 x 25 x 768	575
	VPAPD-3074	74 x 1 x 30 1/4	1879 x 25 x 768	617
	VPAPD-3098	98 x 1 x 30 1/4	2489 x 25 x 768	658
To mount between two panels	VPAPD-3742	42 x 1 x 37 1/4	1067 x 25 x 946	520
37" (934 mm) high	VPAPD-3750	50 x 1 x 37 1/4	1271 x 25 x 946	570
	VPAPD-3762	62 x 1 x 37 1/4	1575 x 25 x 946	621
	VPAPD-3774	74 x 1 x 37 1/4	1879 x 25 x 946	672
	VPAPD-3798	98 x 1 x 37 1/4	2489 x 25 x 946	722
To mount between two panels	VPAPD-4442	42 x 1 x 44 1/4	1067 x 25 x 1124	548
44" (1112 mm) high	VPAPD-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	608
	VPAPD-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	668
	VPAPD-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	728
	VPAPD-4498	98 x 1 x 44 1/4	2489 x 25 x 1124	785
To mount between two panels	VPAPD-5042	42 x 1 x 50 1/4	1067 x 25 x 1276	574
50" (1264 mm) high	VPAPD-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	639
	VPAPD-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	706
	VPAPD-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	772
	VPAPD-5098	98 x 1 x 50 1/4	2489 x 25 x 1276	839

Laminate gallery panels - Intersections (cont'd)


Specification notes

- ▶ Gallery panel provides partial or total privacy in sitting position and allows for universal installation (left-right).
- ▶ Cut-out along bottom of gallery panel enables power feed to be routed between two acoustical panels (VPPA) or two glass panels (VPPG) with a straight span connector (included).
- ▶ Mounts only to side trim rail of an adjacent acoustical panel (VPPA) or glass panel (VPPG) and adds a length of 1" (25 mm) to the configuration.
- ▶ Gallery panel may be installed on an acoustical or glass panel of same height or up to 14" (356 mm) lower.
- ▶ Does not allow the routing of cables along top raceways of the panel run.
- ▶ An assembly rail for variable height (VPAR-__) is required when installing on an acoustical or glass panel of lesser height.
- ▶ Gallery panel cannot be used with stackable panels.
- ▶ Offers the same stability as an acoustical panel (VPPA) or a glass panel (VPPG) in return position.
- ▶ Gallery panel length includes the 2" (51 mm) thickness of the acoustical or glass panel.
- ▶ Gallery panel is designed to align at the same height as the top cap of an acoustical or glass panel.
- ▶ The included corner braces enables the front corners of work surfaces to be mounted to the gallery panels.
- ▶ Field assembly required.

Trim/metal colors


- TR-AK Chalk
- TR-E Smoke
- TR-G Grey tone
- TR-K Charcoal
- TR-LE Metallic silver
- TR-R Beige

Sample order




Uses

Wood grain:




Up to 50" (1271 mm) in width:
vertical wood grain.




62" (1575 mm) or more in width:
horizontal wood grain.


Bracket position:




Layout configuration:



Installation on same height panels.




Installation on lower height panels.
(requires 2 VPAR-__ rails).




Do not use with a taller panel, nor with
stackable panels.

Privacy screens for acoustical panels




Single

Brushed chrome color supports and mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Clear acrylic - Single				
Screen height:	VSACX-0824, SK-1S	23 3/4 x 1/4 x 7 11/16	604 x 6 x 196	272
7 11/16" (196 mm)	VSACX-0830, SK-1S	29 3/4 x 1/4 x 7 11/16	756 x 6 x 196	302
	VSACX-0836, SK-1S	35 3/4 x 1/4 x 7 11/16	908 x 6 x 196	333
	VSACX-0842, SK-1S	41 3/4 x 1/4 x 7 11/16	1061 x 6 x 196	363
	VSACX-0848, SK-1S	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	393
	VSACX-0854, SK-1S	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	423
	VSACX-0860, SK-1S	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	454
Screen height:	VSACX-1024, SK-1S	23 3/4 x 1/4 x 10	604 x 6 x 254	281
10" (254 mm)	VSACX-1030, SK-1S	29 3/4 x 1/4 x 10	756 x 6 x 254	317
	VSACX-1036, SK-1S	35 3/4 x 1/4 x 10	908 x 6 x 254	352
	VSACX-1042, SK-1S	41 3/4 x 1/4 x 10	1061 x 6 x 254	387
	VSACX-1048, SK-1S	47 3/4 x 1/4 x 10	1213 x 6 x 254	422
	VSACX-1054, SK-1S	53 3/4 x 1/4 x 10	1366 x 6 x 254	458
	VSACX-1060, SK-1S	59 3/4 x 1/4 x 10	1518 x 6 x 254	492
Screen height:	VSACX-1424, SK-1S	23 3/4 x 1/4 x 14	604 x 6 x 355	296
14" (355 mm)	VSACX-1430, SK-1S	29 3/4 x 1/4 x 14	756 x 6 x 355	335
	VSACX-1436, SK-1S	35 3/4 x 1/4 x 14	908 x 6 x 355	373
	VSACX-1442, SK-1S	41 3/4 x 1/4 x 14	1061 x 6 x 355	412
	VSACX-1448, SK-1S	47 3/4 x 1/4 x 14	1213 x 6 x 355	449
	VSACX-1454, SK-1S	53 3/4 x 1/4 x 14	1366 x 6 x 355	488
	VSACX-1460, SK-1S	59 3/4 x 1/4 x 14	1518 x 6 x 355	527
Frosted acrylic - Single 				
Screen height:	VSAGX-0824, SK-1E	23 3/4 x 1/4 x 7 11/16	604 x 6 x 196	302
7 11/16" (196 mm)	VSAGX-0830, SK-1E	29 3/4 x 1/4 x 7 11/16	756 x 6 x 196	336
	VSAGX-0836, SK-1E	35 3/4 x 1/4 x 7 11/16	908 x 6 x 196	370
	VSAGX-0842, SK-1E	41 3/4 x 1/4 x 7 11/16	1061 x 6 x 196	403
	VSAGX-0848, SK-1E	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	437
	VSAGX-0854, SK-1E	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	470
	VSAGX-0860, SK-1E	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	504
Screen height:	VSAGX-1024, SK-1E	23 3/4 x 1/4 x 10	604 x 6 x 254	320
10" (254 mm)	VSAGX-1030, SK-1E	29 3/4 x 1/4 x 10	756 x 6 x 254	360
	VSAGX-1036, SK-1E	35 3/4 x 1/4 x 10	908 x 6 x 254	400
	VSAGX-1042, SK-1E	41 3/4 x 1/4 x 10	1061 x 6 x 254	440
	VSAGX-1048, SK-1E	47 3/4 x 1/4 x 10	1213 x 6 x 254	480
	VSAGX-1054, SK-1E	53 3/4 x 1/4 x 10	1366 x 6 x 254	520
	VSAGX-1060, SK-1E	59 3/4 x 1/4 x 10	1518 x 6 x 254	560
Screen height:	VSAGX-1424, SK-1E	23 3/4 x 1/4 x 14	604 x 6 x 355	349
14" (355 mm)	VSAGX-1430, SK-1E	29 3/4 x 1/4 x 14	756 x 6 x 355	394
	VSAGX-1436, SK-1E	35 3/4 x 1/4 x 14	908 x 6 x 355	439
	VSAGX-1442, SK-1E	41 3/4 x 1/4 x 14	1061 x 6 x 355	484
	VSAGX-1448, SK-1E	47 3/4 x 1/4 x 14	1213 x 6 x 355	529
	VSAGX-1454, SK-1E	53 3/4 x 1/4 x 14	1366 x 6 x 355	574
	VSAGX-1460, SK-1E	59 3/4 x 1/4 x 14	1518 x 6 x 355	620

 = QUICKSHIP PROGRAM

Privacy screens for acoustical panels (cont'd)



For 2 panels

Brushed chrome color supports and mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Clear acrylic - For 2 panels				
Screen height:	VDACX-0848, SK-1S	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	463
7 11/16" (196 mm)	VDACX-0854, SK-1S	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	488
	VDACX-0860, SK-1S	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	515
	VDACX-0866, SK-1S	65 3/4 x 1/4 x 7 11/16	1670 x 6 x 196	540
	VDACX-0872, SK-1S	71 3/4 x 1/4 x 7 11/16	1823 x 6 x 196	566
Screen height:	VDACX-1048, SK-1S	47 3/4 x 1/4 x 10	1213 x 6 x 254	479
10" (254 mm)	VDACX-1054, SK-1S	53 3/4 x 1/4 x 10	1366 x 6 x 254	509
	VDACX-1060, SK-1S	59 3/4 x 1/4 x 10	1518 x 6 x 254	539
	VDACX-1066, SK-1S	65 3/4 x 1/4 x 10	1670 x 6 x 254	569
	VDACX-1072, SK-1S	71 3/4 x 1/4 x 10	1823 x 6 x 254	599
Screen height:	VDACX-1448, SK-1S	47 3/4 x 1/4 x 14	1213 x 6 x 355	504
14" (355 mm)	VDACX-1454, SK-1S	53 3/4 x 1/4 x 14	1366 x 6 x 355	537
	VDACX-1460, SK-1S	59 3/4 x 1/4 x 14	1518 x 6 x 355	569
	VDACX-1466, SK-1S	65 3/4 x 1/4 x 14	1670 x 6 x 355	602
	VDACX-1472, SK-1S	71 3/4 x 1/4 x 14	1823 x 6 x 355	634
Frosted acrylic - For 2 panels				
Screen height:	VDAGX-0848, SK-1E	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	515
7 11/16" (196 mm)	VDAGX-0854, SK-1E	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	543
	VDAGX-0860, SK-1E	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	571
	VDAGX-0866, SK-1E	65 3/4 x 1/4 x 7 11/16	1670 x 6 x 196	600
	VDAGX-0872, SK-1E	71 3/4 x 1/4 x 7 11/16	1823 x 6 x 196	628
Screen height:	VDAGX-1048, SK-1E	47 3/4 x 1/4 x 10	1213 x 6 x 254	479
10" (254 mm)	VDAGX-1054, SK-1E	53 3/4 x 1/4 x 10	1366 x 6 x 254	579
	VDAGX-1060, SK-1E	59 3/4 x 1/4 x 10	1518 x 6 x 254	612
	VDAGX-1066, SK-1E	65 3/4 x 1/4 x 10	1670 x 6 x 254	646
	VDAGX-1072, SK-1E	71 3/4 x 1/4 x 10	1823 x 6 x 254	680
Screen height:	VDAGX-1448, SK-1E	47 3/4 x 1/4 x 14	1213 x 6 x 355	592
14" (355 mm)	VDAGX-1454, SK-1E	53 3/4 x 1/4 x 14	1366 x 6 x 355	631
	VDAGX-1460, SK-1E	59 3/4 x 1/4 x 14	1518 x 6 x 355	670
	VDAGX-1466, SK-1E	65 3/4 x 1/4 x 14	1670 x 6 x 355	708
	VDAGX-1472, SK-1E	71 3/4 x 1/4 x 14	1823 x 6 x 355	747

Specification notes


- ▶ Fits on top cap of acoustical panel or stackable acoustical panel in order to provide a visual barrier.
- ▶ Cannot be used on laminate gallery panels.
- ▶ Does not allow the routing of cables along the top raceways of the panel run where the screens are installed.
- ▶ A power top feed or cable management pole cannot be used with a privacy screen.
- ▶ Single screens 48" (1213 mm) to 60" (1518 mm) in width are mounted with a third support in the middle.
- ▶ Screens for two panels are mounted using four supports.
- ▶ Field assembly required.

Sample order

VSACX- 08 24, SK-1S
 | Product code | Height | Width | Acrylic

Uses

The following combinations can achieve a height comparable to that of the acoustical panel:



Assembly rails for laminate gallery panels; variable heights




Pack of 1.
Black.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
To mount to a panel 30" (756 mm) high	VPAR-30	2 x 1/8 x 25	50 x 3 x 635	26
To mount to a panel 37" (934 mm) high	VPAR-37	2 x 1/8 x 32	50 x 3 x 813	32
To mount to a panel 44" (1112 mm) high	VPAR-44	2 x 1/8 x 39	50 x 3 x 991	37


Specification notes

- ▶ Required only for installation on an acoustical or glass panel up to 14" (355 mm) lower than the height of the gallery panel.
- ▶ Not required for installation on acoustical panels (VPPA) or glass panels (VPPG) of the same height as the gallery panel.
- ▶ One assembly rail required per end-of-run panel. Two assembly rails required for intersection panel.
- ▶ Assembly rail, like the side rail of an acoustical panel (VPPA) or glass panel (VPPG), is 5" (127 mm) shorter than the total height of the panel.


Work surface height powered receptacles



VLGC-PS2P



VLGC-PS1USB1P



VLGC-PS1USB2P


6' (1829 mm) white cord is included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
2 powered outlets	VLGC-PS2P	4 x 3 1/16 x 3 3/8	102 x 78 x 85	320
1 powered outlet / 2 USB charging ports	VLGC-PS1USB1P	4 x 3 1/16 x 3 3/8	102 x 78 x 85	446
2 powered outlets / 2 USB charging ports	VLGC-PS1USB2P	5 1/2 x 3 1/16 x 3 3/8	140 x 78 x 85	467


Specification notes

- ▶ Use this product only with 120-volt, 60-hertz power sources.
- ▶ 15-amp outlet(s), optionally with 2 USB charging ports.
- ▶ Light grey plastic front with anodized aluminum case.
- ▶ Mounts to the back of the surface, no hole drilling required.


Sample order



Fixed low storage units




Lateral file storage unit




Two-door bookcase storage unit

Specify handle and laminate color codes.



One-door bookcase storage unit.
Hinges on left.



One-door bookcase storage unit.
Hinges on right.

Specify handle and laminate color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Lateral file	VLFL-202928	29 7/16 x 19 1/16 x 28	748 x 500 x 711	1,284
	VLFL-203528	35 3/8 x 19 1/16 x 28	898 x 500 x 711	1,310
Two-door bookcase	VBL-202928	29 7/16 x 19 1/16 x 28	748 x 500 x 711	1,012
	VBL-203528	35 3/8 x 19 1/16 x 28	898 x 500 x 711	1,052
One-door bookcase: hinges on left	VBL-201828-L	17 3/4 x 19 1/16 x 28	450 x 500 x 711	822
One-door bookcase: hinges on right	VBL-201828-R	17 3/4 x 19 1/16 x 28	450 x 500 x 711	822

Specification notes


- ▶ Bookcase storage units include an adjustable shelf.
- ▶ Lock and linear handles are the same color.
- ▶ Suspension bars (left-right), in letter or legal format, included with lateral file storage unit (VLFL).
- ▶ Must be attached under a work surface equal to or deeper than 20" (508 mm).
- ▶ Position the fixed low storage units next to a panel bracket or end support panel.

Handle/lock colors	Sample order
N Black S Silver	VLFL- 20 29 28 N, G-ACA, G-ACA
	Product code Depth Width Height Handle/lock color Color code Door/drawer color code

Metal fixed pedestals with laminate drawer fronts



Fixed box/box/file



Fixed file/file

Metal, Charcoal color.

Specify drawer front laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file	VPMUFL-1522	14 7/8 x 21 3/8 x 28	372 x 540 x 713	875
File/file	VPMFFL-1522	14 7/8 x 21 3/8 x 28	372 x 540 x 713	713

Specification notes

- ▶ Must be attached under a work surface equal to or deeper than 24" (610 mm).
- ▶ Lock and linear handles are the same color.
- ▶ Suspension bars (left-right) included with file drawer.
- ▶ Pencil tray is included in box drawer.
- ▶ Metal casing comes in Charcoal color only. Laminate drawer fronts.
- ▶ Position the metal fixed pedestals next to a panel bracket or end support panel.


Handle/lock colors

- N Black
- S Silver


Sample order

VPMUFL- 15 22 N, G-ACA
 Product code | Depth | Height | Handle/lock color | Drawer front color code


Laminate mobile pedestals



Mobile box/box/file



Mobile file/file



Mobile box/file

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file	VMPUF-1518	15 3/8 x 17 3/4 x 27	390 x 450 x 689	1,235
File/file	VMPFF-1518	15 3/8 x 17 3/4 x 27	390 x 450 x 689	1,235
Box/file	VMPF-1518	15 3/8 x 17 3/4 x 21 1/2	390 x 450 x 527	1,014

Specification notes

- ▶ Fits under a work surface.
- ▶ Lock and linear handles are the same color.
- ▶ Casters are black with locking casters in front.
- ▶ Suspension bars (left-right) included with file drawer.
- ▶ Pencil tray is included in box drawer.
- ▶ Can accommodate a VCU-1518 cushion.

Handle/lock colors


- N Black
- S Silver

Sample order

VMPUF- 15 18 N, G-ACA, G-ACA

Product code | Width | Height | Handle/lock color | Color code | Drawer front color code

Pedestal cushion



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
For use on a 17 3/4" (450 mm) deep laminate mobile pedestal	VCU-1518	15 3/8 x 17 3/4 x 2	390 x 450 x 51	289

Specification notes


- ▶ These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- ▶ Self-fastening band included.

Sample order

VCU- 15 18, AE10

Product code | Width | Depth | Upholstery selection

Modesty screens



Frosted acrylic modesty screen

Brushed chrome color supports and mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height:	VMODT-1230, SK-1E	30 x 1/4 x 12	762 x 6 x 305	343
12" (305 mm)	VMODT-1236, SK-1E	36 x 1/4 x 12	914 x 6 x 305	381
	VMODT-1248, SK-1E	48 x 1/4 x 12	1219 x 6 x 305	438





Specification notes	Sample order
<ul style="list-style-type: none"> Provides a visual barrier beneath a work surface. To be mounted beneath a surface with a straight side with a clearance equal to or greater than the modesty screen width. For a selection of laminate modesty panels, consult the Nvision general price book. Field assembly required. 	<p>VMODT- 12 30, SK-1E</p> <p>Product code Height Width Acrylic</p>

NVISION STANDARD FABRIC COLLECTIONS




Crystalline

CR-1	Concentric
CR-2	Dolomite
CR-3	Evaporite
CR-4	Mineral
CR-5	Stalagmite
CR-6	Travertine





Kio

ZR-1	Jib
ZR-2	 Sentra
ZR-3	Jeanlin
ZR-4	 Yippi Kio
ZR-6	 Bennett
ZR-8	Cascade
ZR-9	 TSJ
ZR-11	Reeds Lake

Puzzler

7L-C	Clue
7L-CR	 Cryptic
7L-E	 Enigma
7L-I	Intrigue
7L-M	Maze
7L-R	 Riddle

Tailored

PY-AL	Alter
PY-BU	Buttons
PY-FC	 French Chalk
PY-MA	Mannequin
PY-SE	Seam
PY-SU	 Suit
PY-TH	 Thread
PY-TR	 Tradition

ACCENT COLOR

*Trim/Metal

TR-AK	Chalk
-------	-------

*Some exceptions apply. Items in the 2017 Nvision general price book not offered in TR-E and TR-G accent colors are also not offered in TR-AK.

DOOR/PANEL (SPECIALS)

High pressure laminate finish

HC-AK	Chalk
-------	-------

 = QUICKSHIP PROGRAM

Nvision has achieved GREENGUARD GOLD Certification.