

SEPT. 27, 2019 - U.S. PRICE INCREASES

UNITED CHAIR SEATING PRODUCTS

> U.S. Tariffs / Price Adjustments

All* United Chair products will incur a **3.5% list price increase**, with the exception of **UPSWING**, which will incur an **8.5% list price increase**.

* All models, all options. Round off to the nearest dollar or refer to the updated electronic catalogs.

MANAGEMENT AND STOOLS

SPECIFICATIONS

- All models ship assembled.
- Soft mesh backrest with fabric or vinyl seat upholstery is available on RA13, RA12, RA53 and RA52 models. First code indicates the color choice of the soft mesh material for the backrest, the second code is for upholstered seat.
- Fabric/fabric and fabric/vinyl dual upholstery is available on RA11, RA10, RA51 and RA50 models. First upholstery is for the backrest*, the second code is for the upholstered seat.
- C.O.M./C.O.V available. Please refer to page 63 of the current United Chair Price Book.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- The white frame option is available only on models with a mesh backrest (chairs and stools). The white base option is not available on stools.



MANAGEMENT CHAIRS WITH MESH BACKREST

SAMPLE ORDER: RA13-E3-MRD-DN02-SYN-P-AB-HDW-FA

RA13



Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features			Dimensions (in)		Dimensions (mm)		Dimensions (in)			Dimensions (mm)		
Adjustable lumbar support	SYN: Synchronous tilt control	Seat height	18-21½	457-546	Overall height	41-44½	1040-1130					
Side tilt tension adjustment	P: Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673					
5-position tilt lock	AB: Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673					
Seat depth adjustment	HDW: Hard dual-wheel casters	Back height	22½	571	Width between arms	17-19	432-483					
Back height adjustment	FA: One piece fixed arms	Back width	18	457								

Model	Frame (\$)	Mesh	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)		Arms (\$)					
RA13	E3 Black	Std	MRD Dusk	Grade 1 666	Grade 5 718	SYN Std	P Std	AB Std	HDW Std	FA Std					
	E2 White	42	MRF Fog	Grade 2 676	Grade 6 738							CP ⁽¹⁾ 31	APC ⁽²⁾ 78	SDW ⁽⁴⁾ 16	HA8 ⁽⁸⁾ 31
			MRS Sand	Grade 3 686	Grade 8 775								WAB ⁽³⁾ 21	BRC ⁽⁵⁾ 26	3D8 ⁽⁹⁾ 78
				Grade 4 692				CC ⁽⁶⁾ 140	C3D8 ⁽¹⁰⁾ 104						
								CF ⁽⁷⁾ 120	W3D8 ⁽¹¹⁾ 104						

RA12



Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features			Dimensions (in)		Dimensions (mm)		Dimensions (in)			Dimensions (mm)		
Adjustable lumbar support	SYN: Synchronous tilt control	Seat height	18-21½	457-546	Overall height	41-44½	1040-1130					
Side tilt tension adjustment	P: Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673					
5-position tilt lock	AB: Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673					
Seat depth adjustment	HDW: Hard dual-wheel casters	Back height	22½	571								
Back height adjustment		Back width	18	457								

Model	Frame (\$)	Mesh	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)		Arms (\$)					
RA12	E3 Black	Std	MRD Dusk	Grade 1 624	Grade 5 671	SYN Std	P Std	AB Std	HDW Std	FA Std					
	E2 White	42	MRF Fog	Grade 2 634	Grade 6 697							CP ⁽¹⁾ 31	APC ⁽²⁾ 78	SDW ⁽⁴⁾ 16	HA8 ⁽⁸⁾ 31
			MRS Sand	Grade 3 645	Grade 8 733								WAB ⁽³⁾ 21	BRC ⁽⁵⁾ 26	3D8 ⁽⁹⁾ 78
				Grade 4 650				CC ⁽⁶⁾ 140	C3D8 ⁽¹⁰⁾ 104						
								CF ⁽⁷⁾ 120	W3D8 ⁽¹¹⁾ 104						

MANAGEMENT CHAIRS WITH UPHOLSTERED BACKREST*

SAMPLE ORDER: RA11-E3-AM24-DN02-SYN-P-AB-SDW-3D8

RA11



One upholstery – back/seat.
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – back only.
C.O.M.: 0.82 yd – 0,75 m
Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features			Dimensions (in)		Dimensions (mm)		Dimensions (in)			Dimensions (mm)		
Side tilt tension adjustment	SYN: Synchronous tilt control	Seat height	18-21½	457-546	Overall height	41¼-44¾	1048-1137					
5-position tilt lock	P: Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673					
Seat depth adjustment	AB: Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673					
Back height adjustment	HDW: Hard dual-wheel casters	Back height	22¾	578	Width between arms	17-19	432-483					
	FA: One piece fixed arms	Back width	18	457								

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)		Arms (\$)					
RA11	E3 Black	Grade 1	858	Grade 5	983	SYN Std	P Std	AB Std	HDW Std	FA Std				
		Grade 2	889	Grade 6	1,040						CP ⁽¹⁾ 31	APC ⁽²⁾ 78	SDW ⁽⁴⁾ 16	HA8 ⁽⁸⁾ 31
		Grade 3	915	Grade 8	1,123							WAB ⁽³⁾ 21	BRC ⁽⁵⁾ 26	3D8 ⁽⁹⁾ 78
		Grade 4	931									CC ⁽⁶⁾ 140	C3D8 ⁽¹⁰⁾ 104	
								CF ⁽⁷⁾ 120						

RA10



One upholstery – back/seat.
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – back only.
C.O.M.: 0.82 yd – 0,75 m
Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features			Dimensions (in)		Dimensions (mm)		Dimensions (in)			Dimensions (mm)		
Side tilt tension adjustment	SYN: Synchronous tilt control	Seat height	18-21½	457-546	Overall height	41¼-44¾	1048-1137					
5-position tilt lock	P: Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673					
Seat depth adjustment	AB: Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673					
Back height adjustment	HDW: Hard dual-wheel casters	Back height	22¾	578								
		Back width	18	457								

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)		Arms (\$)					
RA10	E3 Black	Grade 1	816	Grade 5	936	SYN Std	P Std	AB Std	HDW Std	FA Std				
		Grade 2	842	Grade 6	998						CP ⁽¹⁾ 31	APC ⁽²⁾ 78	SDW ⁽⁴⁾ 16	HA8 ⁽⁸⁾ 31
		Grade 3	874	Grade 8	1,082							WAB ⁽³⁾ 21	BRC ⁽⁵⁾ 26	3D8 ⁽⁹⁾ 78
		Grade 4	884									CC ⁽⁶⁾ 140	C3D8 ⁽¹⁰⁾ 104	
								CF ⁽⁷⁾ 120						

STOOLS WITH MESH BACKREST

SAMPLE ORDER: RA53-E3-MRD-DN02-SYN-P-APC-HDW-FA

RA53



Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features				Dimensions (in)			Dimensions (mm)		
Adjustable lumbar support	SYN: Synchronous tilt control	Seat height	24-31½	610-800	Overall height	47-54½	1194-1384		
Side tilt tension adjustment	P: Pneumatic seat height cylinder	Seat width	19½	502	Overall width	26½	673		
5-position tilt lock	APC: Chrome angel base	Seat depth	18½	470	Overall depth	26½	673		
Seat depth adjustment	HDW: Hard dual-wheel casters	Back height	22½	571	Width between arms	17-19	432-483		
Back height adjustment	FA: One piece fixed arms	Back width	18	457					
Adjustable polished chrome footing									

Model	Frame (\$)		Mesh	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)					
RA53	E3	Black	Std	MRD	Dusk	Grade 1	806	Grade 5	858	SYN	Std	P	Std	APC	Std	HDW	Std	FA	Std		
						Grade 2	816	Grade 6	884							SDW ⁽⁴⁾	16	HA8 ⁽⁸⁾	31		
						Grade 3	832	Grade 8	915							BRC ⁽⁵⁾	26	3D8 ⁽⁹⁾	78		
						Grade 4	837									CC ⁽⁶⁾	140	C3D8 ⁽¹⁰⁾	104		
			42	MRF	Fog							SCL ⁽¹²⁾	68					CF ⁽⁷⁾	120	W3D8 ⁽¹¹⁾	104
				MRS	Sand																

RA52



Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features				Dimensions (in)			Dimensions (mm)		
Adjustable lumbar support	SYN: Synchronous tilt control	Seat height	24-31½	610-800	Overall height	47-54½	1194-1384		
Side tilt tension adjustment	P: Pneumatic seat height cylinder	Seat width	19½	502	Overall width	26½	673		
5-position tilt lock	APC: Chrome angel base	Seat depth	18½	470	Overall depth	26½	673		
Seat depth adjustment	HDW: Hard dual-wheel casters	Back height	22½	571					
Back height adjustment	FA: One piece fixed arms	Back width	18	457					
Adjustable polished chrome footing									

Model	Frame (\$)		Mesh	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)					
RA52	E3	Black	Std	MRD	Dusk	Grade 1	759	Grade 5	811	SYN	Std	P	Std	APC	Std	HDW	Std		
						Grade 2	775	Grade 6	837							SDW ⁽⁴⁾	16		
						Grade 3	785	Grade 8	868							BRC ⁽⁵⁾	26		
						Grade 4	790									CC ⁽⁶⁾	140		
			42	MRF	Fog							SCL ⁽¹²⁾	68					CF ⁽⁷⁾	120
				MRS	Sand														

STOOLS WITH UPHOLSTERED BACKREST*

SAMPLE ORDER: RA51-E3-AM24-DN02-SYN-P-APC-SDW-3D8

RA51



One upholstery – back/seat.
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – back only.
C.O.M.: 0.82 yd – 0,75 m
Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features				Dimensions (in)			Dimensions (mm)		
Side tilt tension adjustment	SYN: Synchronous tilt control	Seat height	24-31½	610-800	Overall height	47¼-54¾	1200-1390		
5-position tilt lock	P: Pneumatic seat height cylinder	Seat width	19½	502	Overall width	26½	673		
Seat depth adjustment	APC: Chrome angel base	Seat depth	18½	470	Overall depth	26½	673		
Back height adjustment	HDW: Hard dual-wheel casters	Back height	22¾	578	Width between arms	17-19	432-483		
Adjustable polished chrome footing	FA: One piece fixed arms	Back width	18	457					

Model	Frame		Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		
RA51	E3	Black	Grade 1	998	Grade 5	1,123	SYN	Std	P	Std	APC	Std	HDW	Std	FA	Std	
			Grade 2	1,030	Grade 6	1,186							SDW ⁽⁴⁾	16	HA8 ⁽⁸⁾	31	
			Grade 3	1,061	Grade 8	1,264							BRC ⁽⁵⁾	26	3D8 ⁽⁹⁾	78	
			Grade 4	1,076									CC ⁽⁶⁾	140	C3D8 ⁽¹⁰⁾	104	
																CF ⁽⁷⁾	120

RA50



One upholstery – back/seat.
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – back only.
C.O.M.: 0.82 yd – 0,75 m
Dual upholstery – seat only.
C.O.M.: 0.83 yd – 0,76 m

Standard features				Dimensions (in)			Dimensions (mm)		
Side tilt tension adjustment	SYN: Synchronous tilt control	Seat height	24-31½	610-800	Overall height	47¼-54¾	1200-1390		
5-position tilt lock	P: Pneumatic seat height cylinder	Seat width	19½	502	Overall width	26½	673		
Seat depth adjustment	APC: Chrome angel base	Seat depth	18½	470	Overall depth	26½	673		
Back height adjustment	HDW: Hard dual-wheel casters	Back height	22¾	578					
Adjustable polished chrome footing	FA: One piece fixed arms	Back width	18	457					

Model	Frame		Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)			
RA50	E3	Black	Grade 1	952	Grade 5	1,076	SYN	Std	P	Std	APC	Std	HDW	Std		
			Grade 2	983	Grade 6	1,139							SDW ⁽⁴⁾	16		
			Grade 3	1,014	Grade 8	1,217							BRC ⁽⁵⁾	26		
			Grade 4	1,024									CC ⁽⁶⁾	140		
															CF ⁽⁷⁾	120

- (1) **CP:** Pneumatic seat height cylinder, chrome finish.
- (2) **APC:** Angel base, chrome.
- (3) **WAB:** Angel base, white.
- (4) **SDW:** Soft dual-wheel casters (non-marking), black.
- (5) **BRC:** Braking casters, black.
- (6) **CC:** Hard dual-wheel casters, chrome accent.
- (7) **CF:** Soft dual-wheel casters (non-marking), chrome accent.
- (8) **HA8:** Height adjustable arms, black.
- (9) **3D8:** Height adjustable arms with pivoting, front-to-back and side-to-side armrests, black.
- (10) **C3D8:** Height and width adjustable arms, front-to-back and side-to-side armrests, chrome accent.
- (11) **W3D8:** Height and width adjustable arms, front-to-back and side-to-side armrests, white accent.
- (12) **SCL:** Mid-range pneumatic seat height (20¼"-25" / 514-635 mm) cylinder, black.

*Limited upholstery selection for the upholstered backrests, please refer to www.grounelacasse.com.

Please refer to the current United Chair Price Book to see the complete product offering and detailed information.

