united chair®

A GROUPE LACASSE BRAND

USA / Price List

Effective September 2021

Table of Contents

We are United Chair® / How to Use this Price List . . . 3
Control Features Matrix . . . 4
Control Features and Benefits . . . 5
Sample Order . . . 6
Seating Collections . . . 7-30
C.O.M./C.O.V. Policy . . . 31
Custom Fabric Form . . . 32
Terms and Conditions . . . 33-34
Warranty . . . 34

Quick Reference Index

Series	Series Abbrev.	Executive / Management	Task / Conference	24-Hour	Guest / Stack	Nesting	Stools	BIFMA	Page
Atto	AT		●					●	7
Brylee	BR				●			●	8
IO	IO				●		●	●	9
Papillon	PP		●					●	11
Pilo	PL				●		●	●	12
Rackup	RK		●			●	●	●	14
Radiance	RA	●					●	●	16
Savvy	SV	●		●			●	●	18
Shifter	FT				●		●	●	21
Stools – Medical	D						●	●	23
Swatt	SW				●			●	24
Upswing	UP		●				●	●	25
Veinure	VR				●		●	●	27
4800	FE				●			●	28

Important note: Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction.
Prices and product specifications are subject to change without notice.

www.groupelacasse.com

WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

Embrace the simplicity of a straightforward design approach. Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

Choose the simplicity of a high-quality service. Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever changing world.

So take a seat and enjoy the United Chair experience.

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818
GOLD

United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and United Chair is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Specials Department** for an assessment of your request.

HOW TO USE THIS PRICE LIST

Find the products you need

Refer to the **Table of Contents** to find the solutions you require. For assistance in understanding the ergonomic functions of each model, please refer to page 5.

Pictures of various models are available on the Groupe Lacasse Website (www.groupelacasse.com).

Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the United Chair® Upholstery Selection Guide that can be found on Groupe Lacasse's Website and make a note of the applicable codes.

Refer to the **Sample Order** sections specific to each model to ensure integrity of order.

Submit your order

Fax: Groupe Lacasse Inc.
Attn: Order Entry
1-800-363-5474

Email: oec@groupelacasse.com

Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

Telephone: 1-888-522-2773
Email: customerservice@groupelacasse.com

Control Features Matrix

		1) 360-degree swivel	2) Back angle	3) Back height adjustment	4) Forward seat tilt	5) High-performance control	6) Independently adjustable back and seat angle	7) Knee-tilt control	8) Lumbar adjustment	9) Pneumatic seat height	10) Sliding seat pan	11) Swivel-tilt control	12) Synchronous control	13) Tilt lock	14) Tilt tension
ATTO	ALL	X						X		X				4-position	X
PAPILLON	ALL	X								X		X		Upright	X
RACKUP	ALL	X								X		X			
RADIANCE	ALL	X	X	X					X	X	X		X	5-position	X
SAVVY	SVX16-15	X			X	X	X		X	X	Opt.	X		Infinite	X
	SVX11-10	X			X	X	X		X	X	Opt.	X		Infinite	X
	SV24-23	X						X	X	X				5-position	X
	SV26-25	X						X	X	X				5-position	X
	SV52-51	X							X	X					
STOOLS – MEDICAL	D63	X								X					
	DB63	X							X	X					
	D65	X								X					
	D63X	X								X					
UPSWING	ALL	X							X	X	X		X	X	X

Control Features and Benefits

You spend a lot of time sitting in your chair, so why not make it as comfortable as possible?
Our seating solutions are designed to give you the support you need to be more productive... and to feel great hour after hour!

1. 360-Degree Swivel

Seat of chair rotates through 360° allowing access to desired areas within reach. Helps avoids twisting of torso.

2. Back Angle

Allows the user to select a back angle and lock it into a desired position. Helps reduce disc pressure and relaxes back muscles.

3. Back Height Adjustment

Adjust the back up and down for proper positioning of the lumbar support. Helps reduce back pain by providing an optimum lumbar support.

4. Forward Seat Tilt

Allows chair to tilt forward, changing the angle of your thighs in relation to the floor. Increases comfort while reducing pressure when doing intensive forward leaning tasks.

5. High-Performance Control

Includes a swivel/tilt with tension control, independently adjustable seat and back angle with infinite lock (any position) and forward pitch control. Enhances comfort and provides optimum supportive working position.

6. Independently Adjustable Seat and Back Angle

Adjust the seat and back angle of the chair independently of each other. For optimum custom fit, helps reduce pressure on the thighs and relaxes back muscles.

7. Knee-Tilt Control

Knee-tilt movement from a pivot point positioned at the front of the seat. Allows the user to fully recline while keeping feet comfortably on the floor. Maintains stability while avoiding pressure under the thighs.

8. Lumbar Adjustment

Allows the user to custom fit the chair by adjusting the lumbar support for optimum comfort.

9. Pneumatic Seat Height

Adjust the seat height up and down to allow your feet to rest flat on the floor. Avoids pressure under the thighs and eases blood circulation.

10. Seat depth adjustment

Change the depth of the seat forward and back or lock in a desired position. Accommodates the length of your thighs and keeps your back in contact with the backrest while avoiding pressure behind your knees.

11. Swivel-Tilt Control

Chair tilts from a pivot point directly above the base center and allows the user to lean back in a seating position.

12. Synchronous Control

Automatically adjust the seat and back angle while maintaining a recline ratio. Provides optimum back support and minimal seat rise. Enhances comfort and encourages dynamic body movement.

13. Tilt Lock

Lock the seat and back in an upright position.

Infinite Tilt Lock

Lock the tilt movement in any position to accommodate the user's working posture. Allows the user to lock the chair in a comfortable working position.

14. Tilt Tension

Allows the user to adjust the resistance with which the chair reclines or tilts. The user can rock the chair comfortably, without heavy pushing, reducing muscle fatigue.

Sample Order: | Model | Frame | Upholstery 1 | Upholstery 2 | Control | Cylinder | Base | Casters | Arms | Option | Option |

1. Controls

KT Knee-tilt control
ST Swivel-tilt control
SW Swivel only control
SYN Synchronous control
XCON Multifunction control

2. Cylinders

CP Pneumatic seat height cylinder, chrome finish
P Pneumatic seat height cylinder
(Chairs: 18¼" - 21½"/Stools: 24" - 31½")
SCL Mid-range pneumatic seat height (19"-26") cylinder
XTC Extra-tall pneumatic seat height cylinder (29"-34")

Height dimensions:
Use as a guideline; they vary slightly depending on the models.

3. Bases



AB, WAB
Black nylon angel base
White nylon angel base



APC
Chrome angel base



NB, GB
Black nylon base
Grey nylon base



PCB
Polished chrome base



ST4
Low profile 4-prong base

4. Casters

BGL
Bell-shaped glides, black

GLD
Flat glides, black

BRC
Braking casters, black (Rolls when weight is applied)



HDW Hard dual-wheel casters, black
SDW Soft dual-wheel casters (non-marking), black

5a. Fixed Arms

BAO1
Polished chrome arms with black polyurethane pads

FA
Fixed arms

HLA
Half-loop arms

5b. Adjustable Arms



HA8
Height adjustable arms

HWA8
Height and width adjustable arms



3D8
Height adjustable arms with pivoting armrests



(R, C, W)_3D8
Height adjustable arms, front-to-back and side-to-side armrests.
Accent color: **C** Chrome, **R** Black or **W** White

6. Other Options

C33 California 133 compliant
CSB Contrast stitching, black
CSW Contrast stitching, white
DP Double pack
HH Handle *(Veinure)*
ML Metal legs, metallic silver
P33 California 133 compliant
(For 4800 Series in black FS33 only)
PBG Plastic back guard
(N/A with C33 option)
QP Quad pack
SC Seamless seat upholstery
SP Single pack
SSP Sliding seat pan
ULS Fully upholstered leather back panel for guest and café height models
UPS Fully upholstered back panel for guest models

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and seat cushions, the second upholstery is for the back and seat shell.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 31.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: AT12-E3-WH08-WH01-KT-P-APC-HDW-BA01

CONFERENCE CHAIRS

SAMPLE ORDER: AT12-E3-WH08-WH01-KT-P-APC-HDW-BA01

AT14

One upholstery – back/seat:
C.O.M.: 2.05 yd – 1,87 m
Dual - Inner shell only:
C.O.M.: 1.2 yd – 1,1 m
Dual - Outer shell only:
C.O.M.: 1.15 yd – 1,05 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
High back	**KT:** Knee-tilt control	Seat height	19-22 ½	482-571	Overall height	41 ½-45	1054-1143
4-position tilt lock	**P:** Pneumatic seat height	Seat width	19 ¾	502	Overall width	27	686
Fully upholstered back panel	**AB:** Nylon angel base	Seat depth	19	483	Overall depth	27	686
Waterfall seat	**HDW:** Hard dual-wheel casters	Back height	26	660	Width between arms	19	483
	BA01: Polished chrome arms with polyurethane pads	Back width	19 ½	495			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)	
AT14	**E3** Black	Grade 1	**1,452**	Grade 5	**1,721**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**BA01**	Std
		Grade 2	**1,540**	Grade 6	**1,838**			**CP**	**38**	**APC**	**100**	**SDW**	**20**		
		Grade 3	**1,598**	Grade 7	**2,401**							**BRC**	**31**		
		Grade 4	**1,626**	Grade 8	**1,999**							**BGL**	**20**		

AT12

One upholstery – back/seat:
C.O.M.: 1.89 yd – 1,73 m
Dual - Inner shell only:
C.O.M.: 1.09 yd – 1 m
Dual - Outer shell only:
C.O.M.: 1.01 yd - 0,93 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Medium back	**KT:** Knee-tilt control	Seat height	19-22 ½	482-571	Overall height	38 ¼-41 ¾	971-1060
4-position tilt lock	**P:** Pneumatic seat height	Seat width	19 ¾	502	Overall width	27	686
Fully upholstered back panel	**AB:** Nylon angel base	Seat depth	19	483	Overall depth	27	686
Waterfall seat	**HDW:** Hard dual-wheel casters	Back height	22 ½	572	Width between arms	19	483
	BA01: Polished chrome arms with polyurethane pads	Back width	19 ½	495			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)	
AT12	**E3** Black	Grade 1	**1,430**	Grade 5	**1,656**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**BA01**	Std
		Grade 2	**1,482**	Grade 6	**1,764**			**CP**	**38**	**APC**	**100**	**SDW**	**20**		
		Grade 3	**1,531**	Grade 7	**2,325**							**BRC**	**31**		
		Grade 4	**1,561**	Grade 8	**1,917**							**BGL**	**20**		

GUEST / STACK

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 guest chairs must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 31.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.

GUEST / STACK CHAIRS WITH WALL-SAVER LEGS

SAMPLE ORDER: BR32-E3-CP03-CP11-SP

BR32

Standard features

Ships 2 per carton — **DP:** Double pack
Stacks up to 4 high
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	32 ¾	832
Overall width	24 ¾	629
Overall depth	23	584
Width between arms	19	483

Model	Frame
BR32	**E3** Black

Upholstery / List ($)			
Grade 1	**507 x 2 = 1,014**	Grade 5	**607 x 2 = 1,214**
Grade 2	**544 x 2 = 1,088**	Grade 6	**653 x 2 = 1,306**
Grade 3	**569 x 2 = 1,138**	Grade 7	**981 x 2 = 1,962**
Grade 4	**595 x 2 = 1,190**	Grade 8	**722 x 2 = 1,444**

Other options ($)	
DP	Std
SP	**57**/chair
C33	**170 x 2 = 340**
UPS	**64 x 2 = 128**
ULS (1)	**127 x 2 = 254**

One upholstery – back/seat: C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only: C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only: C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for UPS option.

BR31

Standard features

Ships 2 per carton — **DP:** Double pack
Stacks up to 4 high
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	32 ¾	832
Overall width	21	533
Overall depth	23	584

Model	Frame
BR31	**E3** Black

Upholstery / List ($)			
Grade 1	**455 x 2 = 910**	Grade 5	**544 x 2 = 1,088**
Grade 2	**487 x 2 = 974**	Grade 6	**589 x 2 = 1,178**
Grade 3	**513 x 2 = 1,026**	Grade 7	**886 x 2 = 1,772**
Grade 4	**538 x 2 = 1,076**	Grade 8	**653 x 2 = 1,306**

Other options ($)	
DP	Std
SP	**57**/chair
C33	**170 x 2 = 340**
UPS	**64 x 2 = 128**
ULS (1)	**127 x 2 = 254**

One upholstery – back/seat: C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only: C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only: C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for UPS option.

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: BR32C-E8-CP03-CP11-SDW

BR32C

Standard features

Ships in a single pack — **HDW:** Hard dual-wheel casters
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	32 ¾	832
Overall width	24 ¾	629
Overall depth	23	584
Width between arms	19	483

Model	Frame
BR32C	**E3** Black

Upholstery / List ($)			
Grade 1	**544**	Grade 5	**653**
Grade 2	**582**	Grade 6	**702**
Grade 3	**614**	Grade 7	**1,008**
Grade 4	**638**	Grade 8	**778**

Casters ($)	
HDW	Std
SDW	**20**
BRC	**31**

Other options ($)	
C33	**170**
UPS	**64**
ULS (1)	**127**

One upholstery – back/seat: C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only: C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only: C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for UPS option.

(1) **ULS:** N/A with C33 option.

GUEST / STACK AND STOOL

SPECIFICATIONS

- All models come standard with wall-saver legs and ship assembled.
- Guest chairs with upholstered seat pad cannot be stacked.
- Polypropylene guest chairs can be stacked and should be ordered by the number of cartons desired.
- C.O.M./C.O.V. available. Please refer to page 31.

POLYPROPYLENE GUEST CHAIRS WITH UPHOLSTERED SEAT PAD

SAMPLE ORDER: IO34-ML-IS01-PK04

IO34

One upholstery – seat only:
C.O.M. : 0.65 yd – 0,59 m

Standard features

- Ships 1 per carton
- Polypropylene shell
- Color-matched polypropylene arms
- Upholstered seat pad
- **ML:** Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	32	813
Seat width	17½	445	Overall width	23½	597
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394	Width between arms	20	508
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Upholstery ($)			
IO34	**ML**	Std	**IS01**	White	Grade 1	**613**	Grade 5	**729**
			IS03	Black	Grade 2	**627**	Grade 6	**793**
			IS06	Red	Grade 3	**652**	Grade 7	**1,202**
					Grade 4	**703**	Grade 8	**856**

IO33

One upholstery – seat only:
C.O.M. : 0.65 yd – 0,59 m

Standard features

- Ships 1 per carton
- Polypropylene shell
- Upholstered seat pad
- **ML:** Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	32	813
Seat width	17½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394			
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Upholstery ($)			
IO33	**ML**	Std	**IS01**	White	Grade 1	**588**	Grade 5	**703**
			IS03	Black	Grade 2	**600**	Grade 6	**767**
			IS06	Red	Grade 3	**627**	Grade 7	**1,175**
					Grade 4	**676**	Grade 8	**831**

POLYPROPYLENE GUEST / STACK CHAIRS

SAMPLE ORDER: IO31-ML-IS03-SP

IO32

Standard features

- Ships 4 per carton
- Stacks up to 6 high
- Polypropylene shell
- Color-matched polypropylene arms
- **ML:** Metal legs
- **QP:** Quad pack

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	32	813
Seat width	17½	445	Overall width	23½	597
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394	Width between arms	20	508
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Polypropylene ($)	Other options ($)		
IO32	**ML**	Std	**IS01**	White	**440 x 4 = 1,760**	**QP**	Quad pack	Std
			IS03	Black		**DP**	Double pack	**31**/chair
			IS06	Red		**SP**	Single pack	**57**/chair

IO31

Standard features

- Ships 4 per carton
- Stacks up to 6 high
- Polypropylene shell
- **ML:** Metal legs
- **QP:** Quad pack

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	32	813
Seat width	17½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394			
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Polypropylene ($)	Other options ($)		
IO31	**ML**	Std	**IS01**	White	**412 x 4 = 1,648**	**QP**	Quad pack	Std
			IS03	Black		**DP**	Double pack	**31**/chair
			IS06	Red		**SP**	Single pack	**57**/chair

POLYPROPYLENE CAFÉ HEIGHT STOOLS WITH UPHOLSTERED SEAT PAD

SAMPLE ORDER: IO34H-ML-IS06-SL12

IO34H

One upholstery – seat only:
C.O.M. : 0.65 yd – 0,59 m

Standard features

Polypropylene shell
Color-matched polypropylene arms
Upholstered seat pad
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	23 ½	597
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394	Width between arms	20	508
Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors		Upholstery ($)			
IO34H	**ML**	Std	**IS01**	White	Grade 1	**1,025**	Grade 5	**1,133**
			IS03	Black	Grade 2	**1,036**	Grade 6	**1,194**
			IS06	Red	Grade 3	**1,061**	Grade 7	**1,567**
					Grade 4	**1,109**	Grade 8	**1,254**

IO33H

One upholstery – seat only:
C.O.M. : 0.65 yd – 0,59 m

Standard features

Polypropylene shell
Upholstered seat pad
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394			
Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors		Upholstery ($)			
IO33H	**ML**	Std	**IS01**	White	Grade 1	**1,000**	Grade 5	**1,109**
			IS03	Black	Grade 2	**1,012**	Grade 6	**1,169**
			IS06	Red	Grade 3	**1,036**	Grade 7	**1,542**
					Grade 4	**1,085**	Grade 8	**1,230**

POLYPROPYLENE CAFÉ HEIGHT STOOLS

SAMPLE ORDER: IO32H-ML-IS03

IO32H

Standard features

Polypropylene shell
Color-matched polypropylene arms
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	23 ½	597
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394	Width between arms	20	508
Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors		Polypropylene ($)
IO32H	**ML**	Std	**IS01**	White	**868**
			IS03	Black	
			IS06	Red	

IO31H

Standard features

Polypropylene shell
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394			
Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors		Polypropylene ($)
IO31H	**ML**	Std	**IS01**	White	**843**
			IS03	Black	
			IS06	Red	

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl, leather/fabric and vinyl/vinyl is available. First upholstery code is for the backrest and arms, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- Note that the **CP** cylinder option can only be ordered with the **ST4** base option. When selecting the **ST4** base, please indicate NA (not applicable) in the caster field.
- Control mechanism is black.
- C.O.M./C.O.V. available. Please refer to page 31.

DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER : PP14-E3-DN05-DN05-ST-CP-APC-HDW

CONFERENCE CHAIRS

SAMPLE ORDER: PP14-E3-CP10-DN02-ST-P-AB-HDW

PP14

One upholstery – back/seat: C.O.M.: 2.38 yd – 2,18 m
Dual upholstery - back only: C.O.M.: 1.99 yd – 1,82 m
Dual upholstery - seat only: C.O.M.: 0.80 yd – 0,73 m

Standard features	
High back	**ST:** Swivel-tilt control
Upright back lock	**P:** Pneumatic seat height cylinder
Integrated lumbar support	**AB:** Nylon angle base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½-21½	470-546	Overall height	40½-43½	1029-1105
Seat width	16	406	Overall width	30¼	768
Seat depth	19½	495	Overall depth	26	660
Back height	24½	622	Width between arms	19	483
Back width	22	459			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
PP14	**E3** Black	Grade 1	**1,760**	Grade 5	**1,961**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**CSB**	**57**
		Grade 2	**1,810**	Grade 6	**2,064**					**APC**	**100**	**SDW**	**20**	**CSW**	**57**
		Grade 3	**1,855**	Grade 7	**2,524**							**GLD**	**20**		
		Grade 4	**1,879**	Grade 8	**2,196**										
								CP	**38**	**ST4**	**50**	**NA**	Std		

PP12

One upholstery – back/seat: C.O.M.: 2.33 yd – 2,13 m
Dual upholstery - back only: C.O.M.: 1.86 yd – 1,70 m
Dual upholstery - seat only: C.O.M.: 0.80 yd – 0,73 m

Standard features	
Medium back	**ST:** Swivel-tilt control
Upright back lock	**P:** Pneumatic seat height cylinder
Integrated lumbar support	**AB:** Nylon angle base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½-21½	470-546	Overall height	34½-40½	876-1029
Seat width	16	406	Overall width	30¼	768
Seat depth	19½	495	Overall depth	26	660
Back height	21½	546	Width between arms	19	483
Back width	22	459			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
PP12	**E3** Black	Grade 1	**1,677**	Grade 5	**1,858**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**CSB**	**57**
		Grade 2	**1,716**	Grade 6	**1,948**					**APC**	**100**	**SDW**	**20**	**CSW**	**57**
		Grade 3	**1,761**	Grade 7	**2,361**							**GLD**	**20**		
		Grade 4	**1,780**	Grade 8	**2,071**										
								CP	**38**	**ST4**	**50**	**NA**	Std		

GUEST / STACK AND STOOL

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- C.O.M./C.O.V. available. Please refer to page 31.

POLYPROPYLENE GUEST / STACK CHAIRS

SAMPLE ORDER: PL02-E1-P01-QP

PL02

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 per carton	**QP:** Quad pack	Seat height	17½	445	Overall height	32	813
Stacks up to 10 high		Seat width	18¼	464	Overall width	25	635
7⁄16" (11 mm) solid steel frame		Seat depth	17	432	Overall depth	22	560
Polypropylene monoshell		Back height	16	406	Width between arms	21½	546
Black polypropylene armrests		Back width	17¾	450			

Model	Frame	Polypropylene shell colors		List ($)	Other options ($)	
PL02	**E1** Polished Chrome	**P01** Black	**P04** Red	**289 x 4 = 1,156**	**QP** Quad pack	Std
		P02 Grey	**P05** White		**DP** Double pack	**31**/chair
		P03 Blue	**P06** Yellow		**SP** Single pack	**57**/chair

PL01



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 per carton	**QP:** Quad pack	Seat height	17½	445	Overall height	32	813
Stacks up to 10 high		Seat width	18¼	464	Overall width	20¾	527
7⁄16" (11 mm) solid steel frame		Seat depth	17	432	Overall depth	22	560
Polypropylene monoshell		Back height	16	406			
		Back width	17¾	450			

Model	Frame	Polypropylene shell colors		List ($)	Other options ($)	
PL01	**E1** Polished Chrome	**P01** Black	**P04** Red	**227 x 4 = 908**	**QP** Quad pack	Std
		P02 Grey	**P05** White		**DP** Double pack	**31**/chair
		P03 Blue	**P06** Yellow		**SP** Single pack	**57**/chair

POLYPROPYLENE GUEST / STACK CHAIRS WITH UPHOLSTERED SEAT PAD

SAMPLE ORDER: PL04-E1-P02-TP04-DP

PL04

One upholstery – seat pad:
C.O.M. : 0.7 yd – 0,64 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**DP:** Double pack	Seat height	17¾	450	Overall height	32	813
Stacks up to 6 high		Seat width	18¼	464	Overall width	25	635
7⁄16" (11 mm) solid steel frame		Seat depth	17	432	Overall depth	22	560
Polypropylene monoshell		Back height	16	406	Width between arms	21½	546
Black polypropylene armrests		Back width	17¾	450			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)				Other options ($)	
PL04	**E1** Polished Chrome	**P01** Black	**P04** Red	Grade 1	**485 x 2 = 970**	Grade 5	**522 x 2 = 1,044**	**DP** Double pack	Std
		P02 Grey	**P05** White	Grade 2	**492 x 2 = 984**	Grade 6	**540 x 2 = 1,080**	**SP** Single pack	**57**/chair
		P03 Blue	**P06** Yellow	Grade 3	**497 x 2 = 994**	Grade 7	**707 x 2 = 1,414**		
				Grade 4	**503 x 2 = 1,006**	Grade 8	**564 x 2 = 1,128**		

PL03

One upholstery – seat pad:
C.O.M. : 0.7 yd – 0,64 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**DP:** Double pack	Seat height	17¾	450	Overall height	32	813
Stacks up to 6 high		Seat width	18¼	464	Overall width	20¾	527
7⁄16" (11 mm) solid steel frame		Seat depth	17	432	Overall depth	22	560
Polypropylene monoshell		Back height	16	406			
		Back width	17¾	450			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)				Other options ($)	
PL03	**E1** Polished Chrome	**P01** Black	**P04** Red	Grade 1	**423 x 2 = 846**	Grade 5	**460 x 2 = 920**	**DP** Double pack	Std
		P02 Grey	**P05** White	Grade 2	**430 x 2 = 860**	Grade 6	**479 x 2 = 958**	**SP** Single pack	**57**/chair
		P03 Blue	**P06** Yellow	Grade 3	**436 x 2 = 872**	Grade 7	**645 x 2 = 1,290**		
				Grade 4	**442 x 2 = 884**	Grade 8	**503 x 2 = 1,006**		

PILO

POLYPROPYLENE STOOLS

SAMPLE ORDER: PL31CR-E1-P01

PL31CR

Standard features

Ships 1 per carton
7/16" (11 mm) solid steel frame
Polypropylene monoshell
Counter height stool

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24½	622	Overall height	39	991
Seat width	18¼	464	Overall width	22½	572
Seat depth	17	432	Overall depth	22½	572
Back height	16	406			
Back width	17¾	450			

Model	Frame	Polypropylene shell colors		List ($)
PL31CR	**E1** Polished Chrome	**P01** Black	**P04** Red	**346**
		P02 Grey	**P05** White	
		P03 Blue	**P06** Yellow	

PL31H

Standard features

Ships 1 per carton
7/16" (11 mm) solid steel frame
Polypropylene monoshell
Café height stool

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30	762	Overall height	44½	1131
Seat width	18¼	464	Overall width	22½	572
Seat depth	17	432	Overall depth	22½	572
Back height	16	406			
Back width	17¾	450			

Model	Frame	Polypropylene shell colors		List ($)
PL31H	**E1** Polished Chrome	**P01** Black	**P04** Red	**364**
		P02 Grey	**P05** White	
		P03 Blue	**P06** Yellow	

POLYPROPYLENE STOOLS WITH UPHOLSTERED SEAT PAD

SAMPLE ORDER: PL33CR-E1-P02-TP04

PL33CR

One upholstery – seat pad:
C.O.M. : 0.7 yd – 0,64 m

Standard features

Ships 1 per carton
7/16" (11 mm) solid steel frame
Polypropylene monoshell
Counter height stool

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24¾	629	Overall height	39	991
Seat width	18¼	464	Overall width	22½	572
Seat depth	17	432	Overall depth	22½	572
Back height	16	406			
Back width	17¾	450			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)			
PL33CR	**E1** Polished Chrome	**P01** Black	**P04** Red	Grade 1	**538**	Grade 5	**573**
		P02 Grey	**P05** White	Grade 2	**543**	Grade 6	**590**
		P03 Blue	**P06** Yellow	Grade 3	**549**	Grade 7	**753**
				Grade 4	**554**	Grade 8	**615**

PL33H

One upholstery – seat pad:
C.O.M. : 0.7 yd – 0,64 m

Standard features

Ships 1 per carton
7/16" (11 mm) solid steel frame
Polypropylene monoshell
Café height stool

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30¼	769	Overall height	44½	1131
Seat width	18¼	464	Overall width	22½	572
Seat depth	17	432	Overall depth	22½	572
Back height	16	406			
Back width	17¾	450			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)			
PL33H	**E1** Polished Chrome	**P01** Black	**P04** Red	Grade 1	**554**	Grade 5	**590**
		P02 Grey	**P05** White	Grade 2	**561**	Grade 6	**609**
		P03 Blue	**P06** Yellow	Grade 3	**568**	Grade 7	**771**
				Grade 4	**573**	Grade 8	**633**

ACCESSORIES

SAMPLE ORDER: PLDY

PLDY



Standard features

Stacking dolly, black only — To stack **40 PL01/PL02**.

Dimensions	(in)	(mm)
Overall height	20¼	515
Overall width	21½	545
Overall depth	37½	953

Model	List ($)
PLDY	**598**

PLT



Standard features

Tablet arm — Polished chrome clip-on support with black writing surface.
Field installation

Dimensions	(in)	(mm)
Overall height	12	305
Overall width	12¼	311
Overall depth	21	533

Model	Tablet arm	List ($)
PLT	**L** Left-handed	**143**
	R Right-handed	

PLGANG



Standard features

Kit of 2 ganging devices — Gangs 2 chairs without arms. You can also gang a chair without arms to a chair with arms.
Field installation — Chair with a tablet arm adjacent to another chair with a tablet arm cannot be ganged.

Model	List ($)
PLGANG	**30**

NESTING, LIGHT TASK AND STOOL

SPECIFICATIONS

- Nesting models ship assembled, minimal assembly on light task and stool models.
- All models come standard with a 22-degree flex backrest.
- Soft mesh backrest with fabric or vinyl seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- Nesting models come standard with a folding seat for easy storage.
- A medium grey frame (E6) option is available for all models and an assorted nylon base (GB) for light task and stools is also available. Specify accordingly.
- C.O.M./C.O.V. available. Please refer to page 31.

NESTING CHAIRS

SAMPLE ORDER: RK03-E3-MUC-DN04-HDW-FA-DP

RK03

One upholstery – seat:
C.O.M.: 0.85 yd – 0,78 m

Standard features	
Ships 2 per carton	**HDW:** Hard dual-wheel casters, black
Folding seat	**FA:** Molded fixed arms
22-degree flex backrest	**DP:** Double pack

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	35	889
Seat width	18	457	Overall width	24	610
Seat depth	17¼	438	Overall depth	22½	572
Back height	17½	445	Width between arms	19½	495
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Casters ($)		Arms		Options ($)	
RK03	**E3** Black	Std	**MUC**	Cloud	Grade 1	**577 x 2 = 1,154**	Grade 5	**672 x 2 = 1,344**	**HDW**	Std	**FA**	Std	**DP**	Std
	E6 Medium Grey	**39**/chair	**MUF**	Flame	Grade 2	**594 x 2 = 1,188**	Grade 6	**711 x 2 = 1,422**	**SDW**	**20 x 2**			**SP**	**57**/chair
			MUO	Ocean	Grade 3	**610 x 2 = 1,220**	Grade 8	**795 x 2 = 1,590**						
			MUR	Raven	Grade 4	**627 x 2 = 1,254**								
			MUS	Smoke										

RK02

One upholstery – seat:
C.O.M.: 0.85 yd – 0,78 m

Standard features	
Ships 2 per carton	**HDW:** Hard dual-wheel casters, black
Folding seat	**DP:** Double pack
22-degree flex backrest	
Armless	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	35	889
Seat width	18	457	Overall width	18	457
Seat depth	17¼	438	Overall depth	22½	572
Back height	17½	445			
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Casters ($)		Options ($)	
RK02	**E3** Black	Std	**MUC**	Cloud	Grade 1	**554 x 2 = 1,108**	Grade 5	**655 x 2 = 1,310**	**HDW**	Std	**DP**	Std
	E6 Medium Grey	**39**/chair	**MUF**	Flame	Grade 2	**571 x 2 = 1,142**	Grade 6	**694 x 2 = 1,388**	**SDW**	**20 x 2**	**SP**	**57**/chair
			MUO	Ocean	Grade 3	**594 x 2 = 1,188**	Grade 8	**778 x 2 = 1,556**				
			MUR	Raven	Grade 4	**610 x 2 = 1,220**						
			MUS	Smoke								

LIGHT TASK CHAIRS

SAMPLE ORDER: RK13-E6-MUR-DN09-ST-P-GB-HDW-FA

RK13

One upholstery – seat:
C.O.M.: 0.80 yd – 0,73 m

Standard features	
22-degree flex backrest	**ST:** Swivel-tilt control
	P: Pneumatic seat height cylinder, black
	NB: Nylon base, black
	HDW: Hard dual-wheel casters, black
	FA: Molded fixed arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21¼	419-540	Overall height	34-38¾	864-984
Seat width	18	457	Overall width	29½	749
Seat depth	17½	445	Overall depth	29½	749
Back height	18¼	464	Width between arms	19½	495
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Control		Cylinder		Base ($)		Casters ($)		Arms	
RK13	**E3** Black	Std	**MUC**	Cloud	Grade 1	**801**	Grade 5	**913**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**FA**	Std
	E6 Medium Grey	**39**	**MUF**	Flame	Grade 2	**823**	Grade 6	**952**					**GB**		**SDW**	**20**		
			MUO	Ocean	Grade 3	**846**	Grade 8	**1,036**										
			MUR	Raven	Grade 4	**868**												
			MUS	Smoke														

RACKUP

LIGHT TASK CHAIRS

SAMPLE ORDER: RK12-E6-MUR-DN09-ST-P-GB-HDW

RK12

One upholstery – seat:
C.O.M.: 0.80 yd – 0,73 m

Standard features	
22-degree flex backrest	**ST:** Swivel-tilt control
Armless	**P:** Pneumatic seat height cylinder, black
	NB: Nylon base, black
	HDW: Hard dual-wheel casters, black

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21¼	419-540	Overall height	34-38¾	864-984
Seat width	18	457	Overall width	29½	749
Seat depth	17½	445	Overall depth	29½	749
Back height	18¼	464			
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Control		Cylinder		Base ($)		Casters ($)	
RK12	**E3** Black	Std	**MUC**	Cloud	Grade 1	**778**	Grade 5	**890**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std
	E6 Medium Grey	**39**	**MUF**	Flame	Grade 2	**801**	Grade 6	**930**					**GB**		**SDW**	**20**
			MUO	Ocean	Grade 3	**823**	Grade 8	**1,014**								
			MUR	Raven	Grade 4	**846**										
			MUS	Smoke												

STOOLS

SAMPLE ORDER: RK53-E3-MUR-DN09-ST-P-NB-HDW-FA

RK53

One upholstery – seat:
C.O.M.: 0.80 yd – 0,73 m

Standard features	
22-degree flex backrest	**ST:** Swivel-tilt control
Adjustable polished chrome footring	**P:** Pneumatic seat height cylinder, black
	NB: Nylon base, black
	HDW: Hard dual-wheel casters, black
	FA: Molded fixed arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22¼-29¾	565-756	Overall height	39¾-47¼	1009-1200
Seat width	18	457	Overall width	29½	749
Seat depth	17½	445	Overall depth	29½	749
Back height	18¼	464	Width between arms	19½	495
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Control		Cylinder		Base ($)		Casters ($)		Arms	
RK53	**E3** Black	Std	**MUC**	Cloud	Grade 1	**963**	Grade 5	**1,058**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**FA**	Std
	E6 Medium Grey	**39**	**MUF**	Flame	Grade 2	**980**	Grade 6	**1,098**					**GB**		**SDW**	**20**		
			MUO	Ocean	Grade 3	**997**	Grade 8	**1,182**										
			MUR	Raven	Grade 4	**1,014**												
			MUS	Smoke														

RK52

One upholstery – seat:
C.O.M.: 0.80 yd – 0,73 m

Standard features	
22-degree flex backrest	**ST:** Swivel-tilt control
Adjustable polished chrome footring	**P:** Pneumatic seat height cylinder, black
Armless	**NB:** Nylon base, black
	HDW: Hard dual-wheel casters, black

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22¼-29¾	565-756	Overall height	39¾-47¼	1009-1200
Seat width	18	457	Overall width	29½	749
Seat depth	17½	445	Overall depth	29½	749
Back height	18¼	464			
Back width	17¾	451			

Model	Frame ($)		Backrest - Mesh		Seat - Upholstery ($)				Control		Cylinder		Base ($)		Casters ($)	
RK52	**E3** Black	Std	**MUC**	Cloud	Grade 1	**941**	Grade 5	**1,036**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std
	E6 Medium Grey	**39**	**MUF**	Flame	Grade 2	**958**	Grade 6	**1,075**					**GB**		**SDW**	**20**
			MUO	Ocean	Grade 3	**974**	Grade 8	**1,159**								
			MUR	Raven	Grade 4	**991**										
			MUS	Smoke												

MANAGEMENT AND STOOLS

SPECIFICATIONS

- All models ship assembled.
- Soft mesh backrest with fabric or vinyl seat upholstery is available on RA13, RA12, RA53 and RA52 models. First code indicates the color choice of the soft mesh material for the backrest, the second code is for upholstered seat.
- Fabric/fabric and fabric/vinyl dual upholstery is available on RA11, RA10, RA51 and RA50 models. First upholstery is for the backrest*, the second code is for the upholstered seat.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- The white frame option is available only on models with a mesh backrest (chairs and stools). The white base option is not available on stools.
- All models are available with a seamless seat upholstery (SC option). The aesthetics differs slightly from a standard seat design with seams.
- C.O.M./C.O.V. available. Please refer to page 31.

MANAGEMENT CHAIRS WITH MESH BACKREST

SAMPLE ORDER: RA13-E3-MRD-DN02-SYN-P-AB-HDW-FA

RA13

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Adjustable lumbar support	**SYN:** Synchronous tilt control, black	Seat height	18-21½	457-546	Overall height	41-44½	1040-1130
Side tilt tension adjustment	**P:** Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673
5-position tilt lock	**AB:** Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673
Seat depth adjustment	**HDW:** Hard dual-wheel casters	Back height	22½	571	Width between arms	17-19	432-483
Back height adjustment	**FA:** One piece fixed arms	Back width	18	457			

Model	Frame ($)	Mesh	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Arms ($)	Options ($)
RA13	**E3** Black Std	**MRD** Dusk	Grade 1 **825** Grade 5 **890**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**FA** Std	**SC** **71**
	E2 White **50**	**MRF** Fog	Grade 2 **839** Grade 6 **915**		**CP** **38**	**APC** **100**	**SDW** **20**	**HA8** **38**	
		MRS Sand	Grade 3 **851** Grade 8 **961**			**WAB** **26**	**BRC** **31**	**3D8** **44**	
			Grade 4 **858**					**C/W3D8** **127**	
								R3D8 **95**	

RA12

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Adjustable lumbar support	**SYN:** Synchronous tilt control, black	Seat height	18-21½	457-546	Overall height	41-44½	1040-1130
Side tilt tension adjustment	**P:** Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673
5-position tilt lock	**AB:** Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673
Seat depth adjustment	**HDW:** Hard dual-wheel casters	Back height	22½	571			
Back height adjustment		Back width	18	457			

Model	Frame ($)	Mesh	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Options ($)
RA12	**E3** Black Std	**MRD** Dusk	Grade 1 **774** Grade 5 **832**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**SC** **71**
	E2 White **50**	**MRF** Fog	Grade 2 **786** Grade 6 **864**		**CP** **38**	**APC** **100**	**SDW** **20**	
		MRS Sand	Grade 3 **801** Grade 8 **909**			**WAB** **26**	**BRC** **31**	
			Grade 4 **806**					

MANAGEMENT CHAIRS WITH UPHOLSTERED BACKREST*

SAMPLE ORDER: RA11-E3-QA02-QA02-SYN-P-AB-SDW-3D8

RA11

One upholstery – back/seat: C.O.M.: 1.51 yd – 1,38 m
Dual upholstery – back only: C.O.M.: 0.93 yd – 0,85 m
Dual upholstery – seat only: C.O.M.: 0.98 yd – 0,90 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Side tilt tension adjustment	**SYN:** Synchronous tilt control, black	Seat height	18-21½	457-546	Overall height	41¼-44¾	1048-1137
5-position tilt lock	**P:** Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673
Seat depth adjustment	**AB:** Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673
Back height adjustment	**HDW:** Hard dual-wheel casters	Back height	22¾	578	Width between arms	17-19	432-483
	FA: One piece fixed arms	Back width	18	457			

Model	Frame	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Arms ($)	Options ($)
RA11	**E3** Black	Grade 1 **1,002** Grade 5 **1,161**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**FA** Std	**SC** **71**
		Grade 2 **1,051** Grade 6 **1,230**		**CP** **38**	**APC** **100**	**SDW** **20**	**HA8** **38**	
		Grade 3 **1,082** Grade 8 **1,327**				**BRC** **31**	**3D8** **44**	
		Grade 4 **1,101**					**C3D8** **127**	
							R3D8 **95**	

RA10

One upholstery – back/seat: C.O.M.: 1.51 yd – 1,38 m
Dual upholstery – back only: C.O.M.: 0.93 yd – 0,85 m
Dual upholstery – seat only: C.O.M.: 0.98 yd – 0,90 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Side tilt tension adjustment	**SYN:** Synchronous tilt control, black	Seat height	18-21½	457-546	Overall height	41¼-44¾	1048-1137
5-position tilt lock	**P:** Pneumatic seat height cylinder	Seat width	19¾	502	Overall width	26½	673
Seat depth adjustment	**AB:** Nylon angel base, black	Seat depth	18½	470	Overall depth	26½	673
Back height adjustment	**HDW:** Hard dual-wheel casters	Back height	22¾	578			
		Back width	18	457			

Model	Frame	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Options ($)
RA10	**E3** Black	Grade 1 **952** Grade 5 **1,161**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**SC** **71**
		Grade 2 **1,044** Grade 6 **1,238**		**CP** **38**	**APC** **100**	**SDW** **20**	
		Grade 3 **1,084** Grade 8 **1,342**				**BRC** **31**	
		Grade 4 **1,096**					

* Limited upholstery selection for the upholstered backrests, please refer to www.groupelacasse.com.

RADIANCE

STOOLS WITH MESH BACKREST

SAMPLE ORDER: RA53-E3-MRD-DN02-SYN-P-APC-HDW-FA

RA53

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features

- Adjustable lumbar support
- Side tilt tension adjustment
- 5-position tilt lock
- Seat depth adjustment
- Back height adjustment
- Adjustable polished chrome footring

SYN: Synchronous tilt control, black
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-31½	610-800	Overall height	47-54½	1194-1384
Seat width	19¾	502	Overall width	26½	673
Seat depth	18½	470	Overall depth	26½	673
Back height	22½	571	Width between arms	17-19	432-483
Back width	18	457			

Model	Frame ($)	Mesh	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Arms ($)	Options ($)
RA53	**E3** Black Std	**MRD** Dusk	Grade 1 **999** Grade 5 **1,064**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**FA** Std	**SC** 71
	E2 White **50**	**MRF** Fog	Grade 2 **1,012** Grade 6 **1,096**		**XTC** 60	**APC** 100	**SDW** 20	**HA8** 38	
		MRS Sand	Grade 3 **1,032** Grade 8 **1,135**				**BRC** 31	**3D8** 44	
			Grade 4 **1,038**					**C3D8** 127	
								W3D8 127	
								R3D8 95	

RA52

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features

- Adjustable lumbar support
- Side tilt tension adjustment
- 5-position tilt lock
- Seat depth adjustment
- Back height adjustment
- Adjustable polished chrome footring

SYN: Synchronous tilt control, black
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-31½	610-800	Overall height	47-54½	1194-1384
Seat width	19¾	502	Overall width	26½	673
Seat depth	18½	470	Overall depth	26½	673
Back height	22½	571			
Back width	18	457			

Model	Frame ($)	Mesh	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Options ($)
RA52	**E3** Black Std	**MRD** Dusk	Grade 1 **942** Grade 5 **1,006**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**SC** 71
	E2 White **50**	**MRF** Fog	Grade 2 **961** Grade 6 **1,038**		**XTC** 60	**APC** 100	**SDW** 20	
		MRS Sand	Grade 3 **973** Grade 8 **1,076**				**BRC** 31	
			Grade 4 **980**					

STOOLS WITH UPHOLSTERED BACKREST*

SAMPLE ORDER: RA51-E3-QA02-QA02-SYN-P-APC-SDW-3D8

RA51

One upholstery – back/seat: C.O.M.: 1.51 yd – 1,38 m
Dual upholstery – back only: C.O.M.: 0.93 yd – 0,85 m
Dual upholstery – seat only: C.O.M.: 0.98 yd – 0,90 m

Standard features

- Side tilt tension adjustment
- 5-position tilt lock
- Seat depth adjustment
- Back height adjustment
- Adjustable polished chrome footring

SYN: Synchronous tilt control, black
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-31½	610-800	Overall height	47¼-54¾	1200-1390
Seat width	19¾	502	Overall width	26½	673
Seat depth	18½	470	Overall depth	26½	673
Back height	22¾	578	Width between arms	17-19	432-483
Back width	18	457			

Model	Frame	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Arms ($)	Options ($)
RA51	**E3** Black	Grade 1 **1,180** Grade 5 **1,327**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**FA** Std	**SC** 71
		Grade 2 **1,217** Grade 6 **1,403**		**XTC** 60	**APC** 100	**SDW** 20	**HA8** 38	
		Grade 3 **1,254** Grade 8 **1,494**				**BRC** 31	**3D8** 44	
		Grade 4 **1,272**					**C3D8** 127	
							R3D8 95	

RA50

One upholstery – back/seat: C.O.M.: 1.51 yd – 1,38 m
Dual upholstery – back only: C.O.M.: 0.93 yd – 0,85 m
Dual upholstery – seat only: C.O.M.: 0.98 yd – 0,90 m

Standard features

- Side tilt tension adjustment
- 5-position tilt lock
- Seat depth adjustment
- Back height adjustment
- Adjustable polished chrome footring

SYN: Synchronous tilt control, black
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-31½	610-800	Overall height	47¼-54¾	1200-1390
Seat width	19¾	502	Overall width	26½	673
Seat depth	18½	470	Overall depth	26½	673
Back height	22¾	578			
Back width	18	457			

Model	Frame	Upholstery / List ($)	Control ($)	Cylinder ($)	Base ($)	Casters ($)	Options ($)
RA50	**E3** Black	Grade 1 **1,126** Grade 5 **1,272**	**SYN** Std	**P** Std	**AB** Std	**HDW** Std	**SC** 71
		Grade 2 **1,161** Grade 6 **1,347**		**XTC** 60	**APC** 100	**SDW** 20	
		Grade 3 **1,198** Grade 8 **1,406**				**BRC** 31	
		Grade 4 **1,211**					

* Limited upholstery selection for the upholstered backrests, please refer to www.groupelacasse.com.

EXECUTIVE / MANAGEMENT, 24-HOUR AND STOOL

SPECIFICATIONS

- All models ship assembled.
- 24-hour models are rated for 24 hours/7 days use and are equipped with a heavy-duty cylinder and knee-tilt control.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 31.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CP10-CP04-XCON-P-AB-SDW-3D8

SVX16

One upholstery – back/seat:
C.O.M.: 2.12 yd – 1,94 m
Dual upholstery – back only:
C.O.M.: 1.22 yd – 1,12 m
Dual upholstery – seat only:
C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

XCON: Multifunction control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)
Seat height	18-21 ¼	457-540
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	25 ½	648
Back width	19	483

Dimensions	(in)	(mm)
Overall height	43 ¾-47	1111-1194
Overall width	27	686
Overall depth	26	660
Width between arms	18 ¼	464

Model	Frame	Upholstery / List ($)		Control ($)	Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SVX16	**E3** Black	Grade 1	**944**	**XCON** Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**SSP**	**101**
		Grade 2	**979**		**CP**	**38**	**APC**	**100**	**SDW**	**20**	**HA8**	**38**	**C33**	**170**
		Grade 3	**1,012**						**BRC**	**31**	**3D8**	**44**	**PBG**	**57**
		Grade 4	**1,033**						**BGL**	**20**	**R3D8**	**95**		
		Grade 5	**1,100**								**C3D8**	**127**		
		Grade 6	**1,174**								**HWA8**	**57**		
		Grade 7	**1,755**											
		Grade 8	**1,276**											

SVX15

One upholstery – back/seat:
C.O.M.: 2.12 yd – 1,94 m
Dual upholstery – back only:
C.O.M.: 1.22 yd – 1,12 m
Dual upholstery – seat only:
C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

XCON: Multifunction control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	18-21 ¼	457-540
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	25 ½	648
Back width	19	483

Dimensions	(in)	(mm)
Overall height	43 ¾-47	1111-1194
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List ($)		Control ($)	Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SVX15	**E3** Black	Grade 1	**912**	**XCON** Std	**P**	Std	**AB**	Std	**HDW**	Std	**SSP**	**101**
		Grade 2	**944**		**CP**	**38**	**APC**	**100**	**SDW**	**20**	**C33**	**170**
		Grade 3	**979**						**BRC**	**31**	**PBG**	**57**
		Grade 4	**1,000**						**BGL**	**20**		
		Grade 5	**1,060**									
		Grade 6	**1,133**									
		Grade 7	**1,701**									
		Grade 8	**1,235**									

SAVVY

MANAGEMENT HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX11-E3-CP10-CP04-XCON-P-AB-BRC-FA-PBG

SVX11

One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

XCON: Multifunction control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)
Seat height	18-21¼	457-540
Seat width	21½	546
Seat depth	17½	445
Back height	21½	546
Back width	18½	470

Dimensions	(in)	(mm)
Overall height	39¾-43	1010-1092
Overall width	27	686
Overall depth	26	660
Width between arms	18¼	464

Model	Frame	Upholstery / List ($)		Control ($)	Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SVX11	**E3** Black	Grade 1	**909**	**XCON** Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**SSP**	**101**
		Grade 2	**945**		**CP**	**38**	**APC**	**100**	**SDW**	**20**	**HA8**	**38**	**C33**	**170**
		Grade 3	**980**						**BRC**	**31**	**3D8**	**44**	**PBG**	**57**
		Grade 4	**1,001**						**BGL**	**20**	**R3D8**	**95**		
		Grade 5	**1,065**								**C3D8**	**127**		
		Grade 6	**1,136**								**HWA8**	**57**		
		Grade 7	**1,699**											
		Grade 8	**1,234**											

SVX10

One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

XCON: Multifunction control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	18-21¼	457-540
Seat width	21½	546
Seat depth	17½	445
Back height	21½	546
Back width	18½	470

Dimensions	(in)	(mm)
Overall height	39¾-43	1010-1092
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List ($)		Control ($)	Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SVX10	**E3** Black	Grade 1	**853**	**XCON** Std	**P**	Std	**AB**	Std	**HDW**	Std	**SSP**	**101**
		Grade 2	**883**		**CP**	**38**	**APC**	**100**	**SDW**	**20**	**C33**	**170**
		Grade 3	**912**						**BRC**	**31**	**PBG**	**57**
		Grade 4	**927**						**BGL**	**20**		
		Grade 5	**986**									
		Grade 6	**1,051**									
		Grade 7	**1,576**									
		Grade 8	**1,145**									

24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-AM62-AM62-KT-P-AB-HDW-HLA

SV26

One upholstery – back/seat: C.O.M.: 2.12 yd – 1,94 m
Dual upholstery – back only: C.O.M.: 1.22 yd – 1,12 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

KT: Knee-tilt control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)
Seat height	19-23	483-584
Seat width	21½	546
Seat depth	17½	445
Back height	25	635
Back width	19	483

Dimensions	(in)	(mm)
Overall height	43-47½	1092-1207
Overall width	27	686
Overall depth	26	660
Width between arms	20	508

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV26	**E3** Black	Grade 1	**1,019**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**HLA**	Std	**C33**	**170**
		Grade 2	**1,055**					**APC**	**100**	**SDW**	**20**			**PBG**	**57**
		Grade 3	**1,091**							**BRC**	**31**				
		Grade 4	**1,109**							**BGL**	**20**				
		Grade 5	**1,175**												
		Grade 6	**1,253**												
		Grade 7	**1,875**												
		Grade 8	**1,362**												

SV25

One upholstery – back/seat: C.O.M.: 2.12 yd – 1,94 m
Dual upholstery – back only: C.O.M.: 1.22 yd – 1,12 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

KT: Knee-tilt control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	19-23	483-584
Seat width	21½	546
Seat depth	17½	445
Back height	25	635
Back width	19	483

Dimensions	(in)	(mm)
Overall height	43-47½	1092-1207
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV25	**E3** Black	Grade 1	**941**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**C33**	**170**
		Grade 2	**977**					**APC**	**100**	**SDW**	**20**	**PBG**	**57**
		Grade 3	**1,012**							**BRC**	**31**		
		Grade 4	**1,030**							**BGL**	**20**		
		Grade 5	**1,098**										
		Grade 6	**1,175**										
		Grade 7	**1,761**										
		Grade 8	**1,278**										

SAVVY

24-HOUR MANAGEMENT CHAIRS

SAMPLE ORDER: SV24-E3-DN09-DN09-KT-P-AB-HDW-HLA

SV24

One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

KT: Knee-tilt control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19-23	483-584	Overall height	39-43 ½	991-1105
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV24	**E3** Black	Grade 1	**974**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**HLA**	Std	**C33**	**170**
		Grade 2	**1,014**					**APC**	**100**	**SDW**	**20**			**PBG**	**57**
		Grade 3	**1,047**							**BRC**	**31**				
		Grade 4	**1,068**							**BGL**	**20**				
		Grade 5	**1,133**												
		Grade 6	**1,214**												
		Grade 7	**1,818**												
		Grade 8	**1,319**												

SV23



One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

KT: Knee-tilt control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19-23	483-584	Overall height	39-43 ½	991-1105
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV23	**E3** Black	Grade 1	**888**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**C33**	**170**
		Grade 2	**922**					**APC**	**100**	**SDW**	**20**	**PBG**	**57**
		Grade 3	**955**							**BRC**	**31**		
		Grade 4	**974**							**BGL**	**20**		
		Grade 5	**1,035**										
		Grade 6	**1,108**										
		Grade 7	**1,664**										
		Grade 8	**1,207**										

STOOLS

SAMPLE ORDER: SV52-E3-SL25-SL25-SW-P-AB-HDW-FA

SV52

One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Patented adjustable lumbar

SW: Swivel only control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22 ¼-29 ¼	565-743	Overall height	43-49 ¾	1092-1264
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV52	**E3** Black	Grade 1	**1,061**	**SW**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**C33**	**170**
		Grade 2	**1,098**			**XTC**	**60**	**APC**	**100**	**SDW**	**20**	**HA8**	**38**	**PBG**	**57**
		Grade 3	**1,133**							**BRC**	**31**	**3D8**	**44**		
		Grade 4	**1,157**							**BGL**	**20**	**R3D8**	**95**		
		Grade 5	**1,230**									**C3D8**	**127**		
		Grade 6	**1,313**									**HWA8**	**57**		
		Grade 7	**1,972**												
		Grade 8	**1,431**												

SV51

One upholstery – back/seat: C.O.M.: 1.96 yd – 1,79 m
Dual upholstery – back only: C.O.M.: 1.07 yd – 0,98 m
Dual upholstery – seat only: C.O.M.: 0.89 yd – 0,81 m

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Patented adjustable lumbar

SW: Swivel only control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22 ¼-29 ¼	565-743	Overall height	43-49 ¾	1092-1264
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV51	**E3** Black	Grade 1	**971**	**SW**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**C33**	**170**
		Grade 2	**1,008**			**XTC**	**60**	**APC**	**100**	**SDW**	**20**	**PBG**	**57**
		Grade 3	**1,046**							**BRC**	**31**		
		Grade 4	**1,067**							**BGL**	**20**		
		Grade 5	**1,133**										
		Grade 6	**1,216**										
		Grade 7	**1,831**										
		Grade 8	**1,326**										

GUEST / STACK AND STOOL

SPECIFICATIONS

- All models come standard with wall-saver legs and ship assembled.
- Polypropylene backrest and seat or soft mesh backrest with fabric, vinyl or leather seat upholstery also available. First code indicates the choice for the polypropylene or soft mesh backrest, the second code is for the polypropylene or upholstered seat.
- All models are available with a seamless seat upholstery (SC option). The aesthetics differs slightly from a standard seat design with seams.
- C.O.M./C.O.V. available. Please refer to page 31.

GUEST / STACK CHAIRS

SAMPLE ORDER: FT32-E1-MMB-BPS-DP

FT32

One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 2 per carton
Stacks 4 high
Black injection-molded fixed arms
⅞", 14-16-gauge, round steel tubing
Nylon floor glides

DP: Double pack

Dimensions	(in)*	(mm)*
Seat height	16¾ - 17¾	425 - 450
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	33	838
Overall width	22¼	565
Overall depth	22¼	565
Width between arms	19	480

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Options ($)	
FT32	**E3** Black	Std	**BPB** Black Poly		**(-25) x 2 = (-50)**	**BPS** Black Poly	**442 x 2 = 884**	**DP**	Std
	E1 Polished Chrome	**75 x 2 = 150**				Grade 1	**500 x 2 = 1,000**	**SP**	**57**/chair
			Mesh Options:			Grade 2	**507 x 2 = 1,014**	**SC**	**71**/chair
			Expression	Radiance	Upswing	Grade 3	**519 x 2 = 1,038**		
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**525 x 2 = 1,050**		
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**550 x 2 = 1,100**		
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**577 x 2 = 1,154**		
			MMP Perfection		**MUR** Raven	Grade 7	**772 x 2 = 1,544**		
			MMS Passion		**MUS** Smoke	Grade 8	**607 x 2 = 1,214**		

FT31

One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 2 per carton
Stacks 4 high
⅞", 14-16-gauge, round steel tubing
Nylon floor glides

DP: Double pack

Dimensions	(in)*	(mm)*
Seat height	16¾ - 17¾	425 - 450
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	33	838
Overall width	19	484
Overall depth	22¼	565

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Options ($)	
FT31	**E3** Black	Std	**BPB** Black Poly		**(-25) x 2 = (-50)**	**BPS** Black Poly	**385 x 2 = 770**	**DP**	Std
	E1 Polished Chrome	**75 x 2 = 150**				Grade 1	**444 x 2 = 888**	**SP**	**57**/chair
			Mesh Options:			Grade 2	**456 x 2 = 912**	**SC**	**71**/chair
			Expression	Radiance	Upswing	Grade 3	**468 x 2 = 936**		
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**475 x 2 = 950**		
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**500 x 2 = 1,000**		
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**525 x 2 = 1,050**		
			MMP Perfection		**MUR** Raven	Grade 7	**722 x 2 = 1,444**		
			MMS Passion		**MUS** Smoke	Grade 8	**558 x 2 = 1,116**		

GUEST / STACK CHAIRS ON CASTERS

SAMPLE ORDER: FT32C-E1-MMB-BPS-HDW-DP

FT32C



One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 2 per carton
Stacks 4 high
Black injection-molded fixed arms
⅞", 14-16-gauge, round steel tubing
Black casters

HDW: Hard dual-wheel casters
DP: Double pack

Dimensions	(in)*	(mm)*
Seat height	16¾ - 17¾	425 - 450
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	33	838
Overall width	22¼	565
Overall depth	22¼	565
Width between arms	19	480

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Casters ($)		Options ($)	
FT32C	**E3** Black	Std	**BPB** Black Poly		**(-25) x 2 = (-50)**	**BPS** Black Poly	**494 x 2 = 988**	**HDW**	Std	**DP**	Std
	E1 Polished Chrome	**75 x 2 = 150**				Grade 1	**550 x 2 = 1,100**	**SDW**	**20 x 2 = 40**	**SP**	**57**/chair
			Mesh Options:			Grade 2	**558 x 2 = 1,116**			**SC**	**71**/chair
			Expression	Radiance	Upswing	Grade 3	**569 x 2 = 1,138**				
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**582 x 2 = 1,164**				
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**601 x 2 = 1,202**				
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**633 x 2 = 1,266**				
			MMP Perfection		**MUR** Raven	Grade 7	**823 x 2 = 1,646**				
			MMS Passion		**MUS** Smoke	Grade 8	**671 x 2 = 1,342**				

SHIFTER

GUEST / STACK CHAIRS ON CASTERS

SAMPLE ORDER: FT31C-E1-MMB-BPS-HDW-DP

FT31C



One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 2 per carton
Stacks 4 high
⅞", 14-16-gauge, round steel tubing
Black casters

HDW: Hard dual-wheel casters
DP: Double pack

Dimensions	(in)*	(mm)*
Seat height	16¾ - 17¾	425 - 450
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	33	838
Overall width	19	484
Overall depth	22¼	565

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Casters ($)		Options ($)	
FT31C	**E3** Black	Std	**BPB** Black Poly		**(-25) x 2 = (-50)**	**BPS** Black Poly	**437 x 2 = 874**	**HDW**	Std	**DP**	Std
	E1 Polished Chrome	**75 x 2 = 150**				Grade 1	**494 x 2 = 988**	**SDW**	**20 x 2 = 40**	**SP**	**57**/chair
			Mesh Options:			Grade 2	**500 x 2 = 1,000**			**SC**	**71**/chair
			Expression	Radiance	Upswing	Grade 3	**513 x 2 = 1,026**				
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**519 x 2 = 1,038**				
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**544 x 2 = 1,088**				
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**569 x 2 = 1,138**				
			MMP Perfection		**MUR** Raven	Grade 7	**766 x 2 = 1,532**				
			MMS Passion		**MUS** Smoke	Grade 8	**601 x 2 = 1,202**				

CAFÉ HEIGHT STOOLS

SAMPLE ORDER: FT32H-E1-MMB-BPS

FT32H



One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 1 per carton
Black injection-molded fixed arms
⅞", 14-16-gauge, round steel tubing
Nylon floor glides

Dimensions	(in)*	(mm)*
Seat height	28½ - 29½	725 - 750
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	45	1143
Overall width	22¼	565
Overall depth	23	584
Width between arms	19	480

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Options ($)	
FT32H	**E3** Black	Std	**BPB** Black Poly		**(-25)**	**BPS** Black Poly	**544**	**SC**	**71**
	E1 Polished Chrome	**88**				Grade 1	**595**		
			Mesh Options:			Grade 2	**601**		
			Expression	Radiance	Upswing	Grade 3	**614**		
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**620**		
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**645**		
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**676**		
			MMP Perfection		**MUR** Raven	Grade 7	**861**		
			MMS Passion		**MUS** Smoke	Grade 8	**716**		

FT31H



One upholstery – seat:
C.O.M.: 0.96 yd – 0,88 m

Standard features

Ships 1 per carton
⅞", 14-16-gauge, round steel tubing
Nylon floor glides

Dimensions	(in)*	(mm)*
Seat height	28½ - 29½	725 - 750
Seat width	19¼	488
Seat depth	17¾	450
Back height	13¼	335
Back width	18½	468

Dimensions	(in)	(mm)
Overall height	45	1143
Overall width	19¾	503
Overall depth	23	584

Model	Frame ($)		Backrest - Polypropylene / Mesh ($)			Seat - Polypropylene / Upholstery ($)		Options ($)	
FT31H	**E3** Black	Std	**BPB** Black Poly		**(-25)**	**BPS** Black Poly	**487**	**SC**	**71**
	E1 Polished Chrome	**88**				Grade 1	**544**		
			Mesh Options:			Grade 2	**550**		
			Expression	Radiance	Upswing	Grade 3	**563**		
			MMB Balance	**MRD** Dusk	**MUC** Cloud	Grade 4	**569**		
			MMC Exact	**MRF** Fog	**MUF** Flame	Grade 5	**589**		
			MME Elegance	**MRS** Sand	**MUO** Ocean	Grade 6	**620**		
			MMP Perfection		**MUR** Raven	Grade 7	**810**		
			MMS Passion		**MUS** Smoke	Grade 8	**633**		

* First seat height corresponds to the polypropylene seat, second seat height corresponds to the upholstered seat.

STOOL

SPECIFICATIONS

- All models ship assembled.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All options available with Cal-133 option. Limited vinyl selection.
- Upholstery selection limited to vinyl and C.O.V. only.
- C.O.V. available. Please refer to page 31.

MEDICAL STOOLS

SAMPLE ORDER: D63-E1-DN04-SW-SCL-PCB-SDW-DP

D63

One upholstery – back/seat:
C.O.M.: 0.66 yd – 0,6 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**SW:** Swivel only control	Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
	CP: Hand lever pneumatic seat height adjustment	Seat diameter	16 ¼	413	Overall width	23 ¼	591
	PCB: Polished chrome base				Overall depth	24 ¼	616
	HDW: Hard dual-wheel casters						
	DP: Double pack						

Model	Frame	Vinyl Upholstery / List ($)				Control ($)	Cylinder ($)	Base ($)	Casters ($)	Other options ($)
D63	**E1** Polished Chrome	Grade 1	**419 x 2 = 838**	Grade 5	**473 x 2 = 946**	**SW** Std	**CP** Std	**PCB** Std	**HDW** Std	**DP** Std
		Grade 2	**431 x 2 = 862**	Grade 6	**500 x 2 = 1,000**		**SCL 83 x 2 = 166**		**SDW 20 x 2 = 40**	**SP 57**/chair
		Grade 3	**446 x 2 = 892**	Grade 8	**533 x 2 = 1,066**				**BRC 31 x 2 = 62**	**C33 170 x 2 = 340**
		Grade 4	**452 x 2 = 904**						**BGL 20 x 2 = 40**	

DB63

One upholstery – back/seat:
C.O.M.: 1.18 yd – 1,08 m
Dual upholstery – back only:
C.O.M.: 0.52 yd – 0,48 m
Dual upholstery – seat only:
C.O.M.: 0.66 yd – 0,6 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Upholstered back	**SW:** Swivel only control	Seat height	17-22 ¼	432-565	Overall height	28-35	711-889
Ships 2 per carton	**CP:** Hand lever pneumatic seat height adjustment	Seat diameter	16 ¼	413	Overall width	23 ¼	591
	PCB: Polished chrome base	Back height	10	254	Overall depth	24 ¼	616
	HDW: Hard dual-wheel casters	Back width	15 ¼	387			
	DP: Double pack						

Model	Frame	Vinyl Upholstery / List ($)				Control ($)	Cylinder ($)	Base ($)	Casters ($)	Other options ($)
DB63	**E1** Polished Chrome	Grade 1	**567 x 2 = 1,134**	Grade 5	**648 x 2 = 1,296**	**SW** Std	**CP** Std	**PCB** Std	**HDW** Std	**DP** Std
		Grade 2	**581 x 2 = 1,162**	Grade 6	**694 x 2 = 1,388**		**SCL 83 x 2 = 166**		**SDW 20 x 2 = 40**	**SP 57**/chair
		Grade 3	**607 x 2 = 1,214**	Grade 8	**749 x 2 = 1,498**				**BRC 31 x 2 = 62**	**C33 170 x 2 = 340**
		Grade 4	**615 x 2 = 1,230**						**BGL 20 x 2 = 40**	

D65

One upholstery – back/seat:
C.O.M.: 0.66 yd – 0,6 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**SW:** Swivel only control	Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
	CP: Ring-activated pneumatic seat height adjustment	Seat diameter	16 ¼	413	Overall width	23 ¼	591
	PCB: Polished chrome base				Overall depth	24 ¼	616
	HDW: Hard dual-wheel casters						
	DP: Double pack						

Model	Frame	Vinyl Upholstery / List ($)				Control ($)	Cylinder ($)	Base ($)	Casters ($)	Other options ($)
D65	**E1** Polished Chrome	Grade 1	**470 x 2 = 940**	Grade 5	**536 x 2 = 1,072**	**SW** Std	**CP** Std	**PCB** Std	**HDW** Std	**DP** Std
		Grade 2	**483 x 2 = 966**	Grade 6	**567 x 2 = 1,134**		**SCL 83 x 2 = 166**		**SDW 20 x 2 = 40**	**SP 57**/chair
		Grade 3	**501 x 2 = 1,002**	Grade 8	**615 x 2 = 1,230**				**BRC 31 x 2 = 62**	**C33 170 x 2 = 340**
		Grade 4	**506 x 2 = 1,012**						**BGL 20 x 2 = 40**	

D63X

One upholstery – back/seat:
C.O.M.: 0.66 yd – 0,6 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**SW:** Swivel only control	Seat height	16-21	406-533	Overall height	16-21	406-533
	CP: Ring-activated pneumatic seat height adjustment	Seat diameter	16 ¼	413	Overall width	24	610
	PCB: Polished chrome base				Overall depth	24	610
	HDW: Hard dual-wheel casters						
	DP: Double pack						

Model	Frame	Vinyl Upholstery / List ($)				Control ($)	Cylinder ($)	Base ($)	Casters ($)	Other options ($)
D63X	**E1** Polished Chrome	Grade 1	**868 x 2 = 1,736**	Grade 5	**928 x 2 = 1,856**	**SW** Std	**CP** Std	**PCB** Std	**HDW** Std	**DP** Std
		Grade 2	**893 x 2 = 1,786**	Grade 6	**959 x 2 = 1,918**				**SDW 20 x 2 = 40**	**SP 57**/chair
		Grade 3	**898 x 2 = 1,796**	Grade 8	**995 x 2 = 1,990**				**BRC 31 x 2 = 62**	
		Grade 4	**904 x 2 = 1,808**						**BGL 20 x 2 = 40**	

GUEST

SPECIFICATIONS

- Model ship sassembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 31.

BARIATRIC / GUEST CHAIR — **SAMPLE ORDER: SW32B-E3-RI26-RI26**

SW32B

One upholstery – back/seat:
C.O.M.: 1.87 yd – 1,71 m
Dual upholstery – back only:
C.O.M.: 1.03 yd – 0,94 m
Dual upholstery – seat only:
C.O.M.: 0.84 yd – 0,77 m

Standard features
Fully upholstered back panel
⅞", 14-gauge round steel tubing
Nylon floor glides
Injection-molded arms
Rated 500 lb

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18½	470	Overall height	33¼	845
Seat width	24	610	Overall width	29¼	743
Seat depth	18	457	Overall depth	23	584
Back height	14½	368	Width between arms	26½	673
Back width	25	635			

Model	Frame	Upholstery / List ($)	
SW32B	**E3** Black	Grade 1	**754**
		Grade 2	**785**
		Grade 3	**810**
		Grade 4	**829**
		Grade 5	**879**
		Grade 6	**943**
		Grade 7	**1,418**
		Grade 8	**1,033**

TASK AND STOOL

SPECIFICATIONS

- All models ship assembled.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for upholstered seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models are available with a seamless seat upholstery (SC option). The aesthetics differs slightly from a standard seat design with seams.
- C.O.M./C.O.V. available. Please refer to page 31.

TASK CHAIRS — SAMPLE ORDER: UP13-E3-MUC-PK04-SYN-P-AB-HDW-FA

UP13

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features	
Adjustable lumbar support	**SYN:** Synchronous control
Black rugged outer polymer shell	**P:** Pneumatic seat height cylinder
Tilt tension adjustment	**AB:** Nylon angle base
Tilt lock	**HDW:** Hard dual-wheel casters
Seat depth adjustment	**FA:** One piece fixed arms
Pneumatic seat height	

Dimensions	(in)	(mm)
Seat height	18-21½	460-550
Seat width	20½	520
Seat depth	18¾	476
Back height	21¾	550
Back width	18¾	476

Dimensions	(in)	(mm)
Overall height	39-42½	990-1080
Overall width	26	660
Overall depth	26-28	660-710
Width between arms	19¼	490

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Options ($)	
UP13	**E3** Black	**MUC**	Cloud	Grade 1	**689**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**SC**	**71**
		MUF	Flame	Grade 2	**703**			**CP**	**38**	**APC**	**100**	**SDW**	**20**	**HA8**	**38**		
		MUO	Ocean	Grade 3	**717**							**BRC**	**31**	**3D8**	**44**		
		MUR	Raven	Grade 4	**722**									**R3D8**	**95**		
		MUS	Smoke	Grade 5	**750**												
				Grade 6	**777**												
				Grade 7	**1,035**												
				Grade 8	**818**												

UP12

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features	
Adjustable lumbar support	**SYN:** Synchronous control
Black rugged outer polymer shell	**P:** Pneumatic seat height cylinder
Tilt tension adjustment	**AB:** Nylon angle base
Tilt lock	**HDW:** Hard dual-wheel casters
Seat depth adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)
Seat height	18-21½	460-550
Seat width	20½	520
Seat depth	18¾	476
Back height	21¾	550
Back width	18¾	476

Dimensions	(in)	(mm)
Overall height	39-42½	990-1080
Overall width	26	660
Overall depth	26-28	660-710

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Options ($)	
UP12	**E3** Black	**MUC**	Cloud	Grade 1	**636**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**SC**	**71**
		MUF	Flame	Grade 2	**648**			**CP**	**38**	**APC**	**100**	**SDW**	**20**		
		MUO	Ocean	Grade 3	**655**							**BRC**	**31**		
		MUR	Raven	Grade 4	**663**										
		MUS	Smoke	Grade 5	**689**										
				Grade 6	**717**										
				Grade 7	**1,014**										
				Grade 8	**756**										

UPSWING

STOOLS — **SAMPLE ORDER: UP52-E3-MUS-PK04-SYN-P-AB-HDW-HA8**

UP52

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

SYN: Synchronous control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Dimensions	(in)	(mm)
Seat height	24-31½	610-800
Seat width	20½	520
Seat depth	18¾	476
Back height	21¾	550
Back width	18¾	476

Dimensions	(in)	(mm)
Overall height	44¾-52¼	1140-1330
Overall width	26	660
Overall depth	26-28	660-710
Width between arms	19¼	490

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Options ($)	
UP52	**E3** Black	**MUC**	Cloud	Grade 1	**948**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**SC**	**71**
		MUF	Flame	Grade 2	**968**			**XTC**	**60**	**APC**	**100**	**SDW**	**20**	**HA8**	**38**		
		MUO	Ocean	Grade 3	**980**							**BRC**	**31**	**3D8**	**44**		
		MUR	Raven	Grade 4	**986**									**R3D8**	**95**		
		MUS	Smoke	Grade 5	**1,017**												
				Grade 6	**1,048**												
				Grade 7	**1,175**												
				Grade 8	**1,094**												

UP51

Dual upholstery – seat only:
C.O.M.: 0.98 yd – 0,90 m

Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

SYN: Synchronous control
P: Pneumatic seat height cylinder
AB: Nylon angle base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	24-31½	610-800
Seat width	20½	520
Seat depth	18¾	476
Back height	21¾	550
Back width	18¾	476

Dimensions	(in)	(mm)
Overall height	44¾-52¼	1140-1330
Overall width	26	660
Overall depth	26-28	660-710

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Options ($)	
UP51	**E3** Black	**MUC**	Cloud	Grade 1	**897**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**SC**	**71**
		MUF	Flame	Grade 2	**911**			**XTC**	**60**	**APC**	**100**	**SDW**	**20**		
		MUO	Ocean	Grade 3	**923**							**BRC**	**31**		
		MUR	Raven	Grade 4	**935**										
		MUS	Smoke	Grade 5	**960**										
				Grade 6	**999**										
				Grade 7	**1,157**										
				Grade 8	**1,037**										

GUEST / STACK AND STOOL

SPECIFICATIONS

- All models ship assembled.
- Wood maple veneer available in 5 colors.

GUEST / STACK CHAIRS

SAMPLE ORDER: VR31-E1-CEY-QP

VR31

Standard features	
Ships 4 per carton	**E1:** Polished chrome frame
Tubular steel frame	**QP:** Quad pack
Wood maple veneer	
Stacks up to 8-high	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½	445	Overall height	34	864
Seat width	15 ¾	400	Overall width	20	508
Seat depth	15	381	Overall depth	18 ½	470
Back height	17	432			
Back width	15 ¾	400			

Model	Frame	Wood finish	List ($)	Other options ($)	
VR31	**E1** Polished chrome	**BAK** Black	**442 x 4 = 1,768**	**QP**	Std
		CEY Cherry		**DP**	**31**/chair
		NAP Natural		**SP**	**57**/chair
		OMC Espresso			
		WHT White			

VR31M

Standard features	
Ships 4 per carton	**E1:** Polished chrome frame
Tubular steel frame	**QP:** Quad pack
Wood maple veneer	
Stacks up to 8-high	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½	445	Overall height	33	838
Seat width	16	406	Overall width	18	457
Seat depth	16	406	Overall depth	19	483
Back height	17	432			
Back width	18 ½	470			

Model	Frame	Wood finish	List ($)	Other options ($)	
VR31M	**E1** Polished chrome	**BAK** Black	**377 x 4 = 1,508**	**QP**	Std
		CEY Cherry		**DP**	**31**/chair
		NAP Natural		**SP**	**57**/chair
		OMC Espresso		**HH**	**95**/chair
		WHT White			

CAFÉ HEIGHT STOOL

SAMPLE ORDER: VR31H-E1-CEY

VR31H

Standard features	
Tubular steel frame	**E1:** Polished chrome frame
Wood maple veneer	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29 ¼	743	Overall height	34 ½	876
Seat width	15 ½	394	Overall width	15 ½	394
Seat depth	15 ½	394	Overall depth	20 ½	521
Back height	6	152			
Back width	15 ½	394			

Model	Frame	Wood finish	List ($)
VR31H	**E1** Polished chrome	**BAK** Black	**512**
		CEY Cherry	
		NAP Natural	
		OMC Espresso	
		WHT White	

GUEST / STACK

SPECIFICATIONS

- All models ship assembled.
- Chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- P33 option meets Cal-133 compliance. Limited polypropylene (black FS33 only) and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 31.

POLYPROPYLENE BACK AND SEAT GUEST / STACK CHAIRS

SAMPLE ORDER: FE02-E1-FS01-QP

FE02

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 per carton	**QP:** Quad pack	Seat height	17	432	Overall height	31	787
Stacks up to 10 high		Seat width	17 ½	445	Overall width	22	559
7⁄16" solid steel frame		Seat depth	17 ¼	438	Overall depth	22 ½	572
Polypropylene shell		Back height	13 ½	343	Width between arms	19 ⅜	492
Black polypropylene armrests		Back width	17 ½	445			

Model	Frame	Polypropylene shell color	List ($)	Other options ($)	
FE02	**E3** Black	**FS01** White	**258 x 4 = 1,032**	**QP**	Std
	E1 Polished Chrome	**FS03** Black		**DP**	**31**/chair
		FS04 Navy		**SP**	**57**/chair
		FS06 Red		**P33**	**50**/chair
		FS14 Gray			
		FS27 Blue			
		FS33 Black Cal-133			

FE01



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 per carton	**QP:** Quad pack	Seat height	17	432	Overall height	31	787
Stacks up to 10 high		Seat width	17 ½	445	Overall width	17 ½	445
7⁄16" solid steel frame		Seat depth	17 ¼	438	Overall depth	22 ½	572
Polypropylene shell		Back height	13 ½	343			
		Back width	17 ½	445			

Model	Frame	Polypropylene shell color	List ($)	Other options ($)	
FE01	**E3** Black	**FS01** White	**193 x 4 = 772**	**QP**	Std
	E1 Polished Chrome	**FS03** Black		**DP**	**31**/chair
		FS04 Navy		**SP**	**57**/chair
		FS06 Red		**P33**	**50**/chair
		FS14 Gray			
		FS27 Blue			
		FS33 Black Cal-133			

UPHOLSTERED BACK AND SEAT GUEST / STACK CHAIRS

SAMPLE ORDER: FE04-E3-FS27-CP01-SP

FE04

One upholstery – back/seat: C.O.M.: 1.25 yd – 1,14 m

Dual upholstery – back only: C.O.M.: 0.5 yd – 0,46 m

Dual upholstery – seat only: C.O.M.: 0.73 yd – 0,67 m

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 2 per carton	**DP:** Double pack	Seat height	17	432	Overall height	31	787
Stacks up to 6 high		Seat width	17 ½	445	Overall width	22	559
7⁄16" solid steel frame		Seat depth	17 ¼	438	Overall depth	22 ½	572
Polypropylene shell		Back height	13 ½	343	Width between arms	19 ⅜	492
Black polypropylene armrests		Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE04	**E3** Black	**FS01** White	Grade 1	**411 x 2 = 822**	**DP**	Std
	E1 Polished chrome	**FS03** Black	Grade 2	**418 x 2 = 836**	**SP**	**57**/chair
		FS04 Navy	Grade 3	**431 x 2 = 862**	**P33**	**50**/chair
		FS06 Red	Grade 4	**438 x 2 = 876**		
		FS14 Gray	Grade 5	**457 x 2 = 914**		
		FS27 Blue	Grade 6	**478 x 2 = 956**		
		FS33 Black Cal-133	Grade 7	**776 x 2 = 1,552**		
			Grade 8	**610 x 2 = 1,220**		

4800

UPHOLSTERED BACK AND SEAT GUEST / STACK CHAIRS

SAMPLE ORDER: FE03-E3-FS27-CP01-SP

FE03

One upholstery – back/seat:
C.O.M.: 1.25 yd – 1,14 m
Dual upholstery – back only:
C.O.M.: 0.5 yd – 0,46 m
Dual upholstery – seat only:
C.O.M.: 0.73 yd – 0,67 m

Standard features

Ships 2 per carton — **DP:** Double pack
Stacks up to 6 high
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	17 ½	445
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE03	**E3** Black	**FS01** White	Grade 1	**362 x 2 = 724**	**DP**	Std
	E1 Polished chrome	**FS03** Black	Grade 2	**370 x 2 = 740**	**SP**	**57**/chair
		FS04 Navy	Grade 3	**376 x 2 = 752**	**P33**	**50**/chair
		FS06 Red	Grade 4	**384 x 2 = 768**		
		FS14 Gray	Grade 5	**399 x 2 = 798**		
		FS27 Blue	Grade 6	**414 x 2 = 828**		
		FS33 Black Cal-133	Grade 7	**671 x 2 = 1,342**		
			Grade 8	**528 x 2 = 1,056**		

POLYPROPYLENE BACK / UPHOLSTERED SEAT GUEST / STACK CHAIRS

SAMPLE ORDER: FE06-E3-FS14-AM24-DP

FE06

Dual upholstery – seat only:
C.O.M.: 0.73 yd – 0,67 m

Standard features

Ships 4 per carton — **QP:** Quad pack
Stacks up to 6 high
7/16" solid steel frame
Polypropylene shell
Polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343	Width between arms	19 ⅜	492
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE06	**E3** Black	**FS01** White	Grade 1	**356 x 4 = 1,424**	**QP**	Std
	E1 Polished chrome	**FS03** Black	Grade 2	**362 x 4 = 1,448**	**DP**	**31**/chair
		FS04 Navy	Grade 3	**367 x 4 = 1,468**	**SP**	**57**/chair
		FS06 Red	Grade 4	**374 x 4 = 1,496**	**P33**	**50**/chair
		FS14 Gray	Grade 5	**392 x 4 = 1,568**		
		FS27 Blue	Grade 6	**410 x 4 = 1,640**		
		FS33 Black Cal-133	Grade 7	**657 x 4 = 2,628**		
			Grade 8	**519 x 4 = 2,076**		

FE05



Dual upholstery – seat only:
C.O.M.: 0.73 yd – 0,67 m

Standard features

Ships 4 per carton — **QP:** Quad pack
Stacks up to 6 high
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE05	**E3** Black	**FS01** White	Grade 1	**283 x 4 = 1,132**	**QP**	Std
	E1 Polished chrome	**FS03** Black	Grade 2	**289 x 4 = 1,156**	**DP**	**31**/chair
		FS04 Navy	Grade 3	**296 x 4 = 1,184**	**SP**	**57**/chair
		FS06 Red	Grade 4	**301 x 4 = 1,204**	**P33**	**50**/chair
		FS14 Gray	Grade 5	**314 x 4 = 1,256**		
		FS27 Blue	Grade 6	**326 x 4 = 1,304**		
		FS33 Black Cal-133	Grade 7	**531 x 4 = 2,124**		
			Grade 8	**416 x 4 = 1,664**		

ACCESSORIES

FEGANG

Standard features

Ganging kit
Field installation
Gangs 2 chairs without arms together. Arm to armless models will gang together
Chair with a tablet arm adjacent to another tablet arm cannot be ganged together

Model	List ($)
FEGANG	**31**

ACCESSORIES

FEDY

Standard features	Dimensions	(in)	(mm)	Overall dimensions of dolly with 40 chairs	(in)	(mm)
Stacking dolly, black only	Overall width	23 ½	597	Total height	69	1753
Enamel steel frame	Overall depth	28 ½	724	Total width	24	610
To stack **40 FE01** or **40 FE02** models only				Total depth	38	965

Model	List ($)
FEDY	**879**

UPFEDY

Standard features	Dimensions	(in)	(mm)	Overall dimensions of dolly with 22 chairs	(in)	(mm)
Stacking dolly, black only	Overall width	21 ¼	540	Total height	66	1676
Enamel steel frame	Overall depth	28 ½	724	Total width	21 ¼	540
To stack **22 FE03**, **FE04**, **FE05**, or **FE06** models				Total depth	34	864

Model	List ($)
UPFEDY	**879**

C.O.M./C.O.V. POLICY

Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/ United Chair manufacturing facilities.

To request approval, one (1) yard needs to be forwarded along with the material's specifications to our Groupe Lacasse manufacturing facilities to the attention of the C.O.M./C.O.V. coordinator; shipping information can be found on the Custom Fabric Form. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to **COM-Info@groupelacasse.com** or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the product description section of the website (**www.groupelacasse.com**). Yardage is based on 54" width roll. **Some directional or patterned material may require additional yardage.**

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and yardage. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facilities. **DO NOT** ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to **COM-Info@groupelacasse.com** and the upholstery to the specified address. Groupe Lacasse is not be responsible for any upholstery excess received or material that cannot be identified. Those will automatically be discarded or returned, on demand only, to the client at their expenses. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse/United Chair.

Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a United Chair product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge. The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator by phone: 1-888-522-2773, or email at **COM-Info@groupelacasse.com** with any questions regarding this process.

Pricing

C.O.M. (FABRIC): is priced at Grade 2.
C.O.V. (VINYL): is priced at Grade 3.

CUSTOM FABRIC FORM

For internal use only

Tracking #

Date

All information below needs to be supplied in order to process your request and one (1) yard of the fabric must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that fabric **(C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3**. Contact the C.O.M. coordinator with any questions.

Please send this form to COM-Info@groupelacasse.com.

General information

Date of request

Customer name

Contact person

Phone #

E-mail address

Ship one (1) yard of the selected upholstery to one of the following address

For all other United Chair and Arold products:
Attention: C.O.M. Testing
Groupe Lacasse
185 Saint-Pierre
Saint-Pie, QC J0H 1W0
Canada

Textile information

	Results					
Test #	Passed	Failed	**Supplier**	**Pattern name**	**Pattern #**	**Color**
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		**Orientation**		**Reversible fabric?**		**Is fabric Cal-117?**		**Backer type**
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	(If applicable)
1.									
2.									
3.									
4.									
5.									

Other comments

TERMS AND CONDITIONS OF SALE

Order placement

Groupe Lacasse LLC requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse LLC will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

Ordering information

The following information is required to process an order:

Customer information
Sold/Ship to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Tagging instructions
Bid/Quote # if applicable
Product pricing (list/net)
Order total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product information
Quantity
Product numbers including options
Fabric and colors (all surfaces)

Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise.

Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

Surcharges

- Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

Prices

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment.

- Chargeable Parts Orders

Contact customer service for availability. Orders under $10 are subject to a $15 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. A $15 NET freight charge will be applied on all chargeable part orders, outside US.

Price list dated SEPTEMBER 2021 supersedes all other published price lists.
Prices shown in the general price book have priority to electronic catalog contents.

Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse LLC reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse LLC. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

- Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

- Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

- Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

Quotations

Quotations are valid for a period of thirty (30) days.

Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse LLC will only make on site deliveries for a full truckload (2,400 cubic feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated but will result in extra fees.

Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer).

Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.

- Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

- Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse LLC, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

Transportation policy



"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On orders less than $1,000 net (regardless of brand and/or shipping point) we will add a $150 small order fee.

Orders under $25 net are subject to a $20 small order fee (instead of 150$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse LLC can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines.

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse LLC as follows:

A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773** or by fax at **1-888-248-1865**.

Product

A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

C. California Bulletins #117 and #133 (Seating)

Many models in this price list can be made to comply with State of California Technical Bulletin #133. The standard fire-retardant foam supplied meets the specification of State of California Technical Bulletin #117. Consult Customer Service for the latest models and upcharges.

D. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

WARRANTY

The following warranty applies to United Chair products manufactured after September 6, 2021. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

Warranty

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

Lifetime except those listed below. Weight limit: 310 lbs. (141 kg).

United Chair Products	Applicable Warranty Period
4800 Series + related accessories	10 years*
Upholstery	Standard and Carded Programs: 5 years*. Graded-In Program, C.O.M./C.O.V. and SPL: Not covered under warranty.
Foam	5 years*
Painted Surfaces	5 years*
Casters/Glides	10 years*
Arm Pads	5 years*
Mechanism	10 years*
Cylinder	10 years*
Savvy 24h	5 years
All other components	Lifetime
Dollies	10 years*

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to "normal wear and tear", abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to "Customer's Own Material", "Groupe Lacasse Graded-In Program" and "SPL" fabric, (i.e., material specified by the buyer that is not a standard United Chair product offering) used in the manufacture of United Chair products. The Seller does not warrant the matching of color, grain or texture except to within commercially-acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from United Chair stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller's written planning, installation or user guides. The warranty does not apply to any United Chair seating product that is used by an individual weighing over 310 lbs. (141 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for use as standard office furniture. The remedies described above are the buyer's exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

*The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.

united chair®

A GROUPE LACASSE BRAND

GROUPE LACASSE

1 888 522.2773 | www.groupelacasse.com